

# Bibliografia

- [1] S.E. Miller, H. Abramovich and Y. Oshman, “*Active Distributed Vibration Control of Anisotropic Piezoelectric Laminated Plates*”, Journal of Sound and Vibration, 183, pp. 797-817 (1995).
- [2] G.S. Agnes, “*Development of a Modal Model for Simultaneous Active and Passive Piezoelectric Vibration Suppression*”. Journal of Intelligent Material Systems and Structures, 6, pp. 482-87, (1995).
- [3] E.H. Anderson, N.W. Hagood, “*Simultaneous Piezoelectric Sensing/Actuation: Analysis and Application to Controlled Structures*”. Journal of Sound and Vibration, 174(5), pp. 617-39 (1994).
- [4] S.K. Agrawal, D. Tong and K. Nagaraja, “*Modeling and Shape Control of Piezoelectric Actuator Embedded Elastic Plates*”. Journal of Intelligent Material Systems and Structures, 5, pp. 514-521 (1994).
- [5] B.A. Auld, “*Wave Propagation and Resonance in Piezoelectric Materials*”. Journal of the Acoustical Society of America, 70, pp. 1577-85 (1981).
- [6] F. Auricchio and R.L. Taylor, “*A Shear Deformable Plate Element with an Exact Thin Limit*”. Computer Methods in Applied Mechanics and Engineering, 118, pp. 393-412 (1994).
- [7] F. Auricchio, P. Bisegna, C. Lovadina, “*Approximation of Piezoelectric Plate Problems by Finite Elements*”. In corso di pubblicazione su International Journal for Numerical Methods in Engineering.
- [8] F. Auricchio, E. Sacco, “*A Mixed-Enhanced Finite-Element for the Analysis of Laminated Composite Plates*”. International Journal for Numerical Methods in Engineering, 44, pp. 1481-1504 (1999).

- [9] F. Auricchio, C. Lovadina, “*Analysis of Kinematic Linked Interpolation Methods for Reissner-Mindlin Plates Problems*”. In corso di pubblicazione su Computer Methods in Applied Mechanics and Engineering.
- [10] C. Barocchiere, “*Metodi di Riscaldamento in Meccanica delle Strutture Elettroelastiche*”. Tesi di Laurea. Università di Roma Tor Vergata (1998).
- [11] K.J. Bathe, “*Finite Element Procedures*”. Englewood Cliffs, NJ, 1995.
- [12] R.C. Batra, X.Q. Liang, J.S. Yang, “*The Vibration of a Simply Supported Rectangular Elastic Plate Due to Piezoelectric Actuators*”. International Journal of Solids and Structures, 33, pp. 1597-618 (1996).
- [13] P. Bhattacharya, H. Suhail, P.K. Sinha, “*Finite Element Free Vibration Analysis of Smart Laminated Composite Beams and Plates*”. Journal of Intelligent Material Systems and Structures, 9, pp. 20-28 (1998).
- [14] P. Bisegna, “*Analisi del comportamento statico di laminati piezoelettrici*”. Atti del XXIV Convegno AIAS, Parma (1995).
- [15] P. Bisegna, F. Maceri, “*A Consistent Theory of Thin Piezoelectric plates*”. Journal of Intelligent Material Systems and Structures, 7, pp. 372-389 (1996).
- [16] P. Bisegna, F. Maceri, “*An exact Three-Dimensional Solution for Simply Supported Rectangular Piezoelectric Plates*”. Journal of Applied Mechanics, 63, pp. 628-638 (1996).
- [17] P. Bisegna, E. Sacco, “*A Rational Deduction of Plate Theories from the Three-Dimensional Linear Elasticity*”. Zeit. Angew. Math. und Mech., 77(5), pp. 349-66 (1997).
- [18] P. Bisegna, “*A Theory of Piezoelectric Laminates*”. Rendiconti Matematici dell'Accademia dei Lincei (s.9), 8, pp. 137-65 (1997).
- [19] P. Bisegna, G. Caruso “*A new Mindlin-type finite-element for piezoelectric sandwich plates*”. Proceedings of the Fourth International Conference on Intelligent Materials ICIM; T. Takagi, M. Aizawa, T. Okano, N. Shinya, Eds., Tokyo: The Society of Non-Traditional Technology, pp. 70-71 (1998).

- [20] P. Bisegna, F. Maceri, “*Twentyfive Functionals of the Linear Piezoelectricity*”. Atto n. 51 del Dipartimento di Ingegneria Civile, Università di Roma “Tor Vergata” (1999).
- [21] P. Bisegna, G. Caruso, D. Del Vescovo, S. Landini, “*Simulation of the Passive Damping of a Piezoactuated Cantilever Plate*”. Atti della Conferenza Annuale ISCS, Roma, pp. 36-43 (1999).
- [22] P. Bisegna, G. Caruso, F. Maceri, “*Refined Models for Vibration Analysis and Control of Thick Piezoelectric Laminates*”. Optimization and Control in Civil and Structural Engineering. BHV. Topping, B. Kumar, Eds., Edinburgh: Civil-Comp Press, pp. 197-202 (1999).
- [23] P. Bisegna, G. Caruso, F. Maceri, “*A Layer-Wise Reissner-Mindlin-Type Model for the Vibration Analysis and Suppression of Piezoactuated Structures*”. In corso di pubblicazione su International Journal of Computers and Structures.
- [24] P. Bisegna, G. Caruso, “*Mindlin-Type Finite Elements for Piezoelectric Sandwich Plates*” In corso di pubblicazione su Journal of Intelligent Material Systems and Structures.
- [25] P. Bisegna, G. Caruso, D. Del Vescovo, “*Smorzamento Passivo Ottimale di Vibrazioni Tramite Piezoelettrico: Risultati Numerici e Sperimentali*”. Atti del XXVIII Convegno Nazionale AIAS, Vicenza, pp. 959-67, (1999).
- [26] P. Bisegna, G. Caruso, D. Del Vescovo, S. Galeani, L. Menini, “*Semi-Active Control of a Thin Piezoactuated Structure*”. In corso di pubblicazione su Proceedings of the SPIE’s 7<sup>th</sup> International Symposium, Newport Beach, CA (USA), (2000).
- [27] A. Blanguernon, F. Lené, M. Bernadou, “*Active control of a Beam Using a Piezoceramic Element*”. Smart Materials and Structures, 8, pp. 116-24 (1999).
- [28] F. Brezzi, M. Fortin, “*Mixed and Hybrid Finite Element Methods*”, Vol. 15. Springer-Verlag, New York (1991).
- [29] E. Brusa, S. Carabelli, F. Carraro, A. Tonoli, “*Eletromechanical Tuning of Self-Sensing Piezoelectric Transducers*”. Journal of Intelligent Material Systems and Structures, 9, pp. 198-209 (1998).

- [30] E. Carrera, "An Improved Reissner-Mindlin-Type Model for the Electromechanical Analysis of Multilayered Plates Including Piezo-Layers". *Journal of Intelligent Material Systems and Structures* 8, pp. 232-248 (1997).
- [31] F. Charette, A. Berry, and C. Guigou, "*Dynamic Effects of Piezoelectric Actuators on the Vibrational Response of a Plate*". *Journal of Intelligent Material Systems and Structures*, 8, pp. 513-524 (1997).
- [32] Z. Chaudhry, C.A. Rogers, "*Actuators for Smart Structures*". In "*Fibre Optic Smart Structures*", John Wiley & Sons Inc., pp. 497-536 (1995).
- [33] C.Y.K. Chee, L. Tong, G.P. Steven, "*A Review on the Modeling of Piezoelectric Sensors and Actuators Incorporated in Intelligent Structures*". *Journal of Intelligent Material Systems and Structures*, 9, pp. 3-19 (1998).
- [34] P.G. Ciarlet, P. Destuynder, "*A Justification of the Two-Dimensional Linear Plate Model*". *Journal de Mécanique*, 18 (2), pp. 315-44 (1979).
- [35] R.L. Clark, C.R. Fuller, A. Wicks, "*Characterization of Multiple Piezoelectric Actuators for Structural Excitation*". *Journal of the Acoustical Society of America*, 90(1), pp. 348-57 (1991).
- [36] R.L. Clark, C.R. Fuller, "*Optimal Placement of Piezoelectric Actuators and Polyvinylidene Fluoride Sensors in Active Structural Acoustic Control Approaches*". *Journal of the Acoustical Society of America*, 92(3), pp. 1521-33 (1992).
- [37] E.F. Crawley J. de Luis, "*Use of Piezoelectric Actuators as Elements of Intelligent Structures*". *AIAA Journal*, 25, pp. 1373-1385 (1987).
- [38] E.F. Crawley, E.H. Anderson, "*Detailed Models of Piezoceramic Actuation of Beams*". *Journal of Intelligent Material Systems and Structures*, 1(1), pp. 4-25 (1990).
- [39] M.A. Crisfield, "*Finite Elements and Solution Procedures for Structural Analysis*", Vol.1. Pineridge Press, Swansea, UK (1986).
- [40] A. DeSimone, P. Podio Guidugli, "*Centri di Forza e Oscillazioni di Spessore nelle Piastre*". *Atti del XII Congresso AIMETA*, Napoli, pp. 99-104 (1995).

- [41] E.K. Dimitriadis, C.R. Fuller, C.A. Rogers, “*Piezoelectric Actuators for Distributed Vibration Excitation of Thin Plates*”. *Journal of Vibration and Acoustics*, 113(1), pp. 100-7 (1991).
- [42] M.C. Dökmeci, “*Theory of Vibrations of Coated, Thermopiezoelectric Laminae*”. *Journal of Mathematical Physics*, 19(1), pp. 109-26 (1978).
- [43] J. Dosch, D. Inman, E. Garcia, “*A Self-Sensing Piezoelectric Actuator for Collocated Control*”. *Journal of Intelligent Material Systems and Structures*, 3, p. 166 (1992).
- [44] D.L. Edberg, A.S. Bicos, J.S. Fechter, “*On Piezoelectric Energy Conversion for Electronic Passive Damping Enhancement*”. *Proceedings of Damping*, San Diego, CA (1991).
- [45] R.H. Edwards, R.H. Miyakawa, “*Large Structure Damping Task Report*”. Hughes Aircraft Co. Report No. 4132.22/1408 (1980).
- [46] A.C. Eringen, G.A. Maugin, “*Electrodynamics of Continua I*”. Springer-Verlag, New York (1990).
- [47] R.L. Forward, C.J. Swigert, “*Electronic Damping of Vibrations in Optical Structures*”. *Journal of Applied Optics*, 18(5), pp. 690-97 (1979).
- [48] P. Gaudenzi, E. Fantini, V.K. Koumoussis, C.J. Gantes, “*Genetic Algorithm Optimization for the Active Control of a Beam by Means of PZT Actuators*”. *Journal of Intelligent Material Systems and Structures*, 9, pp. 291-300 (1998).
- [49] G.L. Ghiringhelli, “*Structural Vibrations and Noise Reduction by Piezoelectric Active control*”. *Journal of Structural Control*, 4(2), pp. 41-68 (1997).
- [50] A.L. Gol'denveizer, “*Derivation of an Approximate Theory of Bending of a Plate by the Method of Asymptotic Integration of the Equations of the Theory of Elasticity*”. *Journal of Applied Mathematics and Mechanics*, 26, pp. 1000-25 (1962).
- [51] M.E. Gurtin, “*The Linear Theory of Elasticity*”. *Handbuch der Physik*. S. Flugge, ed., Band VIa/2, Springer-Verlag, Berlin (1972).

- [52] J.J. Hollkamp, “*Multimodal Passive Vibration Suppression with Piezoelectric Materials and Resonant Shunts*”. Journal of Intelligent Materials Systems and Structures, 5, pp. 49-56, (1994).
- [53] J.J. Hollkamp, T.F. Starchville Jr., “*A Self-Sensing Piezoelectric Vibration Absorber*”. Journal of Intelligent Material Systems and Structures, 5, pp. 559-66, (1994).
- [54] N.W. Hagood, A. von Flotow, “*Damping of Structural Vibrations with Piezoelectric Materials and Passive Electrical Networks*”. Journal of Sound and Vibration, 146(2), pp. 243-268 (1991).
- [55] T.J.R. Hughes, “*The Finite Element Method*”. Prentice Hall International, Inc. (1987).
- [56] T. Ikeda, “*Fundamentals of Piezoelectricity*”. Oxford University Press, New York (1990).
- [57] D.J. Inman, “*Vibration Suppression through Smart Damping*”. Proceedings of the Fifth International Congress on Sound and Vibration, Adelaide, South Australia (1997).
- [58] Y. Kagawa, T. Tsuchiya, T. Kataoka, T. Yamabuchi, T. Furukawa, “*Finite Element Simulation of Dynamic Responses of Piezoelectric Actuators*”. Journal of Sound and Vibration, 191, pp. 519-538 (1996).
- [59] S.J. Kim, J.D. Jones, “*Optimal Design of Piezoactuators for Active Noise and Vibration Control*”. AIAA Journal, 29(12), pp. 2047-53 (1991).
- [60] J. Kim, V.V. Varadan, V.K. Varadan, “*Finite Element-Optimization Methods for the Active Control of Radiated Sound From a Plate Structure*”. Smart Materials and Structures, 4, pp. 318-26 (1995).
- [61] E. Kiral, A.C. Eringen, “*Constitutive Equations of Nonlinear Electromagnetic-Elastic Crystals*”. Springer-Verlag, Berlino (1990).
- [62] K.Y. Lam, T.Y. Ng, “*Active Control of Composite Plates With Integrated Piezoelectric Sensors and Actuators Under Various Dynamic Loading Conditions*”. Smart Materials and Structures, 8, pp. 223-37 (1999).

- [63] L.D. Landau, E.M. Lifshitz, *“Electrodynamics of Continuous Media”*. Course of Theoretical Physics, vol. 8, Pergamon Press, Oxford, UK (1981).
- [64] C.K. Lee, *“Theory of Laminated Piezoelectric Plates for the Design of distributed Sensors/Actuators. Part I. Governing Equations and Reciprocal Relationships”*. Journal of the Acoustical Society of America, 87, pp. 1144-58 (1990).
- [65] C.K. Lee, W.W. Chiang and T.C. O’Sullivan, *“Piezoelectric Modal Sensor/Actuator Pairs for Critical Active Damping Vibration Control”*. Journal of the Acoustical Society of America, 90, pp. 374-384 (1991).
- [66] M. Lembo, *“The Membranal and Flexural Equations of Thin Elastic Plates Deduced Exactly From the Three-Dimensional Theory”*. Meccanica, 24, pp. 93-97 (1989).
- [67] G.A. Lesieutre, *“Vibration Damping and Control Using Shunted Piezoelectric Materials”*. The Shock and Vibration Digest, 30, pp. 181-190 (1998).
- [68] K.H. Lo, R.M. Christensen, E.M. Wu, *“A Higher-Order Theory of Plate Deformation”*. Journal of Applied Mechanics, 44, pp. 663-76 (1977).
- [69] D.G. Luenberger, *“Optimization by Vector Space Methods”*. John Wiley & Sons, New York (1969).
- [70] L.A. Lyusternik, *“On Costrained Extrema of Functionals”*. Mat. Sb.,41, pp. 390-401 (1934).
- [71] P.F. Manfredi, P. Maranesi, T. Tacchi, *“L’Amplificatore Operazionale”*. Boringhieri, Milano (1978).
- [72] W.P. Mason, *“Piezoelectricity, its History and Applications”*. Journal of the Acoustical Society of America, 70, pp. 1577-85 (1981).
- [73] G.A. Maugin, *“Continuum Mechanics of Electromagnetic Solids”*. North-Holland, Amsterdam (1988).
- [74] G.A. Maugin, D. Attou, *“An asymptotic Theory of Thin Piezoelectric Plates”*. Quarterly Journal of Mechanics and Applied Mathematics, 43, pp. 347-62 (1990).
- [75] L. Meirovitch, *“Elements of Vibration Analysis”*. McGraw-Hill, New York (1975).

- [76] R.D. Mindlin, “*Influence of Rotatory Inertia and Shear on Flexural Motions of Isotropic, Elastic Plates*”. Journal of Applied Mechanics, 38, pp. 31-38 (1951).
- [77] R.D. Mindlin, “*High Frequency Vibrations of Piezoelectric Crystal Plates*”. International Journal of Solids and Structures, 8, pp. 895-906 (1972).
- [78] D.K. Miu, “*Phisycal Interpretation of Transfer Function Zeros for Simple Control Systems With Mechanical Flexibilities*”. Journal of Dynamic Systems, Measurement, and Control, 113, pp. 419-24 (1991).
- [79] P. Nardinocchi, P. Podio Guidugli, “*The equations of Reissner-Mindlin Plates Obtained by the Method of Internal Constraints*”. Meccanica, 29, pp. 143-57 (1994).
- [80] V. Nicotra, “*Piastre Elettroelastiche Capaci di Vibrazioni di spessore*”. Tesi di Dottorato. Università di Roma Tor Vergata (1998).
- [81] K. Oshima, T. Takigami, Y. Hayakawa, “*Robust Vibration Control of a Cantilever Beam Using Self-Sensing Actuator*”. JSME International Journal, 40(4), pp. 681-87 (1997).
- [82] C.H. Park, K. Kabeya, D.J. Inman, “*Enhanced Piezoelectric Shunt Design. Adaptive Structures and Smart Materials Systems, AD-Vol.57/MD-Vol.83, ASME, pp.149-55 (1998)*”.
- [83] P. Podio Guidugli, “*An Exact Derivation of Thin Plate Equations*”. Journal of Elasticity, 22, pp. 121-33 (1989).
- [84] P. Podio Guidugli, V. Nicotra, “*Piezoelectric Plates With Changing Thickness*”. Journal of Structural Control, 5(2), pp. 73-86 (1998).
- [85] E. Reissner, “*The Effect of the Transverse Shear Deformation on the Bending of Elastic Plates*”. Journal of Applied Mechanics, 12, pp. 69-77 (1945).
- [86] T.G. Rogers, P. Watson, A.J.M. Spencer, “*An Exact Three-Dimensional Solution for Normal Loading of Inhomogeneous and Laminated Anisotropic Elastic Plates of Moderate Thickness*”. Proc. R. Soc. Lond. A, pp. 199-213 (1992).
- [87] W.A. Smith, “*The Key Design Principle for Piezoelectric Ceramic/Polimer Composites*”. Proceedings of “Recent advances in Adaptive Sensory Materials and their

- Applications”, C.A. Rogers and R.C. Rogers, eds., Technomic Publishing Company, Lancaster, PA, pp. 825-38 (1992).
- [88] L. Teresi, A. Tiero, “*On Variational Approaches to Plate Models*”. *Meccanica*, 32, pp. 143-56 (1997).
- [89] H.F. Tiersten, “*Linear Piezoelectric Plate Vibrations*”. Plenum Press, New York (1969).
- [90] H.F. Tiersten, “*Electrostatic equations for electroded thin plates subject to large driving voltages*”. *Journal of Applied Physics*, 74, pp. 3389-3393 (1993).
- [91] H.F. Tiersten, “*Equations for the control of the flexural vibrations of composite plates by partially electroded piezoelectric actuators*”. *Active Materials and Smart Structures*. G. L. Anderson and D. C. Lagoudas, Eds., SPIE Proceedings Series 2427, pp. 326-42 (1994).
- [92] S. Timoshenko, D.H. Young, W. Weaver Jr., “*Vibration Problems in Engineering*”, fourth edition. John Wiley, New York (1974).
- [93] D. Tong, R.L. Williams II and S.K. Agrawal, “*Optimal Shape Control of Composite Thin Plates with Piezoelectric Actuators*”. *Journal of Intelligent Material Systems and Structures*, 9, pp. 458-467 (1998).
- [94] “*Piezoceramics*”. Toshiba Ceramics Company, Ltd, Tokyo, Japan, pp. 1-15 (1983).
- [95] H.S. Tzou, C.I. Tseng, “*Distributed Piezoelectric Sensor/Actuator Design for Dynamic Measurement/Control of Distributed Parameter Systems: A Piezoelectric Finite Element Approach*”. *Journal of Sound and Vibration*, 138, pp. 17-34 (1990).
- [96] H.A. Tzou, “*Piezoelectric Shells*”. Kluwer Academic Publishers, Dordrecht (1993).
- [97] “*Five Modern Piezoelectric Ceramics*”. Bulletin of Morgan Matroc Ltd. Vernitron Piezoelectric Division, Bedford, OH, pp. 1-27 (1983).
- [98] B.T. Wang, C.A. Rogers, “*Modeling of Finite-Lenght Spatially-Distributed Induced Strain Actuators for Laminate Beams and Plates*”. *Journal of Intelligent Material Systems and Structures*, 2, pp. 38-58 (1991).

- [99] B.T. Wang, R.A. Burdisso, C.R. Fuller, “*Optimal Placement of Piezoelectric Actuators for Active Structural Acoustic Control*”. *Journal of Intelligent Material Systems and Structures*, 5, pp. 67-77 (1994).
- [100] S.Y. Wu, “*Piezoelectric Shunts With a Parallel R-L Circuit for Structural Damping and Vibration Control*”. SPIE, Vol. 2720, pp. 259-69 (1996).
- [101] J.S. Yang, “*Equations for the Flexural Motion of Elastic Plates with Partially Electroded Piezoelectric Actuators*”. *Smart Materials and Structures*, 6, pp. 485-490 (1997).
- [102] J.S. Yang, “*Equations for Elastic plates with Partially Electroded Piezoelectric Actuators in Flexure with Shear Deformation and Rotatory Inertia*”. *Journal of Intelligent Material Systems and Structures*, 8, pp. 444-451 (1997).
- [103] J.S. Yang, “*Equations for Thick Elastic Plates with Partially Electroded Piezoelectric Actuators and Higher Order Electric Fields*”. *Smart Materials and Structures*, 8, pp. 73-82 (1999).
- [104] Y.K. Yong, J.T. Stewart, A. Ballato, “*A Laminated Plate Theory for High Frequency, Piezoelectric Thin-Film Resonators*”. *Journal of Applied Physics*, 74(5), pp. 3028-46 (1993).
- [105] X.D. Zhang, C.T. Sun, “*Analysis of a Sandwich Plate Containing a Piezoelectric Core*”. *Smart Materials and Structures*, 8, pp. 31-40 (1999).
- [106] Y.S. Zhou, H.F. Tiersten, “*Elastic Analysis of Laminated Composite Plates in Cylindrical Bending Due to Piezoelectric Actuators*”. *Smart Materials and Structures*, 3, pp. 255-65 (1994).
- [107] O.C. Zienkiewicz and R.L. Taylor, “*The finite element method*”, Vol. I. McGraw-Hill, New York (1989).