

Search for neutral long-lived particles that decay into displaced jets in the ATLAS calorimeter in association with leptons or jets using pp collisions at $\sqrt{s} = 13$ TeV



The ATLAS collaboration

E-mail: atlas.publications@cern.ch

ABSTRACT: A search for neutral long-lived particles (LLPs) decaying in the ATLAS hadronic calorimeter using 140 fb^{-1} of proton-proton collisions at $\sqrt{s} = 13$ TeV delivered by the LHC is presented. The analysis is composed of three channels. The first targets pair-produced LLPs, where at least one LLP is produced with sufficiently low boost that its decay products can be resolved as separate jets. The second and third channels target LLPs respectively produced in association with a W or Z boson that decays leptonically. In each channel, different search regions target different kinematic regimes, to cover a broad range of LLP mass hypotheses and models. No excesses of events relative to the background predictions are observed. Higgs boson branching fractions to pairs of hadronically decaying neutral LLPs larger than 1% are excluded at 95% confidence level for proper decay lengths in the range of 30 cm to 4.5 m depending on the LLP mass, a factor of three improvement on previous searches in the hadronic calorimeter. The production of long-lived dark photons in association with a Z boson with cross-sections above 0.1 pb is excluded for dark photon mean proper decay lengths in the range of 20 cm to 50 m, improving previous ATLAS results by an order of magnitude. Finally, long-lived photo-phobic axion-like particle models are probed for the first time by ATLAS, with production cross-sections above 0.1 pb excluded in the 0.1 mm to 10 m range.

KEYWORDS: Beyond Standard Model, Exotics, Hadron-Hadron Scattering, Proton-Proton Scattering

ARXIV EPRINT: [2407.09183](https://arxiv.org/abs/2407.09183)

Contents

1	Introduction	1
2	The ATLAS detector	3
3	Data and simulated event samples	4
4	Event reconstruction	7
5	Event selection	9
5.1	CalR+2J channel selection	9
5.2	CalR+W and CalR+Z channel selections	11
6	Background estimation	14
6.1	CalR+2J final selection and the ABCDisCo method	15
6.2	CalR+W and CalR+Z final selections and background estimate	15
7	Systematic uncertainties	17
8	Results and statistical interpretation	20
9	Conclusion	24
	The ATLAS collaboration	33

1 Introduction

Many extensions to the Standard Model (SM) of particle physics predict new particles whose decays are suppressed by weak coupling constants, small mass differences between particles, or heavy mediators. Such particles can acquire large lifetimes, becoming long-lived particles (LLPs). LLPs are featured in many well-motivated theories including various supersymmetry models [1–6]; neutral naturalness models [7–10] featuring a Hidden Sector (HS) [11–13] that addresses the hierarchy problem; models that seek to incorporate dark matter [14–17], or explain the matter-antimatter asymmetry of the universe [18]; and models including heavy neutrinos [19, 20] that provide an explanation for the origin of light neutrino masses and mixings. Axion-like particles (ALPs), which may help resolve the strong CP problem, are also predicted to be long-lived in some parts of the parameter space [21]. Not only could LLPs provide a novel route to a groundbreaking discovery, but they can also probe regions of common benchmark models [22], such as the two-Higgs doublet model that is widely used to explore dark matter topologies, in regions inaccessible to the wider ATLAS search programme involving prompt particles.

This paper studies electrically neutral LLPs decaying hadronically in the hadronic calorimeter of the ATLAS detector at the Large Hadron Collider (LHC). This corresponds to

particles with a lifetime (τ) times the speed of light (c) between a few centimeters and tens of meters. Since the LLPs are neutral, they do not leave any hits in the ATLAS tracking system. Their decay into quarks or gluons, which later hadronise, leads to jets in the calorimeters. For LLPs that decay after the electromagnetic part of the calorimeter, the distribution of energy of the resulting jets differs from that of standard jets, as they have a very low electromagnetic component. This fact can be used to identify displaced jets from SM jets and other sources of background. The “CalRatio” quantity, representing the ratio of the energy in the hadronic calorimeter to the energy in the electromagnetic calorimeter, can also serve this purpose.

There exist several previous searches for pair-produced neutral LLPs decaying hadronically at the LHC. The search for displaced jets at LHCb in ref. [23] is sensitive to $c\tau$ values from ~ 1 mm to ~ 0.1 m. The most recent searches by the CMS collaboration at $\sqrt{s} = 13$ TeV [24–26] involve jets with displaced vertices in the tracking system or muon detectors [27], and are sensitive to $c\tau$ values from ~ 1 mm to ~ 10 m. Previous ATLAS searches at $\sqrt{s} = 13$ TeV looked for displaced vertices in the tracking system [28–30], hadronic calorimeter [31], pairs of reconstructed vertices in the muon spectrometer [32], or the combination of one displaced vertex in the muon spectrometer and one in the inner tracking detector [33]. A search for hadronic decays of LLPs in association with a Z boson was performed by ATLAS in ref. [34] using early Run 2 data. These ATLAS searches are complementary, and together provide coverage of $c\tau$ values extending from effectively prompt to ~ 200 m.

Previous searches for displaced jets in the calorimeter at ATLAS have found limitations at the level of the trigger. Indeed, if the LLPs are produced without any additional objects (as happens for example for gluon-gluon fusion production of a Higgs boson-like mediator decaying into LLPs), the decay products can often fail to meet minimum energy thresholds required to record the event. This is particularly true in low-mass and low-boost kinematic regimes. The analysis presented in this paper differs from its predecessors insofar as it searches for LLPs decaying into displaced jets in addition to other objects in the event, such as the decay products of W or Z bosons, or resolved jets from another LLP. These differences allow sensitivity to lower decay lengths or to trigger on prompt objects, gaining in trigger efficiency at the cost of a lower production cross-section. The analysis then uses the same displaced jet identification technique as in ref. [31] to select candidate jets resulting from LLP decays in the calorimeter. These will have large values of the CalRatio variable defined above.

The analysis is split into three channels. The CalRatio + two jets (CalR+2J) channel targets LLPs resulting from gluon-gluon fusion production of the mediator particle in an HS model, leading to two LLPs in the event. One LLP decays in the calorimeter, with its decay products merged into a single displaced jet. The other LLP decays with a short enough decay length and low enough boost to produce two resolved jets from its decay products.

The CalRatio + W boson (CalR+W) and CalRatio + Z boson (CalR+Z) channels target displaced jets produced in association with a SM vector boson. This results, for example, from an HS mediator produced with a SM vector boson or an ALP radiated from a vector boson. In each case, the vector boson’s leptonic decay is exploited.

These different final states require different event selections and triggering strategies. All three channels use the same displaced jet tagger [31]. The main backgrounds for the CalR+2J channel are SM multijets, and non-collision backgrounds (NCBs) such as beam-

induced background (BIB) and cosmic rays (although these are ultimately reduced to a negligible level in all channels). The CalR+W and CalR+Z channels have main backgrounds originating from SM processes involving vector bosons produced with jets, and single- or pair-production of top quarks. In all channels, the final background estimate is data-driven (using the likelihood-based ABCD method).

The rest of this document is organised as follows. The ATLAS detector is described in section 2. The datasets and simulated samples used for the analysis are reported in section 3. The definitions of the reconstructed objects are provided in section 4. The selection criteria applied to define each channel are laid out in section 5. The description of the relevant background sources and how they are evaluated is available in section 6. Systematic uncertainties are listed in section 7. Finally, the statistical analysis and results are reported in section 8 before the conclusions in section 9.

2 The ATLAS detector

The ATLAS detector [35] at the LHC covers nearly the entire solid angle around the collision point.¹

It is a multipurpose detector consisting of an inner tracking detector surrounded by a thin superconducting solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting toroidal magnets. The inner detector system is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range of $|\eta| < 2.5$.

The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track. The layer closest to the interaction point is known as the insertable B-Layer [36, 37]. The pixel detector is surrounded by the silicon microstrip tracker, which usually provides four three-dimensional measurement points per track. These silicon detectors are complemented by the transition radiation tracker, with coverage up to $|\eta| = 2.0$.

The calorimeter system covers the pseudorapidity range $|\eta| < 4.9$. Within the region $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) electromagnetic calorimeters (together referred to as the ECAL), with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. The ECAL extends from 1.5 m to 2.0 m in radial distance r in the barrel and from 3.6 m to 4.25 m in $|z|$ in the endcaps. Hadronic calorimetry is provided by a steel/scintillator-tile calorimeter (HCAL), segmented into three barrel structures within the range $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters covering $|\eta| > 1.5$. The HCAL covers the region from 2.25 m to 4.25 m in r in the barrel (although the HCAL active material extends only up to 3.9 m) and from 4.3 m to 6.05 m in $|z|$ in the endcaps. The

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln \left(\frac{E+p_z c}{E-p_z c} \right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic measurements, respectively.

The calorimeters have a highly granular lateral and longitudinal segmentation. Including the presamplers, there are seven sampling layers in the combined central calorimeters (the LAr presampler, three in the ECAL barrel and three in the HCAL barrel), and the endcap regions provide up to eight sampling layers (the presampler, three in ECAL endcaps and four in HCAL endcaps). The forward calorimeter modules provide three sampling layers in the forward region. The combined depth of the calorimeters for hadronic energy measurements is more than nine hadronic interaction lengths nearly everywhere across the full detector acceptance.

The muon spectrometer comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in the magnetic field generated by the superconducting air-core toroids. The field integral of the toroids ranges between 2.0 and 6.0 Tm across most of the detector.

The ATLAS detector records events using a tiered trigger system [38]. The level-1 (L1) trigger is implemented in custom electronics and reduces the event rate from the LHC crossing frequency of 40 MHz to a design value of 100 kHz. The second level, known as the high-level trigger (HLT), is implemented in software running on a commodity PC farm that processes the events and reduces the rate of recorded events to 1 kHz. A software suite [39] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and simulated event samples

The analysed dataset was collected between 2015 and 2018 by the ATLAS detector from proton-proton (pp) collisions at $\sqrt{s} = 13$ TeV at the LHC. The total integrated luminosity of this dataset is 140 fb^{-1} . Data where the LHC beams were not stable or not all subdetectors were operational were excluded [40].

For the CalR+2J channel, dedicated LLP triggers (dubbed “CalRatio triggers” as they exploit the ratio of energy in the electromagnetic and hadronic parts of the calorimeter) were employed. They were detailed ref. [31], and a short summary is given here. At L1, jets were reconstructed in 0.2×0.2 regions in the $\eta \times \phi$ plane, motivated by the fact that signal jets tend to be narrower than regular SM jets. Events with jets with transverse energy E_T above 60 or 100 GeV (depending on the data-taking period) are selected. In some run periods, triggers were available with the requirement that L1 jet objects were accepted only if there existed no deposit in the electromagnetic calorimeter in the same $\eta - \phi$ position as the jet. This requirement acted as a proxy to the CalRatio quantity, allowing the E_T thresholds to be reduced to 30 GeV. At HLT, the triggering jet was additionally required to satisfy $|\eta| < 2.5$ where tracking information is available. Further, the jet should have a high proportion of its energy in the HCAL, satisfy a modified noise-suppression selection and satisfy a BIB-removal algorithm exploiting, for example, the timing and alignment of deposits in ϕ . In the following, the dataset collected with the CalRatio triggers is referred to as the “main” dataset.

In the remaining channels, single or dilepton triggers [41, 42] were employed, where only triggers running unrescaled for the whole data-taking period in a given year were considered.

Three additional datasets were collected for the study of NCBs and construction of validation and control regions. These datasets are the same as described in ref. [31] and are summarised briefly here. The BIB dataset was collected from events satisfying all the requirements of the CalRatio triggers but failing to pass the BIB-removal algorithm. The cosmic ray dataset was collected using the same trigger selection but from events recorded during empty bunch crossings. Finally, a dijet dataset was selected using a single-jet-based trigger [43] and vetoing on the CalRatio triggers to make it orthogonal to the main dataset. This dataset is used to test the effect of the modelling in the displaced jet neural network tagger’s output.

The main SM backgrounds are SM multijets in the CalR+2J channel, and W/Z+jets, $t\bar{t}$ and single-top-quark events in the CalR+W and CalR+Z channels. Although data-driven methods are used to do the final background estimations, Monte Carlo (MC) simulated events are needed to train the machine-learning (ML) discriminants and evaluate certain systematic uncertainties. The SM multijet samples were generated at leading order (LO) with PYTHIA 8.186 [44] using the A14 set of tuned parameters (tune) [45] for parton showering and hadronisation. The NNPDF2.3LO parton distribution function (PDF) set [46] was used. Events containing a W or Z boson with jets were simulated with SHERPA v2.2.1 [47, 48]. Next-to-leading-order (NLO) accurate matrix elements for up to two jets, and LO-accurate matrix elements for up to four jets were calculated with the COMIX [49] and OPENLOOPS [50, 51] libraries. The default SHERPA parton shower [52] was used. The production of $t\bar{t}$ events was modelled using the POWHEG BOX v2 [53–56] generator at NLO with the NNPDF3.0NLO PDF set and the `hdamp` parameter set to 1.5 times the top quark mass [57]. The events were interfaced with PYTHIA 8.230 [58] using the A14 tune and the NNPDF2.3LO PDF set. The NLO $t\bar{t}$ inclusive production cross-section was corrected to the theory prediction at next-to-next-to-leading-order (NNLO) in QCD including the resummation of next-to-next-to-leading logarithmic (NNLL) soft-gluon terms calculated using Top++2.0 [59–65]. Single-top-quark production was modelled using POWHEG BOX v2 [54–56, 66] at NLO in QCD in the five-flavour scheme with the NNPDF3.0NLO PDF set [67]. The diagram-removal scheme [68] was employed to address the interference with $t\bar{t}$ production [57]. The events were interfaced with PYTHIA 8.230 using the A14 tune and the NNPDF2.3LO PDF set. The inclusive cross-section was corrected to the theory prediction calculated at NLO in QCD with NNLL soft-gluon corrections [69, 70].

Three types of benchmark signals are considered. The first is the HS model [11, 12, 71, 72], where a scalar boson Φ (the Higgs boson, or a lighter or heavier particle that behaves similarly) acts as mediator between the SM and the HS. The Φ can decay into neutral long-lived scalars, denoted S , which are the LLPs. The scalars decay chiefly into the heaviest kinematically accessible fermion pairs: typically b -quarks in most of the considered signals. This is the same model as studied in ref. [31]. Events were simulated using MADGRAPH5_AMC@NLO v2.6.2 [73] at LO with the NNPDF2.3LO PDF set. Two production modes for Φ are considered: gluon-gluon fusion production for the CalR+2J channel and associated vector boson (W or Z) production for the CalR+W/Z channels. Vector boson fusion (VBF) is not considered: in the CalR+2J channel all objects that play a role in the selection come from LLP decays. Hence, the efficiencies for events produced from gluon-gluon fusion and VBF productions are expected to be similar. Given the relative cross-sections between these




Figure 1. Example Feynman diagrams for the signal processes explored in this paper. (a) Model where the mediator (Φ) is produced in association with a vector boson $V = W$ or Z , and the LLPs S decay into fermions (mainly b -quarks). (b) ALP model where the long-lived ALP a decays into gluons, and is produced in association with a vector boson. (c) Dark photon Z_d model produced with a Z boson from the decay of a mediator Φ .

production modes, no sensitive additional contribution is expected from the VBF production. The HS samples produced with a W or Z boson are referred to as WHS and ZHS , respectively. For the gluon-gluon fusion samples, the Φ transverse momentum distribution was reweighted to match NLO predictions using the same event generator. Cross-sections of 48.6 pb for gluon-gluon fusion, 0.45 pb for associated production with a W boson decaying leptonically, and 0.09 pb for associated production with a Z boson decaying leptonically (all extracted from the NNLO calculation [74]) are assumed when normalising results for the case where the mediator is the SM Higgs boson. Several sets of samples were generated, with different assumptions for particle masses, in the range of 60 to 1000 GeV for the mediator, and 5 to 475 GeV for the long-lived scalar. The second type of signal model, considered in the $CaR+W/Z$ channels, contains photo-phobic ALPs [21] that are radiated from vector bosons and decay into gluons. The ALP masses vary between 0.1 and 40 GeV, and the coupling of the ALP to gluons, which determines its lifetime, varies between 10^{-7} and 10^{-2} . In this model, only vector boson decays into electrons or muons are considered. The ALP samples were generated with `MADGRAPH5_AMC@NLO v2.9.3` at LO with the `NNPDF2.3LO` PDF set. The samples are referred to as $ZALP$ and $WALP$. The third benchmark sample is a long-lived dark photon (Z_d) model [75, 76], where the Z_d is produced with a Z during the decay of a scalar mediator. It is referred to here as the HZZ_d model. This model was studied by ATLAS in ref. [34]. Mediator masses between 250 and 600 GeV are considered, with dark photon masses ranging between 5 and 400 GeV. The samples were generated with `MADGRAPH5_AMC@NLO2.6.7` at LO with the `NNPDF2.3LO` PDF set. For all signal samples, parton showering and hadronisation were modelled using `PYTHIA8` with the `A14` tune. This model was last searched for by ATLAS in the $Z +$ displaced jet channel in ref. [34].

Example Feynman diagrams for these three types of model are shown in figure 1. For all signal samples, the generated LLP mean proper lifetime (τ_{gen}) was chosen to maximise the fraction of decays in the ATLAS hadronic calorimeter and muon system (these mean proper lifetimes are typically of the order of a few meters, but vary across samples due to time dilation effects). The effect of multiple interactions per bunch crossing (pile-up) was modelled by overlaying the simulated hard-scattering event with inelastic pp collision events

generated with PYTHIA 8.186 using the NNPDF2.3LO PDF set and the A3 tune [77]. The detector geometry and response were simulated with GEANT4 [78, 79]. The standard ATLAS reconstruction software is used for both the simulation and collision data.

4 Event reconstruction

Three types of reconstructed objects are used: jets, leptons and missing transverse momentum. Hadronically decaying LLPs will form displaced jets, which are the common signature in all the channels. The leptons and missing transverse momentum are exploited to reconstruct W and Z boson candidates in the CalR+ W and CalR+ Z channels. The formal definitions of each object type are described below.

Jets. Jets are reconstructed using the anti- k_t algorithm [80, 81] with a radius parameter $R = 0.4$ using calorimeter energy clusters only (tracking information is not used). Jets are further calibrated to account for the predicted detector response in MC simulation, and a residual calibration of jets in data is derived through *in situ* measurements [82]. “Clean jets” are defined as those that have transverse momentum (p_T) above 40 GeV, $|\eta| < 2.5$ and satisfy the CalRatio jet cleaning requirement described in ref. [31]. A “trackless jet” is defined as a clean jet with $\Delta R_{\min} > 0.2$, where ΔR_{\min} represents the angular distance between the jet axis and the closest track with $p_T > 2$ GeV. SM jets, which typically have multiple tracks in their cone, will have small values of this quantity, while anomalous trackless jets will yield large values. The $\sum \Delta R_{\min}$ is defined as the sum of ΔR_{\min} over jets above a certain p_T threshold, which is optimised differently according to the channel: 40 GeV for the CalR+ W/Z channels and 50 GeV for the CalR+2J channel. This is a useful discriminant to select events containing displaced jets. This quantity was found to be stable across pile-up values encountered during LHC Run 2. The term “displaced jet” is generically used to refer to jets that originated away from the interaction point: in the context of this analysis, it is taken to mean jets that began in the ATLAS calorimeters. A CalRatio jet candidate must be matched (within a cone of radius 0.2) to an HLT jet that met the criteria of one of the CalRatio triggers. It must also satisfy $\Delta R_{\min}(\text{jet}, \text{track}) > 0.2$ and $\log_{10}(E_H/E_{EM}) > 1.2$, where $\log_{10}(E_H/E_{EM})$ is the base-10 logarithm of their CalRatio value.

All analysis channels make use of a neural network (NN) classifier trained to distinguish signal-like jets (arising from a LLP decay) from BIB-like jets and SM multijets. This displaced NN jet tagger was originally trained for the analysis in ref. [31], which contains all the details about its architecture, training and performance. Only a brief summary of the key points is included here. The architecture chosen was a set of convolutional layers fed into a long short-term memory (LSTM) layer [83]. An additional adversarial component was added to prevent the network from exploiting mismodelling of some of the features (further details are provided in section 7). The inputs to the NN are low-level features of the jets from the tracker (positions, momenta, impact parameter and quality variables of inner-detector tracks that are within $\Delta R = 0.2$ of jets), calorimeters (the fraction of the jet energy deposited in each layer of the ECal and HCal and momenta, timing information and positions of calorimeter topoclusters, i.e. collections of calorimeter cells used in jet reconstruction [84] associated with each jet) and muon system (spatial and timing information for muon track segments

within $\Delta\phi = 0.2$ of a jet). The NN was trained on SM multijet MC samples and the BIB dataset, and a combination of HS signal samples. Two trainings were provided: one using signals with mediator masses below or equal to 200 GeV; the other using signal with mediator masses strictly above 200 GeV. These two versions of the NN are referred to as the *low- E_T* and *high- E_T* NNs respectively. Each NN outputs three scores for each jet, which relate to the probability that such a jet would be the result of an LLP decay, a BIB hit, or a non-displaced jet. These scores are referred to as signal-score, BIB-score and multijet-score, and sum to unity. The modelling of the input features is checked using the dijet dataset described in section 3. A dedicated procedure is used to evaluate the residual uncertainty in the performance of the NN due to potential mis-modelling of the input variables, as described in section 7. The per-jet NN is then exploited in the three analysis channels, which are described separately in section 5, selecting the jets with the highest signal-scores.

Leptons. “Baseline” leptons (e or μ) are required to have p_T above 10 GeV, and satisfy $|\eta| < 2.47$ for electrons and $|\eta| < 2.5$ for muons. Electrons in the gap between the barrel and the endcap are excluded. Further, these leptons are expected to meet the standard ATLAS requirements on track-to-vertex association, *Medium* identification and *Tight* isolation conditions, as defined in refs. [85, 86]. The standard lepton reconstruction efficiency correction factors are used. A procedure is implemented to resolve ambiguities arising from the fact that electrons, muons and jets are identified and reconstructed independently. Only leptons satisfying the baseline selections are considered for this process, and calibrated jets used for the displaced jet identification. First, if two electrons share a track in the inner detector, then the lepton with the lowest p_T is discarded (in practice this is a negligible effect). Next if a muon and electron share a track, then the electron is discarded unless the muon was seeded from calorimeter energy clusters. Any jets within $\Delta R = 0.3$ of electrons or muons are removed from the final state. Then, any selected electrons or muons within $0.2 < \Delta R < 0.4$ of any remaining selected jet are also removed.

Missing transverse momentum and vector bosons. The missing transverse momentum, \vec{p}_T^{miss} , is defined as the negative vector sum of the transverse momenta of all baseline electrons, muons and jets in the event, plus an additional soft term corresponding to tracks not associated with any identified lepton or jet [87]. Its magnitude, E_T^{miss} , is referred to as the missing transverse energy. W boson candidates are formed in events containing exactly one baseline lepton (denoted by ℓ) matched to a lepton trigger object with $p_T > 27\text{GeV}$ and $E_T^{\text{miss}} > 30\text{GeV}$. The transverse invariant mass of the system, given by $\sqrt{2E_T^{\text{miss}}p_T^\ell(1 - \cos(\Delta\phi(E_T^{\text{miss}}, \ell)))}$, is required to be above 50 GeV to remove multijet background contamination. Z boson candidates are defined in events containing at least one same-flavour opposite-sign pair of baseline leptons, each with the leading and subleading leptons satisfying $p_T > 25\text{GeV}$ and $p_T > 10\text{GeV}$ respectively. At least one of the selected leptons is required to match to a lepton trigger object. The invariant mass of the dilepton system $m_{\ell\ell}$ is required to be in the range of $60 < m_{\ell\ell} < 120\text{GeV}$. If multiple lepton pairs are possible, only the pair with the invariant mass closest to the Z boson mass is kept. The lepton p_T thresholds used in the construction of vector boson candidates were selected following an optimisation process with sensitivity to LLP signals as the figure of merit.

5 Event selection

Events are required to first satisfy at least one of the triggers listed in section 3. In the CalR+W/Z channels, the logical “OR” of the unrescaled triggers with the lowest p_T thresholds is utilised. Adding the CalRatio triggers into the “OR” did not result in a significant gain in signal efficiency, so they were not included. In both the channels, the trigger efficiency increases with lepton p_T , and it reaches a plateau for values of p_T above 50 GeV (in the CalR+Z channel) and 100 GeV (in the CalR+W channel), with similar performance for all benchmark samples. In addition to satisfying a trigger requirement, every event is required to have a primary vertex with at least two tracks with $p_T > 500$ MeV [88]. At least one clean jet (which can be displaced) is required in the event for all channels.

The three analysis channels (CalR+2J, CalR+W, CalR+Z) exploit different final states but follow the same overall strategy: a per-jet NN provides discrimination between signal-like jets, BIB-like jets and SM multijets. Additional per-event ML algorithms are trained to separate signal from remaining backgrounds at the event level. Some additional selections are applied to ensure consistent behaviour of the remaining population of events. The surviving events are then placed in a plane of two uncorrelated variables, enabling the data-driven ABCD method to be used for the final background estimate as described in section 6.

5.1 CalR+2J channel selection

The CalR+2J channel targets events containing one displaced jet, and two other jets that may be trackless. Such a signature arises in the HS benchmark models where the mediator is produced by gluon-gluon fusion before decaying into a pair of LLPs. One LLP can decay in the hadronic part of the calorimeter (leading to a displaced jet where both the fermions are collimated into a single jet, with high probability to fulfil the criteria of the CalRatio triggers) and the other LLP can decay with a short enough decay length to produce two separate additional jets (one from each fermion). These jets would likely be reconstructed without associated tracks, and would be delayed relative to activity arriving from the interaction point in a straight line. Events containing mediators produced via vector-boson fusion would also enter this channel, although the additional information from the prompt jets would not be exploited. Hence, no sensitive additional contribution is expected from this production mode given its low cross-section compared with gluon-gluon fusion. A dedicated analysis would be needed to make the most of the vector boson fusion signature. The CalR+2J channel is complementary to the analysis in ref. [31], which was optimised for the case where both the LLPs led to merged displaced jets. In this analysis, the “merged-resolved” topology (which can account for up to 27% of events in the benchmark HS models) is explored for the first time.

Events entering this channel are required to satisfy a preselection consisting of having at least three clean jets and $\sum \Delta R_{\min}$ being above 0.5, where the sum runs over jets with $p_T > 50$ GeV. This p_T threshold was chosen to be consistent with the previous analysis exploiting a similar topology [31]. The jets with the three highest signal scores from the high- E_T and low- E_T NNs are selected, and one of these must be a CalRatio jet candidate. The two other jets represent the resolved additional jets from a second LLP decay. These jets and the jets with the three highest BIB scores must satisfy additional conditions. In practice the three jets with the highest signal and BIB scores can be the same jets. The first




Figure 2. Comparison of the $NN_{\text{CalR}+2\text{J}}$ distribution between signal events and background. Only signal events with at least one LLP decaying after the inner detector are shown. The main data, collected with the CalRatio triggers, are dominated by QCD multijet background.

condition is on jet time, which is the energy-weighted average time of the jet’s constituent energy deposits, relative to the time it would take for a particle to travel at the speed of light directly from the interaction point to the jet’s calorimeter location [84]. All jets should have a time within the range of -3 to 15 ns. This criterion aims to reject BIB jets (which do not need to pass via the interaction point and hence can arrive early) and noise-induced jet candidates (which are uniformly distributed in time), and preserve signal jets from LLPs moving relatively slowly with timings up to 15 ns. Next, these jets should have $\log_{10}(E_{\text{H}}/E_{\text{EM}}) > -1.5$. Finally, the jets with the highest signal scores should not be in the barrel-endcap transition regions: $|\eta| \notin (1.45, 1.55)$.

An event-level NN (labelled $NN_{\text{CalR}+2\text{J}}$) is trained with the objective of removing all remaining BIB events from the selection, such that the only remaining background is multijet events. This facilitates the use of the ABCD method for the background estimate in section 6. The input features for the $NN_{\text{CalR}+2\text{J}}$ includes jet-level and event-level variables. The jet observables include per-jet NN scores, kinematics, width and time. The event-level variables include the scalar sum hadronic energy of all jets, angular separations between jets, missing transverse energy and related quantities. The $NN_{\text{CalR}+2\text{J}}$ is trained on events from the BIB dataset and the HS signal samples after preselection. It was trained to be decorrelated from the $\sum \Delta R_{\text{min}}$ event-level variable by adding additional terms to the loss function, as described in section 6.1. Figure 2 shows the distribution of the $NN_{\text{CalR}+2\text{J}}$ output for the BIB and main datasets and some example signal models. BIB-like events are associated with very small values of the output. Events in the BIB dataset with a $NN_{\text{CalR}+2\text{J}}$ output of three or higher do not show the characteristic timing and angular distributions of BIB and are indistinguishable from pure multijet events. Thus events are required to have a $NN_{\text{CalR}+2\text{J}}$ score of at least three to be considered in this channel to effectively eliminate BIB-like events. Table 1 lists the full selection criteria.

Selection	CalR+2J
Trigger	Satisfy CalRatio trigger
Number of clean jets	≥ 3
$\sum \Delta R_{\min}$	> 0.5
Trigger matching	At least one signal candidate
Signal/BIB jet candidate time	$-3 \text{ ns} < t < 15 \text{ ns}$
Signal/BIB jet candidate $\log_{10}(E_H/E_{EM})$	> -1.5
Signal jet candidate η	$\notin (1.45, 1.55)$
$\text{NN}_{\text{CalR+2J}}$	≥ 3
Region A	$\sum \Delta R_{\min} \geq 0.71$ $\text{NN}_{\text{CalR+2J}} \geq 7.61$

Table 1. The final selection criteria for the signal region of the CalR+2J channel. Region A is the signal region of the ABCD plane defined in section 6 and includes all the other requirements listed in the table.

5.2 CalR+W and CalR+Z channel selections

5.2.1 Preselection

The leptonic channels share a common preselection. At least one trackless jet with $p_T > 40 \text{ GeV}$ is required, and the $\sum \Delta R_{\min}$ is required to be above 0.5, where the sum runs over jets with $p_T > 40 \text{ GeV}$. In both the channels, the jet with the highest low- E_T NN signal-score ($j^{\text{sig}1\ell}$) is required to be trackless and to have $p_T > 50 \text{ GeV}$, $\log_{10}(E_H/E_{EM}) > -1$, a time in the range of $(-3, 15) \text{ ns}$ and not be in the transition regions between the barrel and endcap. The NN signal-score of this jet is required to be above 0.4. Both channels use the low- E_T NN scores to rank jets from most signal-like to least signal-like. As it was already observed in ref. [31], even for high- E_T input signal samples the low- E_T NN scores provide a better separation from background in cases where the LLP boost is moderate.

5.2.2 CalR+W channel selections

The CalR+W channel targets scenarios where the HS mediator is produced in association with a W boson, where the W boson decays leptonically. While this production mode has a lower expected cross-section than gluon-gluon fusion, the additional lepton from the W boson decay provides a clear signature on which to trigger. It also renders most NCBs negligible, and makes it possible to require only one displaced jet while two were required in ref. [31]. In addition to the HS models, ALP models also predict events in this topology.

After the application of the preselection, a W boson candidate is required in the event. Events with more than one lepton are rejected, to maintain orthogonality with the CalR+Z channel. The most signal-like jet must be separated in the azimuthal direction from the E_T^{miss} : $\Delta\phi(j^{\text{sig}1\ell}, E_T^{\text{miss}}) > 0.5$. To be orthogonal to the CalR+Z channel, events with more than one baseline lepton are vetoed. Finally, the CalR+W channel exploits a set of Boosted Decision Trees (BDTs) as discriminants. These are trained with XGBoost [89] with the objective of

Selection	CalR+W WALP	CalR+W low- E_T	CalR+W high- E_T
Vector boson candidates	0 Z , 1 W	0 Z , 1 W	0 Z , 1 W
BDT score	$\text{BDT}_{\text{CalR+W}}^{\text{ALP}} > 0.82$	$\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T} > 0.92$	$\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T} > 0.89$
$j^{\text{sig}1\ell} \log_{10}(E_H/E_{\text{EM}})$	> 1	> 1	—
$j^{\text{sig}1\ell} p_T$	$> 70 \text{ GeV}$	$> 60 \text{ GeV}$	$> 100 \text{ GeV}$
Lepton p_T	—	$> 40 \text{ GeV}$	$> 60 \text{ GeV}$
$\Delta\phi(\text{lepton}, E_T^{\text{miss}})$	< 1.5	—	—
Region A	$\text{BDT}_{\text{CalR+W}}^{\text{ALP}} \geq 0.975$ $\sum \Delta R_{\text{min}} \geq 1.1$	$\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T} \geq 0.985$ $\sum \Delta R_{\text{min}} \geq 1.4$	$\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T} \geq 0.99$ $\sum \Delta R_{\text{min}} \geq 1.1$

Table 2. The final selection criteria for the signal regions of the CalR+W channel. Region A is the signal region of the ABCD plane defined in section 6 and includes all the other requirements listed in the table.

discriminating signal from background events after preselection and W boson identification is applied. Three BDTs are trained corresponding to three input signal sample sets. The first uses a combination of all WALP mass points, in which there is only one LLP in the event. The other two BDTs are trained on low ($m_\Phi \leq 200 \text{ GeV}$) and high ($m_\Phi > 200 \text{ GeV}$) HS mediator mass events with an associated W boson. In all cases, the BDT is trained to discriminate the signal against MC simulated events from all background processes listed in section 3 for this channel. These three BDTs are hereafter referred to as $\text{BDT}_{\text{CalR+W}}^{\text{ALP}}$, $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$ and $\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T}$. For signal, only events with an odd event number are used for the training, leaving the even numbered events for evaluation. The input variables include information from jets (such as p_T , jet width and per-jet NN scores), leptons (such as p_T and angles between leptons and signal-like jets) and event-level observables (such as missing transverse energy in the event, reconstructed vector boson kinematics).

Figures 3(a), 3(b) and 3(c) show the distribution of $\text{BDT}_{\text{CalR+W}}^{\text{ALP}}$, $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$ and $\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T}$ on four signal models, data and background MC. The simulated background events are shown only for comparison at the preselection stage, and are not used in the final background estimate. Dedicated uncertainties are derived to cover the effect of mis-modelling of input variables on signal efficiency, as detailed in section 7. Three sets of selection criteria are defined, each exploiting one of these BDTs. The selection criteria are listed in table 2.

5.2.3 CalR+Z channel selection

The CalR+Z channel targets the topology where the LLP is accompanied by a Z boson decaying into two charged leptons. The motivation is identical to that described in section 5.2.2. In addition to the benchmark HS and ALP models, this channel considers the study of the long-lived dark photon (Z_d) model described in section 3.

After passing the preselection, events entering the CalR+Z channel must contain a single Z boson candidate. Two different BDTs are trained with XGBoost to discriminate signal from background events. The resulting BDT scores are used for a data-driven background estimate




Figure 3. Comparison of the distribution of (a) $\text{BDT}_{\text{CalR+W}}^{\text{ALP}}$, (b) $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$, (c) $\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T}$ scores between signal events and background, after preselection. In all cases, only signal events with at least one LLP decaying after the ID are shown. The simulated background events are shown only for comparison at the preselection stage, and are not used in the final background estimate.

(see section 6 for details). Each of these BDTs aims at an optimal discrimination in a specific range of masses: the $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$ is trained with a combination of signal samples including all the $Z\text{ALP}$, Z_d and $Z\text{HS}$ model with masses of the mediator $m_\Phi \leq 250$ GeV; the $\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T}$ is trained with Z_d and $Z+\text{HS}$ samples with $m_\Phi > 250$ GeV. In the $\text{CalR}+Z$ channel, unlike the $\text{CalR}+W$ channel, a dedicated selection targeting ALP models was not needed: this is because the reconstruction of the associated vector boson is more straightforward, permitting a higher signal purity even when the ALP models are targeted together with others using the $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$. The BDTs are trained to discriminate the signal against the background processes listed in section 3 for this channel. The input variables are similar to those of the $\text{CalR}+W$ channel BDTs. Figures 4(a) and 4(b) show the distributions of the $\text{BDT}_{\text{CalR+W}}^{\text{low-}E_T}$ and $\text{BDT}_{\text{CalR+W}}^{\text{high-}E_T}$ on several signal models, on data and background MC. Two selection criteria are defined, one for each BDT, as outlined in table 3.




Figure 4. Comparison of the distribution of (a) $BDT_{\text{CalR+Z}}^{\text{low-}E_T}$ and (b) $BDT_{\text{CalR+Z}}^{\text{high-}E_T}$ scores between signal events and background, after preselection. In all cases, only signal events with at least one LLP decaying after the ID are shown. The simulated background events are shown only for comparison at the preselection stage, and are not used in the final background estimate.

Selection	CalR+Z low- E_T	CalR+Z high- E_T
Vector boson candidates	1 Z, 0 W	1 Z, 0 W
BDT score	$BDT_{\text{CalR+Z}}^{\text{low-}E_T}$ score > 0.6	$BDT_{\text{CalR+Z}}^{\text{high-}E_T}$ score > 0.7
$j^{\text{sig}1\ell} \log_{10}(E_H/E_{EM})$	> 0.8	> 0.8
$j^{\text{sig}1\ell} p_T$	> 80 GeV	> 70 GeV
Lepton p_T	> 70 GeV	> 60 GeV
Region A	$BDT_{\text{CalR+Z}}^{\text{low-}E_T}$ score > 0.99 $\sum \Delta R_{\min} \geq 0.9$	$BDT_{\text{CalR+Z}}^{\text{high-}E_T}$ score > 0.985 $\sum \Delta R_{\min} \geq 1$

Table 3. The final selection criteria for the signal regions of the CalR+Z channel. Region A is the signal region of the ABCD plane defined in section 6 and includes all the other requirements listed in the table.

6 Background estimation

Following the application of the selections, the contributions from cosmic rays and all subdominant SM processes are found to be negligible. Some events from the BIB dataset still pass the selections, but these remaining events show the same behaviour as multijet events. This leaves only one population of background events in each channel, namely multijet events in the CalR+2J channel and W/Z +jets in the CalR+W and CalR+Z channels, respectively. The CalR+W channel contains residual traces of $t\bar{t}$ events, but these show the same behaviour as the dominant background and are therefore grouped as the same population. As these background sources are not well modelled, a data-driven method is used to estimate the background yields in the final signal regions. The data-driven ABCD method is employed to

estimate the contribution from the dominant background in each of the final selections. The ABCD method is described extensively in other publications, such as ref. [31]; the main points are summarised here. In a plane defined by two uncorrelated variables, four regions A, B, C, and D are defined using horizontal and vertical boundaries. When there is one predominant background population (typically concentrated in regions B, C and D) and a signal population primarily in region A, the background yield in region A (N_A) can be calculated from the yields in the other regions (N_B , N_C and N_D) using the formula $N_A = (N_B \times N_C)/N_D$. Leakage of signal events into the other regions can be accounted for using a simultaneous fit. All three channels exploit ABCD planes for their background estimates, although the axes are defined differently in each case.

6.1 CalR+2J final selection and the ABCDisCo method

The ABCD plane axes are usually chosen from the list of available variables that separate signal and background well. In cases where it is difficult to find two uncorrelated variables with enough separation power, another approach is to train a ML discriminant, which is required to be uncorrelated to another variable by construction. The CalR+2J channel is such a case: unlike in ref. [31], the $\sum \Delta R_{\min}$ becomes visibly correlated with displaced jet kinematic information as additional jets from LLP decays are included. A method called ABCDisCo uses the *distance correlation* (DisCo) between the ML discriminant and another event-level variable, and involves exploiting terms to the loss function of a neural network that penalises the network if these have a large correlation [90]. The ABCDisCo method was employed in the CalR+2J channel to build an ABCD plane constructed from $\sum \Delta R_{\min}$ and the NN output. This is the same NN that is used to eliminate BIB-like events. Even though this NN was only trained with the BIB dataset as background, it has a good discrimination power between signal and multijet events, which are also present in the BIB dataset. The Pearson correlation coefficient for the resulting pair of discriminants is 0.04, small by construction. The final region A is defined by the requirements that $\sum \Delta R_{\min} \geq 0.71$ and $\text{NN}_{\text{CalR+2J}} \geq 7.61$. Regions B, C and D are obtained by inverting one or both the requirements, as shown in figure 5 for the main CalRatio dataset, the BIB dataset and two of the signal samples.

Regions B, C, and D were used to create the validation regions VR_{BD} and VR_{CD} . VR_{BD} consists of the nominal B and D regions combined and is divided into four alternative ABCD regions. The ABCD estimate procedure was tested with these regions and with variations on the cut values in each ABCD plane variable. The predictions are found to be in agreement with the observed number of events within the statistical uncertainties. The same procedure was performed for VR_{CD} , composed of the nominal C and D regions. In VR_{CD} , the observed number of events was consistently about 5% higher than estimated by the ABCD method, which was taken as the systematic uncertainty in the final ABCD prediction in this plane, as discussed in section 7.

6.2 CalR+W and CalR+Z final selections and background estimate

The standard ABCD method is used to estimate the remaining background contribution in the five signal regions of the CalR+W/Z channels, with the final ABCD planes defined by $\sum \Delta R_{\min}$ and the BDT score relevant to each region. These variables are found to be




Figure 5. Distribution of events in the two-dimensional plane of $NN_{\text{CalR}+2\text{J}}$ vs. $\sum \Delta R_{\text{min}}$ in the CalR+2J channel for (a) the main dataset, (b) the BIB datasets, and (c, d) example benchmark signal samples. Final regions A, B, C and D are marked in red.

uncorrelated after preselection, with Pearson correlation coefficients between 0.003 and 0.017 in absolute value in all cases. The ABCDisCo method is not needed in this case because the $\sum \Delta R_{\text{min}}$ is found to be sufficiently well decorrelated to the BDT scores (since the targeted LLP decays always happen outside the tracker). The final ABCD boundaries are set through a selection optimisation procedure performed together with several additional event-level variables (such as kinematic information from the vector boson candidate, angular separations between the jets and leptons, and invariant masses of the possible lepton-jet combinations) to obtain the final selections that maximize sensitivity while reducing the signal leakage in regions B, C and D and keeping the statistical error on the estimated number of events in A below 35%. These selections, together with the definition of region A, are shown in tables 2 and 3. The definitions of regions B, C and D can be obtained by inverting one or both the requirements that define region A.

The ABCD method is tested in validation regions that are orthogonal to the signal regions. In the CalR+W channel, validation regions are defined in regions C and D of the main ABCD




Figure 6. Distribution of events in the two-dimensional plane of $\sum \Delta R_{\min}$ vs. BDT score in the CalR+W channel for (a)–(c) data and (d)–(f) example benchmark signal samples. Final regions A, B, C and D are marked in red.

plane (VR_{CD}), with upper BDT score boundary as close as possible to region A but ensuring a low signal contamination. In the CalR+Z channel, part of regions C and D of the primary ABCD planes are used to define the validation regions. A looser set of criteria was employed for a dedicated validation region (VR_{CD}^{Loose}) to mitigate the significant statistical uncertainty observed in the original region due to limited number of events. In all channels and all validation regions, the agreement between the expected and observed number of events is found to be within statistical uncertainty, and for a wide variety of thresholds on each variable.

Figures 6 and 7 show the ABCD planes for the CalR+W and CalR+Z channels respectively, for data and for one representative signal sample in each of the analysis selections.

7 Systematic uncertainties

The uncertainty in the integrated luminosity collected by ATLAS during LHC Run 2 is 0.83% [91], obtained using the LUCID-2 detector [92] for the primary luminosity measurement, complemented by measurements using the inner detector and calorimeters. This affects the result during the conversion of the upper limit on the number of allowed signal events given the observed data, into an upper limit on the signal cross-section times branching fraction.




Figure 7. Distribution of events in the two-dimensional plane of $\sum \Delta R_{\min}$ vs. BDT score in the CalR+Z channel for data ((a), (b)) and (c)–(e) example benchmark signal samples. Final regions A, B, C and D are marked in red.

The background estimate is not affected by the typical modelling or experimental uncertainties, as it is data-driven for all three channels. Validation tests for this method were performed in alternative ABCD planes, which were discussed in section 6. The background estimate uncertainty is found to be negligible for all channels except for CalR+2J, in which it is estimated to be 5%.

All remaining sources of uncertainty affect the signal efficiency estimate. The rest of this section exclusively discusses uncertainties of this type. First, an uncertainty is assigned on the reweighting of events in simulation to match the observed distribution of pile-up in data. The uncertainty in the pile-up reweighting of the reconstructed events in the MC simulation is estimated by comparing the distribution of the number of primary vertices in the MC simulation with the distribution in data as a function of the instantaneous luminosity. Differences between these distributions are reduced by scaling the mean number of interactions per bunch crossing in the MC simulation and $\pm 1\sigma$ uncertainties are assigned to these scaling factors [91, 92]. The effect on the signal event yields varies between 0.3% and 7% depending on the signal model and channel.

Next, the signal efficiency is affected by the jet energy scale (JES) and jet energy resolution (JER). These uncertainties are calculated using the prescription detailed in ref. [93], and are of the order of 0.1–15% depending on the model. Since the displaced jets used in this

analysis are non-standard due to their unusual electromagnetic energy fraction (EMF), the jet energy uncertainties were re-derived as a function of the EMF and η . These additional uncertainties are found to have an effect of up to 4% on the signals efficiencies. They are conservatively taken in quadrature with the standard jet energy uncertainties.

Since LLPs are used for triggering in the CalR+2J channel, an uncertainty is assigned on the signal trigger efficiency by studying the modelling of the key variables in the trigger: the jet energy, the CalRatio and the p_T of the jet's tracks. The level of agreement between data and the MC simulation for these variables in HLT- and offline-reconstructed quantities is evaluated. A tag-and-probe technique is applied to a pure sample of multijet events obtained using standard jet triggers in both the data and MC simulation. Scale factors that represent the degree of mismodelling in each variable are derived and then applied in an emulation of the CalRatio triggers. The change in yield relative to the nominal (unscaled) trigger emulation after the full analysis selection is taken as the size of the systematic uncertainty, which has values between 1% and 6% depending on the signal model. In the CalR+W and CalR+Z channels, the triggering is performed using prompt leptons, and the offline selections on the lepton p_T are well above the trigger plateau. The lepton systematic uncertainty's effect on the signal event yields ranges from approximately 0.5% to 0.9%, depending on the specific benchmark model. This is small compared with other sources systematic error.

A systematic uncertainty in the machine-learning algorithms used in the analysis is included. Specifically, this uncertainty accounts for potential mismodelling of input variables used in the per-jet NN tagger. It follows the same strategy as in ref. [31] and is briefly summarised here. In the dijet control regions, the distributions of the inputs of the per-jet NN are studied. The subsequent downstream ML algorithms are also explored in the relevant control regions. In most cases, the agreement is found to be good. Some variables exhibit modelling issues, as shown in the Auxiliary Material of ref. [31]. Examples include longitudinal positions of track impact parameters, and hit and energy deposit timing information. These are caused by the fact that the spread of the beam-crossing time, as well as any instrumental cross-talk and timing offset calibrations are not simulated. The effect of such mismodelling is reduced by the adversarial training of the per-jet NN, which prevents it from exploiting differences between multijet events in simulation and in data. Nevertheless, the following procedure is used to gauge the residual effect on signal efficiency. The mismodelling of problematic variables is encapsulated by a set of transfer factors. In an ensemble of pseudo-experiments, the per-jet NN and downstream ML variables are modulated by random variations sampled from a Gaussian distribution with a mean of zero, and a width determined by the transfer factors determined above. The signal efficiencies in each pseudo-experiment are recalculated with the modulated versions of the NN and ML algorithms. The spread in the signal efficiencies across the ensemble of pseudo-experiments gives the uncertainty associated with this effect, which is estimated to be of the order of 5% or smaller depending on the selection. An alternative method to evaluating the size of this uncertainty was studied. In this alternative method, control regions were defined by inverting the selections that define each signal region. The overall difference agreement of the per-event ML score distributions between data and simulation gave consistent values of the order of 5%.

Small additional uncertainties arise from the electron and muon identification, calibration and reconstruction. The total systematic uncertainty associated with the leptons is below

1% for all models, which is very small compared with all other sources of uncertainty. In the CalR+W, a small uncertainty of up to 1% results from the missing transverse energy calibration.

Finally, an uncertainty due to the NLO-reweighting of the signal samples for the CalR+2J channel is obtained by comparing the NLO MADGRAPH predictions for a 125 GeV mediator mass with predictions at NNLO accuracy in QCD from POWHEG BOX v2. This results in an additional signal efficiency uncertainty of 1% to 6% for most samples. The CalR+Z/W channels are not affected by this uncertainty.

8 Results and statistical interpretation

The data-driven background estimation procedure described in section 6 is utilised in a simultaneous fit to assess if the data are compatible with the prediction or potential signal events. This approach follows a similar methodology as detailed in ref. [31], where a successful application of a comparable analysis method was previously demonstrated. An overall profile likelihood function is constructed from the product of the Poisson probabilities of observing the number of events N_X^{obs} , given an expectation N_X^{exp} in each region X , where $X = A, B, C$ or D . The value of N_X^{exp} in each region is the sum of: the expected signal yield N_X^{sig} , given by the number of simulated signal events entering region X multiplied by the signal strength μ (the parameter of interest); and the expected background yield N_X^{bkg} . In the fit, the expected background yields are constrained to obey the ABCD relation $N_A^{\text{bkg}} = (N_B^{\text{bkg}} \times N_C^{\text{bkg}})/N_D^{\text{bkg}}$. Since the Poisson constraints only apply to N_X^{obs} relative to N_X^{exp} , it follows that the background prediction may change dynamically in the fit as a function of the signal strength μ . Additional constraint terms in the likelihood are included for the total signal uncertainty nuisance parameter. The likelihood was implemented using the `pyhf` framework [94, 95].

In the background-only hypothesis, the expected yields can only be adjusted for background components. Initially, without knowing the observed yield in region A, the expected background yields in regions B, C, and D match their observed counterparts, while region A reflects the naive ABCD relation. This initial estimate, known as the *a priori* background estimate, assumes the observed value in region A is unknown, such as before unblinding the data. Once the observed yield in region A is included in the fit, the expected background yields in the other regions may shift away from their observed yields (within statistical uncertainties). This adjustment ensures that the ABCD relation holds for the *expected* yields, even if the *observed* yields deviate due to statistical fluctuations. This is called the *a posteriori* background estimate. It corresponds to the case where the observed yield in region A is known (after unblinding). The introduction of a signal component will dynamically modify the allowed background prediction: for example allowing a potential excess in region A to be explained by a non-zero signal strength. The observed counts and the *a priori* and *a posteriori* results for each channel are summarised in table 4 for each region.

No significant excess is observed in any of the signal regions. Upper limits on LLP production cross-section times branching fraction are extracted using the CL_s method [96] with the “alternative test statistic” \tilde{q} [97] as implemented in `pyhf`. The asymptotic approximation is used for all results. The results are obtained for the signal samples, which were generated

CalR+2J channel				
	A	B	C	D
Observed data	92	18	25213	4774
Estimated background <i>a priori</i>	95 ± 23	18 ± 4.2	25210 ± 160	4774 ± 69
Fitted background <i>a posteriori</i>	93 ± 10	18 ± 4.2	25210 ± 160	4774 ± 69
CalR+W channel				
<i>W</i> ALP selection	A	B	C	D
Observed data	27	23	122	82
Estimated background <i>a priori</i>	34.2 ± 8.5	23.0 ± 4.8	122 ± 11	82.0 ± 9.1
Fitted background <i>a posteriori</i>	29.3 ± 4.4	20.7 ± 4.5	120 ± 11	84.3 ± 9.2
low- E_T WHS selection	A	B	C	D
Observed data	59	53	155	155
Estimated background <i>a priori</i>	53.0 ± 9.4	53.0 ± 7.3	155 ± 12	155 ± 12
Fitted background <i>a posteriori</i>	56.8 ± 6.0	55.2 ± 7.4	157 ± 13	153 ± 12
high- E_T WHS selection	A	B	C	D
Observed data	33	21	261	220
Estimated background <i>a priori</i>	24.9 ± 5.8	21.0 ± 4.6	261 ± 16	220 ± 15
Fitted background <i>a posteriori</i>	29.6 ± 4.2	24.3 ± 4.9	264 ± 16	217 ± 15
CalR+Z channel				
low- E_T ZHS selection	A	B	C	D
Observed data	36	12	64	43
Estimated background <i>a priori</i>	17.9 ± 6.1	12.0 ± 3.5	64.0 ± 8.0	43.0 ± 6.6
Fitted background <i>a posteriori</i>	31.0 ± 4.8	17.0 ± 3.9	69.0 ± 8.3	38.0 ± 6.2
high- E_T ZHS selection	A	B	C	D
Observed data	32	21	75	52
Estimated background <i>a priori</i>	30.5 ± 8.5	21.0 ± 4.6	75 ± 8.7	52.0 ± 7.2
Fitted background <i>a posteriori</i>	31.6 ± 4.7	21.3 ± 4.6	75.6 ± 8.7	51.4 ± 7.2

Table 4. Application of the modified ABCD method to the final high- E_T and low- E_T selections. The *a priori* estimate refers to the “pre-unblinding” case, where the data in region A are ignored by removing the Poisson constraint in that region and the signal strength is fixed to zero. This matches the simple $N_A^{\text{bkg}} = (N_B^{\text{bkg}} \times N_C^{\text{bkg}}) / N_D^{\text{bkg}}$ relation. The *a posteriori* estimate refers to the “post-unblinding” case, including the observed data in region A in the background-only global fit. As can be seen, the predicted background in region A can increase substantially from the *a priori* case, but only insofar as the adjusted yields in the other regions remain consistent with the observed yields within their statistical uncertainties. Only statistical uncertainties are included in the quoted error on the background.




Figure 8. Observed (solid line) and expected (dashed line) upper limits at the 95% CL on the cross-section times branching fraction as a function of $c\tau$ for a selection of HS signal models in the CalR+2J channel for HS models with mediator masses of (a) 125 GeV, (b) 600 GeV and (c) 1000 GeV. The $c\tau_{\text{gen}}$ values show where the curves were extrapolated from.

with a given (arbitrary) LLP proper lifetime. The result can be extrapolated to other lifetimes by reweighting the LLP exponential decay distributions to each lifetime, and re-evaluating the signal efficiency. This procedure is identical to that described in ref. [31].

Examples of the resulting 95% confidence level (CL) upper limits on the cross-section times branching fraction for HS models based on the CalR+2J channel are shown in figure 8. Figure 9 shows a selection of limits obtained using the CalR+W channel, constraining the WALP model and the HS model in the associated W boson production mode. The limits derived from the CalR+Z channel are presented in figure 10 and constrain the ZALP, HZZ_d and ZHS models. For the case of $m_\phi = 125$ GeV, the limits are scaled to the relevant SM cross-section of Higgs boson production.

The constraints obtained by CalR+2J for HS models are strongest for proper lifetimes $c\tau$ of order of 1–2 m. For the particular case where the SM Higgs boson is the mediator, assuming a production cross-section for gluon-gluon fusion of 48 pb, the branching fraction of Higgs bosons to hadronically decaying scalar LLPs is constrained to below 1% in the




Figure 9. Observed (solid line) and expected (dashed line) upper limits at the 95% CL on the cross-section times branching fraction as a function of $c\tau$ for a selection of models targeted in the CalR+W channel for (a) WALP models and (b) WHS models with a SM Higgs boson mediator. The $c\tau_{\text{gen}}$ values show where the curves were extrapolated from.

mean proper decay length range of 30 cm to 4.5 m, depending on the mass of the LLP. This represents an improvement of a factor of approximately three relative to the results in the previous search [31]. Specifically, this improvement comes from relaxing a requirement on the CalRatio of the two most signal-like jets (which was detrimental to the events featuring the resolved topology but necessary to control backgrounds), and instead exploiting additional jet information, allowing a substantial background reduction while maintaining signal efficiency for low mediator mass samples.

Still considering the HS model, the CalR+Z and CalR+W channels provide the first constraints on hadronically decaying LLPs in the calorimeter where the production of a scalar mediator is in association with a vector boson. Higgs boson branching fractions to LLPs above 50% in this production mode are excluded for mean proper decay lengths in the cm to m range. While the derived constraints in terms of Higgs boson branching fractions are not as strong as those derived in the CalR+2J channel or in ref. [31], they provide a complementary constraint in a different production mode. A combination of the HS results between the three channels is not performed, since the gluon-gluon fusion cross-section is overwhelmingly large compared with the associated vector boson production cross-section and consequently any combined limit would be fully dominated by the CalR+2J channel results.

Constraints are set by ATLAS on photophobic ALP models for the first time using the CalR+W and CalR+Z channels, with cross-sections above 0.1 pb excluded in the 0.1 mm–10 m range. ALP exclusion limits in terms of cross-section and proper lifetime can be interpreted for the relevant model parameters. The width of the ALP decay into gluons is given by:

$$\Gamma_{agg} = \frac{2}{\pi f_a^2} C_G^2 m_{\text{ALP}}^3, \tag{8.1}$$

where f_a is the energy scale of the ALP and m_{ALP} its mass. Therefore, for a given mass and scale, the ALP proper lifetime $c\tau$ depends on the inverse square of the gluon coupling $c\tau \propto C_G^{-2}$. Additionally, the cross-section of the simulated process is determined by the coupling of the ALP with the SM weak-sector. For a photophobic ALP, this implies that




Figure 10. Observed (solid line) and expected (dashed line) upper limits at the 95% CL on the cross-section times branching fraction as a function of $c\tau$ for a variety of models probed by the CalR+Z channel for (a) ZALP models, (b) ZHS models with the SM Higgs boson as a mediator, and (c) HZZ_d models. The $c\tau_{\text{gen}}$ values show where the curves were extrapolated from.

$\sigma \propto C_{\tilde{W}}^2$. The resulting exclusion limits on $C_{\tilde{G}}$ and $C_{\tilde{W}}$ are presented in figure 11. A summary of these results is presented in the plane of ALP mass versus its coupling to gluons in figure 12, where the coupling to gluons is scaled by the ALP energy scale $g_{agg} = 4C_{\tilde{G}}/f_a$.

Finally, new constraints on the ZZ_d model are set, which are more sensitive than previous results [34] by an order of magnitude, with production cross-sections of a dark photon with a Z boson above 0.1 pb excluded for Z_d proper decay lengths in the 20 cm to 50 m range, depending on the mediator and Z_d masses. The improvement comes from the fact that this work uses a dataset approximately four times larger than the one studied in ref. [34], and major improvements in displaced jet identification efficiency and background rejection thanks to the per-jet NN.

9 Conclusion

This paper describes a search for hadronically decaying long-lived particles giving rise to displaced jets in the ATLAS hadronic calorimeter, using the ATLAS Run 2 dataset of 140 fb^{-1}




Figure 11. Summary of the observed (solid line) and expected (dashed line) upper limits at the 95% CL on $C_{\tilde{G}}$ as a function of $C_{\tilde{W}}$ for a variety of ALP mass hypotheses probed by the CalR+R and Cal+Z channels for (a) WALP and (b) ZALP models. The $c\tau_{\text{gen}}$ values show where the curves were extrapolated from.




Figure 12. Regions in the ALP mass versus its coupling to gluons scaled by the ALP energy scale $g_{\text{agg}} = 4C_{\tilde{G}}/f_a$ excluded at 95% CL, for $C_{\tilde{W}} = 1$, $C_{\tilde{W}} = 0.5$, $C_{\tilde{W}} = 0.3$ and $C_{\tilde{W}} = 0.15$, in the (a) WALP and (b) ZALP models. The contours are obtained by interpolating between the exclusions for different LLP masses considered in the analysis, taking the logical union of the regions excluded for each mass.

of pp collisions at $\sqrt{s} = 13\text{TeV}$. The analysis considers three topologies: pair-produced LLPs, one of which leads to a single displaced jet in the calorimeter, the other, having low boost, yielding two resolved jets; and single- or pair-produced LLPs in association with a W or Z vector boson, which decays leptonically. For all three analysis channels a per-jet neural network is used to distinguish signal-like jets from jets from Standard Model processes or beam-induced backgrounds. Further per-event machine-learning discriminants are then used to define regions sensitive to a variety of LLP signals. In each case, a data-driven background estimate is used. No significant excess of events is observed in any of the channels. Constraints on the production cross-section times branching fraction at 95% confidence level are set for several benchmark models. The results for Hidden Sector models exclude branching fractions of Higgs boson mediators to neutral scalar LLPs above 1% for LLP

decay lengths between 30 cm and 4.5 m. These results extend those set by previous ATLAS results, improving the limits by a factor of approximately three, by exploiting additional jet information to more efficiently reject background events. Limits are also set on dark photons produced in association with a Z boson, with production cross-sections above 0.1 pb excluded for proper decay lengths between 20 cm and 50 m. This improves upon previous ATLAS results by an order of magnitude, thanks to a larger dataset and the use of machine-learning discriminants. Finally, constraints are set on photophobic axion-like particle models produced in association with a W or Z boson for the first time, with cross-sections above 0.1 pb excluded in the 10 mm–10 m range. This analysis is part of a wider programme of searches for LLPs with the ATLAS experiment, and has unique sensitivity to LLP laboratory decay lengths of the order of 1 m. It represents the first time that signatures involving neutral hadronically decaying LLPs with prompt objects are targeted in that decay range with the aid of machine-learning discriminants.

Acknowledgments

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (The Netherlands), PIC (Spain), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [98].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMBF, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ISF and Benozziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, The Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020, ICSC-NextGenerationEU and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA Programme Generalitat de Catalunya and

PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom.

In addition, individual members wish to acknowledge support from Armenia: Yerevan Physics Institute (FAPERJ); CERN: European Organization for Nuclear Research (CERN PNAS); Chile: Agencia Nacional de Investigación y Desarrollo (FONDECYT 1230812, FONDECYT 1230987, FONDECYT 1240864); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700), National Natural Science Foundation of China (NSFC — 12175119, NSFC 12275265, NSFC-12075060); Czech Republic: Czech Science Foundation (GACR — 24-11373S), Ministry of Education Youth and Sports (FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC — 101002463); European Union: European Research Council (ERC — 948254, ERC 101089007), Horizon 2020 Framework Programme (MUCCA — CHIST-ERA-19-XAI-00), European Union, Future Artificial Intelligence Research (FAIR-NextGenerationEU PE00000013), Italian Center for High Performance Computing, Big Data and Quantum Computing (ICSC, NextGenerationEU); France: Agence Nationale de la Recherche (ANR-20-CE31-0013, ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002), Investissements d’Avenir Labex (ANR-11-LABX-0012); Germany: Baden-Württemberg Stiftung (BW Stiftung-Postdoc Eliteprogramme), Deutsche Forschungsgemeinschaft (DFG — 469666862, DFG — CR 312/5-2); Italy: Istituto Nazionale di Fisica Nucleare (ICSC, NextGenerationEU), Ministero dell’Università e della Ricerca (PRIN — 20223N7F8K — PNRR M4.C2.1.1); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI JP23KK0245); The Netherlands: Netherlands Organisation for Scientific Research (NWO Veni 2020 — VI.Veni.202.179); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Agency for Academic Exchange (PPN/PPO/2020/1/00002/U/00001), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2020/37/B/ST2/01043, UMO-2021/40/C/ST2/00187, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920); Slovenia: Slovenian Research Agency (ARIS grant J1-3010); Spain: Generalitat Valenciana (Artemisa, FEDER, IDIFEDER/2018/048), Ministry of Science and Innovation (MCIN & NextGenEU PCI2022-135018-2, MICIN & FEDER PID2021-125273NB, RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), PROMETEO and GenT Programmes Generalitat Valenciana (CIDEAGENT/2019/027); Sweden: Swedish Research Council (Swedish Research Council 2023-04654, VR 2018-00482, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR grant 2021-03651), Knut and Alice Wallenberg Foundation (KAW 2018.0157, KAW 2018.0458, KAW 2019.0447, KAW 2022.0358); Switzerland: Swiss National Science Foundation (SNSF — PCEFP2_194658); United Kingdom: Leverhulme Trust (Leverhulme Trust RPG-2020-004), Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), Neubauer Family Foundation.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] N. Arkani-Hamed, A. Gupta, D.E. Kaplan, N. Weiner and T. Zorawski, *Simply Unnatural Supersymmetry*, [arXiv:1212.6971](#) [[INSPIRE](#)].
- [2] G.F. Giudice and R. Rattazzi, *Theories with gauge mediated supersymmetry breaking*, *Phys. Rep.* **322** (1999) 419 [[hep-ph/9801271](#)] [[INSPIRE](#)].
- [3] R. Barbier et al., *R-parity violating supersymmetry*, *Phys. Rep.* **420** (2005) 1 [[hep-ph/0406039](#)] [[INSPIRE](#)].
- [4] C. Csáki, E. Kuflik, O. Slone and T. Volansky, *Models of Dynamical R-Parity Violation*, *JHEP* **06** (2015) 045 [[arXiv:1502.03096](#)] [[INSPIRE](#)].
- [5] J.J. Fan, M. Reece and J.T. Ruderman, *Stealth Supersymmetry*, *JHEP* **11** (2011) 012 [[arXiv:1105.5135](#)] [[INSPIRE](#)].
- [6] J.J. Fan, M. Reece and J.T. Ruderman, *A Stealth Supersymmetry Sampler*, *JHEP* **07** (2012) 196 [[arXiv:1201.4875](#)] [[INSPIRE](#)].
- [7] Z. Chacko, D. Curtin and C.B. Verhaaren, *A Quirky Probe of Neutral Naturalness*, *Phys. Rev. D* **94** (2016) 011504 [[arXiv:1512.05782](#)] [[INSPIRE](#)].
- [8] G. Burdman, Z. Chacko, H.-S. Goh and R. Harnik, *Folded supersymmetry and the LEP paradox*, *JHEP* **02** (2007) 009 [[hep-ph/0609152](#)] [[INSPIRE](#)].
- [9] H. Cai, H.-C. Cheng and J. Terning, *A Quirky Little Higgs Model*, *JHEP* **05** (2009) 045 [[arXiv:0812.0843](#)] [[INSPIRE](#)].
- [10] Z. Chacko, H.-S. Goh and R. Harnik, *The Twin Higgs: Natural electroweak breaking from mirror symmetry*, *Phys. Rev. Lett.* **96** (2006) 231802 [[hep-ph/0506256](#)] [[INSPIRE](#)].
- [11] M.J. Strassler and K.M. Zurek, *Echoes of a hidden valley at hadron colliders*, *Phys. Lett. B* **651** (2007) 374 [[hep-ph/0604261](#)] [[INSPIRE](#)].
- [12] M.J. Strassler and K.M. Zurek, *Discovering the Higgs through highly-displaced vertices*, *Phys. Lett. B* **661** (2008) 263 [[hep-ph/0605193](#)] [[INSPIRE](#)].
- [13] Y.F. Chan, M. Low, D.E. Morrissey and A.P. Spray, *LHC Signatures of a Minimal Supersymmetric Hidden Valley*, *JHEP* **05** (2012) 155 [[arXiv:1112.2705](#)] [[INSPIRE](#)].
- [14] M. Baumgart, C. Cheung, J.T. Ruderman, L.-T. Wang and I. Yavin, *Non-Abelian Dark Sectors and Their Collider Signatures*, *JHEP* **04** (2009) 014 [[arXiv:0901.0283](#)] [[INSPIRE](#)].
- [15] D.E. Kaplan, M.A. Luty and K.M. Zurek, *Asymmetric Dark Matter*, *Phys. Rev. D* **79** (2009) 115016 [[arXiv:0901.4117](#)] [[INSPIRE](#)].
- [16] K.R. Dienes and B. Thomas, *Dynamical Dark Matter. Part I. Theoretical Overview*, *Phys. Rev. D* **85** (2012) 083523 [[arXiv:1106.4546](#)] [[INSPIRE](#)].
- [17] K.R. Dienes, S. Su and B. Thomas, *Distinguishing Dynamical Dark Matter at the LHC*, *Phys. Rev. D* **86** (2012) 054008 [[arXiv:1204.4183](#)] [[INSPIRE](#)].
- [18] Y. Cui and B. Shuve, *Probing Baryogenesis with Displaced Vertices at the LHC*, *JHEP* **02** (2015) 049 [[arXiv:1409.6729](#)] [[INSPIRE](#)].
- [19] J.C. Helo, M. Hirsch and S. Kovalenko, *Heavy neutrino searches at the LHC with displaced vertices*, *Phys. Rev. D* **89** (2014) 073005 [Erratum *ibid.* **93** (2016) 099902] [[arXiv:1312.2900](#)] [[INSPIRE](#)].
- [20] B. Batell, M. Pospelov and B. Shuve, *Shedding Light on Neutrino Masses with Dark Forces*, *JHEP* **08** (2016) 052 [[arXiv:1604.06099](#)] [[INSPIRE](#)].

- [21] I. Brivio et al., *ALPs Effective Field Theory and Collider Signatures*, *Eur. Phys. J. C* **77** (2017) 572 [[arXiv:1701.05379](#)] [[INSPIRE](#)].
- [22] U. Haisch and L. Schnell, *Long-lived particle phenomenology in the 2HDM+a model*, *JHEP* **04** (2023) 134 [[arXiv:2302.02735](#)] [[INSPIRE](#)].
- [23] LHCb collaboration, *Updated search for long-lived particles decaying to jet pairs*, *Eur. Phys. J. C* **77** (2017) 812 [[arXiv:1705.07332](#)] [[INSPIRE](#)].
- [24] CMS collaboration, *Search for long-lived particles using displaced jets in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **104** (2021) 012015 [[arXiv:2012.01581](#)] [[INSPIRE](#)].
- [25] CMS collaboration, *Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **03** (2022) 160 [[arXiv:2110.13218](#)] [[INSPIRE](#)].
- [26] CMS collaboration, *Search for long-lived particles using displaced vertices and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **109** (2024) 112005 [[arXiv:2402.15804](#)] [[INSPIRE](#)].
- [27] CMS collaboration, *Search for long-lived particles decaying in the CMS muon detectors in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. D* **110** (2024) 032007 [[arXiv:2402.01898](#)] [[INSPIRE](#)].
- [28] ATLAS collaboration, *Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow aa \rightarrow 4b$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **10** (2018) 031 [[arXiv:1806.07355](#)] [[INSPIRE](#)].
- [29] ATLAS collaboration, *Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector*, *JHEP* **11** (2021) 229 [[arXiv:2107.06092](#)] [[INSPIRE](#)].
- [30] ATLAS collaboration, *Search for light long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV using displaced vertices in the ATLAS inner detector*, *Phys. Rev. Lett.* **133** (2024) 161803 [[arXiv:2403.15332](#)] [[INSPIRE](#)].
- [31] ATLAS collaboration, *Search for neutral long-lived particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter*, *JHEP* **06** (2022) 005 [[arXiv:2203.01009](#)] [[INSPIRE](#)].
- [32] ATLAS collaboration, *Search for long-lived particles produced in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS muon spectrometer*, *Phys. Rev. D* **99** (2019) 052005 [[arXiv:1811.07370](#)] [[INSPIRE](#)].
- [33] ATLAS collaboration, *Search for long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV decaying into displaced hadronic jets in the ATLAS inner detector and muon spectrometer*, *Phys. Rev. D* **101** (2020) 052013 [[arXiv:1911.12575](#)] [[INSPIRE](#)].
- [34] ATLAS collaboration, *Search for the Production of a Long-Lived Neutral Particle Decaying within the ATLAS Hadronic Calorimeter in Association with a Z Boson from pp Collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **122** (2019) 151801 [[arXiv:1811.02542](#)] [[INSPIRE](#)].
- [35] ATLAS collaboration, *The ATLAS Experiment at the CERN Large Hadron Collider*, **2008 JINST** **3** S08003 [[INSPIRE](#)].
- [36] ATLAS collaboration, *ATLAS Insertable B-Layer Technical Design Report*, CERN-LHCC-2010-013 (2010).
- [37] B. Abbott et al., *Production and Integration of the ATLAS Insertable B-Layer*, **2018 JINST** **13** T05008 [[arXiv:1803.00844](#)] [[INSPIRE](#)].
- [38] ATLAS collaboration, *Performance of the ATLAS Trigger System in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].

- [39] ATLAS collaboration, *Software and computing for Run 3 of the ATLAS experiment at the LHC*, [arXiv:2404.06335](#) [INSPIRE].
- [40] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, 2020 *JINST* **15** P04003 [[arXiv:1911.04632](#)] [INSPIRE].
- [41] ATLAS collaboration, *Performance of electron and photon triggers in ATLAS during LHC Run 2*, *Eur. Phys. J. C* **80** (2020) 47 [[arXiv:1909.00761](#)] [INSPIRE].
- [42] ATLAS collaboration, *Performance of the ATLAS muon triggers in Run 2*, 2020 *JINST* **15** P09015 [[arXiv:2004.13447](#)] [INSPIRE].
- [43] ATLAS collaboration, *The performance of the jet trigger for the ATLAS detector during 2011 data taking*, *Eur. Phys. J. C* **76** (2016) 526 [[arXiv:1606.07759](#)] [INSPIRE].
- [44] T. Sjöstrand, S. Mrenna and P.Z. Skands, *A Brief Introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [INSPIRE].
- [45] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021 (2014).
- [46] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [INSPIRE].
- [47] T. Gleisberg et al., *Event generation with SHERPA 1.1*, *JHEP* **02** (2009) 007 [[arXiv:0811.4622](#)] [INSPIRE].
- [48] E. Bothmann et al., *Event Generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034 [[arXiv:1905.09127](#)] [INSPIRE].
- [49] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039 [[arXiv:0808.3674](#)] [INSPIRE].
- [50] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering Amplitudes with Open Loops*, *Phys. Rev. Lett.* **108** (2012) 111601 [[arXiv:1111.5206](#)] [INSPIRE].
- [51] A. Denner, S. Dittmaier and L. Hofer, *Collier: a fortran-based Complex One-Loop Library in Extended Regularizations*, *Comput. Phys. Commun.* **212** (2017) 220 [[arXiv:1604.06792](#)] [INSPIRE].
- [52] S. Schumann and F. Krauss, *A Parton shower algorithm based on Catani-Seymour dipole factorisation*, *JHEP* **03** (2008) 038 [[arXiv:0709.1027](#)] [INSPIRE].
- [53] S. Frixione, G. Ridolfi and P. Nason, *A Positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126 [[arXiv:0707.3088](#)] [INSPIRE].
- [54] P. Nason, *A New method for combining NLO QCD with shower Monte Carlo algorithms*, *JHEP* **11** (2004) 040 [[hep-ph/0409146](#)] [INSPIRE].
- [55] S. Frixione, P. Nason and C. Oleari, *Matching NLO QCD computations with Parton Shower simulations: the POWHEG method*, *JHEP* **11** (2007) 070 [[arXiv:0709.2092](#)] [INSPIRE].
- [56] S. Alioli, P. Nason, C. Oleari and E. Re, *A general framework for implementing NLO calculations in shower Monte Carlo programs: the POWHEG BOX*, *JHEP* **06** (2010) 043 [[arXiv:1002.2581](#)] [INSPIRE].
- [57] ATLAS collaboration, *Studies on top-quark Monte Carlo modelling for Top2016*, ATL-PHYS-PUB-2016-020 (2016).
- [58] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [INSPIRE].
- [59] M. Beneke, P. Falgari, S. Klein and C. Schwinn, *Hadronic top-quark pair production with NNLL threshold resummation*, *Nucl. Phys. B* **855** (2012) 695 [[arXiv:1109.1536](#)] [INSPIRE].

- [60] M. Cacciari, M. Czakon, M. Mangano, A. Mitov and P. Nason, *Top-pair production at hadron colliders with next-to-next-to-leading logarithmic soft-gluon resummation*, *Phys. Lett. B* **710** (2012) 612 [[arXiv:1111.5869](#)] [[INSPIRE](#)].
- [61] P. Bärnreuther, M. Czakon and A. Mitov, *Percent Level Precision Physics at the Tevatron: First Genuine NNLO QCD Corrections to $q\bar{q} \rightarrow t\bar{t} + X$* , *Phys. Rev. Lett.* **109** (2012) 132001 [[arXiv:1204.5201](#)] [[INSPIRE](#)].
- [62] M. Czakon and A. Mitov, *NNLO corrections to top-pair production at hadron colliders: the all-fermionic scattering channels*, *JHEP* **12** (2012) 054 [[arXiv:1207.0236](#)] [[INSPIRE](#)].
- [63] M. Czakon and A. Mitov, *NNLO corrections to top pair production at hadron colliders: the quark-gluon reaction*, *JHEP* **01** (2013) 080 [[arXiv:1210.6832](#)] [[INSPIRE](#)].
- [64] M. Czakon, P. Fiedler and A. Mitov, *Total Top-Quark Pair-Production Cross Section at Hadron Colliders Through $\mathcal{O}(\alpha_S^4)$* , *Phys. Rev. Lett.* **110** (2013) 252004 [[arXiv:1303.6254](#)] [[INSPIRE](#)].
- [65] M. Czakon and A. Mitov, *Top++: A Program for the Calculation of the Top-Pair Cross-Section at Hadron Colliders*, *Comput. Phys. Commun.* **185** (2014) 2930 [[arXiv:1112.5675](#)] [[INSPIRE](#)].
- [66] E. Re, *Single-top Wt-channel production matched with parton showers using the POWHEG method*, *Eur. Phys. J. C* **71** (2011) 1547 [[arXiv:1009.2450](#)] [[INSPIRE](#)].
- [67] NNPDF collaboration, *Parton distributions for the LHC Run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [68] S. Frixione, E. Laenen, P. Motylinski, C. White and B.R. Webber, *Single-top hadroproduction in association with a W boson*, *JHEP* **07** (2008) 029 [[arXiv:0805.3067](#)] [[INSPIRE](#)].
- [69] M. Aliev, H. Lacker, U. Langenfeld, S. Moch, P. Uwer and M. Wiedermann, *HATHOR: HAdronic Top and Heavy quarks crOSS section calculatoR*, *Comput. Phys. Commun.* **182** (2011) 1034 [[arXiv:1007.1327](#)] [[INSPIRE](#)].
- [70] P. Kant et al., *HatHor for single top-quark production: Updated predictions and uncertainty estimates for single top-quark production in hadronic collisions*, *Comput. Phys. Commun.* **191** (2015) 74 [[arXiv:1406.4403](#)] [[INSPIRE](#)].
- [71] S. Chang, P.J. Fox and N. Weiner, *Naturalness and Higgs decays in the MSSM with a singlet*, *JHEP* **08** (2006) 068 [[hep-ph/0511250](#)] [[INSPIRE](#)].
- [72] S. Chang, R. Dermisek, J.F. Gunion and N. Weiner, *Nonstandard Higgs Boson Decays*, *Annu. Rev. Nucl. Part. Sci.* **58** (2008) 75 [[arXiv:0801.4554](#)] [[INSPIRE](#)].
- [73] J. Alwall et al., *The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations*, *JHEP* **07** (2014) 079 [[arXiv:1405.0301](#)] [[INSPIRE](#)].
- [74] M. Cepeda et al., *Report from Working Group 2: Higgs Physics at the HL-LHC and HE-LHC*, in *CERN Yellow Reports: Monographs* **7**, CERN (2019), pp. 221–584 [[DOI:10.23731/CYRM-2019-007.221](#)] [[arXiv:1902.00134](#)] [[INSPIRE](#)].
- [75] H. Davoudiasl, H.-S. Lee and W.J. Marciano, *“Dark” Z implications for Parity Violation, Rare Meson Decays, and Higgs Physics*, *Phys. Rev. D* **85** (2012) 115019 [[arXiv:1203.2947](#)] [[INSPIRE](#)].
- [76] H. Davoudiasl, H.-S. Lee, I. Lewis and W.J. Marciano, *Higgs Decays as a Window into the Dark Sector*, *Phys. Rev. D* **88** (2013) 015022 [[arXiv:1304.4935](#)] [[INSPIRE](#)].
- [77] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, *ATL-PHYS-PUB-2016-017* (2016).
- [78] ATLAS collaboration, *The ATLAS Simulation Infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].

- [79] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [INSPIRE].
- [80] M. Cacciari, G.P. Salam and G. Soyez, *The anti- k_t jet clustering algorithm*, *JHEP* **04** (2008) 063 [arXiv:0802.1189] [INSPIRE].
- [81] M. Cacciari, G.P. Salam and G. Soyez, *FastJet User Manual*, *Eur. Phys. J. C* **72** (2012) 1896 [arXiv:1111.6097] [INSPIRE].
- [82] ATLAS collaboration, *Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Eur. Phys. J. C* **81** (2021) 689 [arXiv:2007.02645] [INSPIRE].
- [83] S. Hochreiter and J. Schmidhuber, *Long Short-Term Memory*, *Neural Comput.* **9** (1997) 1735 [INSPIRE].
- [84] ATLAS collaboration, *Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1*, *Eur. Phys. J. C* **77** (2017) 490 [arXiv:1603.02934] [INSPIRE].
- [85] ATLAS collaboration, *Electron and photon performance measurements with the ATLAS detector using the 2015–2017 LHC proton-proton collision data*, *2019 JINST* **14** P12006 [arXiv:1908.00005] [INSPIRE].
- [86] ATLAS collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578 [arXiv:2012.00578] [INSPIRE].
- [87] ATLAS collaboration, *The performance of missing transverse momentum reconstruction and its significance with the ATLAS detector using 140 fb^{-1} of $\sqrt{s} = 13$ TeV pp collisions*, arXiv:2402.05858 [INSPIRE].
- [88] ATLAS collaboration, *Vertex Reconstruction Performance of the ATLAS Detector at $\sqrt{s} = 13$ TeV*, ATL-PHYS-PUB-2015-026 (2015).
- [89] T. Chen and C. Guestrin, *XGBoost: A Scalable Tree Boosting System*, arXiv:1603.02754 [DOI:10.1145/2939672.2939785] [INSPIRE].
- [90] G. Kasieczka, B. Nachman, M.D. Schwartz and D. Shih, *Automating the ABCD method with machine learning*, *Phys. Rev. D* **103** (2021) 035021 [arXiv:2007.14400] [INSPIRE].
- [91] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982 [arXiv:2212.09379] [INSPIRE].
- [92] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *2018 JINST* **13** P07017 [INSPIRE].
- [93] ATLAS collaboration, *Jet energy scale measurements and their systematic uncertainties in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **96** (2017) 072002 [arXiv:1703.09665] [INSPIRE].
- [94] L. Heinrich, M. Feickert, G. Stark and K. Cranmer, *pyhf: pure-Python implementation of HistFactory statistical models*, *J. Open Source Softw.* **6** (2021) 2823 [INSPIRE].
- [95] L. Heinrich, M. Feickert and G. Stark, *pyhf: v0.6.3*, Zenodo (2021) [DOI:10.5281/zenodo.5426790].
- [96] A.L. Read, *Presentation of search results: The CL_s technique*, *J. Phys. G* **28** (2002) 2693 [INSPIRE].
- [97] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [arXiv:1007.1727] [INSPIRE].
- [98] ATLAS collaboration, *ATLAS Computing Acknowledgements*, ATL-SOFT-PUB-2023-001 (2023).

The ATLAS collaboration

G. Aad ¹⁰⁴, E. Aakvaag ¹⁷, B. Abbott ¹²³, S. Abdelhameed ^{119a}, K. Abeling ⁵⁶,
 N.J. Abicht ⁵⁰, S.H. Abidi ³⁰, M. Aboelela ⁴⁵, A. Aboulhorma ^{36e}, H. Abramowicz ¹⁵⁴,
 H. Abreu ¹⁵³, Y. Abulaiti ¹²⁰, B.S. Acharya ^{70a,70b,k}, A. Ackermann ^{64a},
 C. Adam Bourdarios ⁴, L. Adamczyk ^{87a}, S.V. Addepalli ²⁷, M.J. Addison ¹⁰³, J. Adelman ¹¹⁸,
 A. Adiguzel ^{22c}, T. Adye ¹³⁷, A.A. Affolder ¹³⁹, Y. Afik ⁴⁰, M.N. Agaras ¹³,
 J. Agarwala ^{74a,74b}, A. Aggarwal ¹⁰², C. Agheorghiesei ^{28c}, F. Ahmadov ^{39,y}, W.S. Ahmed ¹⁰⁶,
 S. Ahuja ⁹⁷, X. Ai ^{63e}, G. Aielli ^{77a,77b}, A. Aikot ¹⁶⁶, M. Ait Tamliah ^{36e},
 B. Aitbenkhik ^{36a}, M. Akbiyik ¹⁰², T.P.A. Åkesson ¹⁰⁰, A.V. Akimov ³⁸, D. Akiyama ¹⁷¹,
 N.N. Akolkar ²⁵, S. Aktas ^{22a}, K. Al Khoury ⁴², G.L. Alberghi ^{24b}, J. Albert ¹⁶⁸,
 P. Albicocco ⁵⁴, G.L. Albouy ⁶¹, S. Alderweireldt ⁵³, Z.L. Alegria ¹²⁴, M. Aleksa ³⁷,
 I.N. Aleksandrov ³⁹, C. Alexa ^{28b}, T. Alexopoulos ¹⁰, F. Alfonsi ^{24b}, M. Algren ⁵⁷,
 M. Alhroob ¹⁷⁰, B. Ali ¹³⁵, H.M.J. Ali ^{93,s}, S. Ali ³², S.W. Alibocus ⁹⁴, M. Aliev ^{34c},
 G. Alimonti ^{72a}, W. Alkakh ⁵⁶, C. Allaire ⁶⁷, B.M.M. Allbrooke ¹⁴⁹, J.S. Allen ¹⁰³,
 J.F. Allen ⁵³, C.A. Allendes Flores ^{140f}, P.P. Allport ²¹, A. Aloisio ^{73a,73b}, F. Alonso ⁹²,
 C. Alpigiani ¹⁴¹, Z.M.K. Alsolami ⁹³, M. Alvarez Estevez ¹⁰¹, A. Alvarez Fernandez ¹⁰²,
 M. Alves Cardoso ⁵⁷, M.G. Alviggi ^{73a,73b}, M. Aly ¹⁰³, Y. Amaral Coutinho ^{84b},
 A. Ambler ¹⁰⁶, C. Amelung ³⁷, M. Amerl ¹⁰³, C.G. Ames ¹¹¹, D. Amidei ¹⁰⁸, B. Amini ⁵⁵,
 K.J. Amirie ¹⁵⁸, S.P. Amor Dos Santos ^{133a}, K.R. Amos ¹⁶⁶, D. Amperiadou ¹⁵⁵, S. An ⁸⁵,
 V. Ananiev ¹²⁸, C. Anastopoulos ¹⁴², T. Andeen ¹¹, J.K. Anders ³⁷, A.C. Anderson ⁶⁰,
 S.Y. Andrean ^{48a,48b}, A. Andreatza ^{72a,72b}, S. Angelidakis ⁹, A. Angerami ⁴²,
 A.V. Anisenkov ³⁸, A. Annovi ^{75a}, C. Antel ⁵⁷, E. Antipov ¹⁴⁸, M. Antonelli ⁵⁴, F. Anulli ^{76a},
 M. Aoki ⁸⁵, T. Aoki ¹⁵⁶, M.A. Aparo ¹⁴⁹, L. Aperio Bella ⁴⁹, C. Appelt ¹⁹, A. Apyan ²⁷,
 S.J. Arbiol Val ⁸⁸, C. Arcangeletti ⁵⁴, A.T.H. Arce ⁵², J-F. Arguin ¹¹⁰, S. Argyropoulos ⁵⁵,
 J.-H. Arling ⁴⁹, O. Arnaez ⁴, H. Arnold ¹⁴⁸, G. Artoni ^{76a,76b}, H. Asada ¹¹³, K. Asai ¹²¹,
 S. Asai ¹⁵⁶, N.A. Asbah ³⁷, R.A. Ashby Pickering ¹⁷⁰, K. Assamagan ³⁰, R. Astalos ^{29a},
 K.S.V. Astrand ¹⁰⁰, S. Atashi ¹⁶², R.J. Atkin ^{34a}, M. Atkinson ¹⁶⁵, H. Atmani ^{36f},
 P.A. Atlasiddha ¹³¹, K. Augsten ¹³⁵, S. Auricchio ^{73a,73b}, A.D. Auriol ²¹, V.A. Austrup ¹⁰³,
 G. Avolio ³⁷, K. Axiotis ⁵⁷, G. Azuelos ^{110,ad}, D. Babal ^{29b}, H. Bachacou ¹³⁸, K. Bachas ^{155,o},
 A. Bachiu ³⁵, E. Bachmann ⁵¹, F. Backman ^{48a,48b}, A. Badea ⁴⁰, T.M. Baer ¹⁰⁸,
 P. Bagnaia ^{76a,76b}, M. Bahmani ¹⁹, D. Bahner ⁵⁵, K. Bai ¹²⁶, J.T. Baines ¹³⁷, L. Baines ⁹⁶,
 O.K. Baker ¹⁷⁵, E. Bakos ¹⁶, D. Bakshi Gupta ⁸, L.E. Balabram Filho ^{84b},
 V. Balakrishnan ¹²³, R. Balasubramanian ⁴, E.M. Baldin ³⁸, P. Balek ^{87a}, E. Ballabene ^{24b,24a},
 F. Balli ¹³⁸, L.M. Baltos ^{64a}, W.K. Balunas ³³, J. Balz ¹⁰², I. Bamwidhi ^{119b}, E. Banas ⁸⁸,
 M. Bandieramonte ¹³², A. Bandyopadhyay ²⁵, S. Bansal ²⁵, L. Barak ¹⁵⁴, M. Barakat ⁴⁹,
 E.L. Barberio ¹⁰⁷, D. Barberis ^{58b,58a}, M. Barbero ¹⁰⁴, M.Z. Barel ¹¹⁷, T. Barillari ¹¹²,
 M-S. Barisits ³⁷, T. Barklow ¹⁴⁶, P. Baron ¹²⁵, D.A. Baron Moreno ¹⁰³, A. Baroncelli ^{63a},
 A.J. Barr ¹²⁹, J.D. Barr ⁹⁸, F. Barreiro ¹⁰¹, J. Barreiro Guimarães da Costa ¹⁴, U. Barron ¹⁵⁴,
 M.G. Barros Teixeira ^{133a}, S. Barsov ³⁸, F. Bartels ^{64a}, R. Bartoldus ¹⁴⁶, A.E. Barton ⁹³,
 P. Bartos ^{29a}, A. Basan ¹⁰², M. Baselga ⁵⁰, A. Bassalat ^{67,b}, M.J. Basso ^{159a}, S. Bataju ⁴⁵,
 R. Bate ¹⁶⁷, R.L. Bates ⁶⁰, S. Batlamous ¹⁰¹, B. Batool ¹⁴⁴, M. Battaglia ¹³⁹, D. Battulga ¹⁹,
 M. Bauge ^{76a,76b}, M. Bauer ⁸⁰, P. Bauer ²⁵, L.T. Bazzano Hurrell ³¹, J.B. Beacham ⁵²,
 T. Beau ¹³⁰, J.Y. Beaucamp ⁹², P.H. Beauchemin ¹⁶¹, P. Bechtle ²⁵, H.P. Beck ^{20,n},

K. Becker [ID](#)¹⁷⁰, A.J. Beddall [ID](#)⁸³, V.A. Bednyakov [ID](#)³⁹, C.P. Bee [ID](#)¹⁴⁸, L.J. Beemster [ID](#)¹⁶,
 T.A. Beermann [ID](#)³⁷, M. Begalli [ID](#)^{84d}, M. Begel [ID](#)³⁰, A. Behera [ID](#)¹⁴⁸, J.K. Behr [ID](#)⁴⁹, J.F. Beirer [ID](#)³⁷,
 F. Beisiegel [ID](#)²⁵, M. Belfkir [ID](#)^{119b}, G. Bella [ID](#)¹⁵⁴, L. Bellagamba [ID](#)^{24b}, A. Bellerive [ID](#)³⁵, P. Bellos [ID](#)²¹,
 K. Beloborodov [ID](#)³⁸, D. Benchekroun [ID](#)^{36a}, F. Bendecca [ID](#)^{36a}, Y. Benhammou [ID](#)¹⁵⁴,
 K.C. Benkendorfer [ID](#)⁶², L. Beresford [ID](#)⁴⁹, M. Beretta [ID](#)⁵⁴, E. Bergeaas Kuutmann [ID](#)¹⁶⁴, N. Berger [ID](#)⁴,
 B. Bergmann [ID](#)¹³⁵, J. Beringer [ID](#)^{18a}, G. Bernardi [ID](#)⁵, C. Bernius [ID](#)¹⁴⁶, F.U. Bernlochner [ID](#)²⁵,
 F. Bernon [ID](#)³⁷, A. Berrocal Guardia [ID](#)¹³, T. Berry [ID](#)⁹⁷, P. Berta [ID](#)¹³⁶, A. Berthold [ID](#)⁵¹,
 S. Bethke [ID](#)¹¹², A. Betti [ID](#)^{76a,76b}, A.J. Bevan [ID](#)⁹⁶, N.K. Bhalla [ID](#)⁵⁵, S. Bhatta [ID](#)¹⁴⁸,
 D.S. Bhattacharya [ID](#)¹⁶⁹, P. Bhattacharai [ID](#)¹⁴⁶, K.D. Bhide [ID](#)⁵⁵, V.S. Bhopatkar [ID](#)¹²⁴, R.M. Bianchi [ID](#)¹³²,
 G. Bianco [ID](#)^{24b,24a}, O. Biebel [ID](#)¹¹¹, R. Bielski [ID](#)¹²⁶, M. Biglietti [ID](#)^{78a}, C.S. Billingsley [ID](#)⁴⁵,
 Y. Bimgdi [ID](#)^{36f}, M. Bindi [ID](#)⁵⁶, A. Bingul [ID](#)^{22b}, C. Bini [ID](#)^{76a,76b}, G.A. Bird [ID](#)³³, M. Birman [ID](#)¹⁷²,
 M. Biros [ID](#)¹³⁶, S. Biryukov [ID](#)¹⁴⁹, T. Bisanz [ID](#)⁵⁰, E. Bisceglie [ID](#)^{44b,44a}, J.P. Biswal [ID](#)¹³⁷,
 D. Biswas [ID](#)¹⁴⁴, I. Bloch [ID](#)⁴⁹, A. Blue [ID](#)⁶⁰, U. Blumenschein [ID](#)⁹⁶, J. Blumenthal [ID](#)¹⁰²,
 V.S. Bobrovnikov [ID](#)³⁸, M. Boehler [ID](#)⁵⁵, B. Boehm [ID](#)¹⁶⁹, D. Bogavac [ID](#)³⁷, A.G. Bogdanchikov [ID](#)³⁸,
 L.S. Boggia [ID](#)¹³⁰, C. Bohm [ID](#)^{48a}, V. Boisvert [ID](#)⁹⁷, P. Bokan [ID](#)³⁷, T. Bold [ID](#)^{87a}, M. Bomben [ID](#)⁵,
 M. Bona [ID](#)⁹⁶, M. Boonekamp [ID](#)¹³⁸, C.D. Booth [ID](#)⁹⁷, A.G. Borbély [ID](#)⁶⁰, I.S. Bordulev [ID](#)³⁸,
 G. Borissov [ID](#)⁹³, D. Bortoletto [ID](#)¹²⁹, D. Boscherini [ID](#)^{24b}, M. Bosman [ID](#)¹³, J.D. Bossio Sola [ID](#)³⁷,
 K. Bouaouda [ID](#)^{36a}, N. Bouchhar [ID](#)¹⁶⁶, L. Boudet [ID](#)⁴, J. Boudreau [ID](#)¹³², E.V. Bouhova-Thacker [ID](#)⁹³,
 D. Boumediene [ID](#)⁴¹, R. Bouquet [ID](#)^{58b,58a}, A. Boveia [ID](#)¹²², J. Boyd [ID](#)³⁷, D. Boye [ID](#)³⁰, I.R. Boyko [ID](#)³⁹,
 L. Bozianu [ID](#)⁵⁷, J. Bracini [ID](#)²¹, N. Brahimi [ID](#)⁴, G. Brandt [ID](#)¹⁷⁴, O. Brandt [ID](#)³³, F. Braren [ID](#)⁴⁹,
 B. Brau [ID](#)¹⁰⁵, J.E. Brau [ID](#)¹²⁶, R. Brenner [ID](#)¹⁷², L. Brenner [ID](#)¹¹⁷, R. Brenner [ID](#)¹⁶⁴, S. Bressler [ID](#)¹⁷²,
 G. Brianti [ID](#)^{79a,79b}, D. Britton [ID](#)⁶⁰, D. Britzger [ID](#)¹¹², I. Brock [ID](#)²⁵, R. Brock [ID](#)¹⁰⁹, G. Brooijmans [ID](#)⁴²,
 E.M. Brooks [ID](#)^{159b}, E. Brost [ID](#)³⁰, L.M. Brown [ID](#)¹⁶⁸, L.E. Bruce [ID](#)⁶², T.L. Bruckler [ID](#)¹²⁹,
 P.A. Bruckman de Renstrom [ID](#)⁸⁸, B. Brüers [ID](#)⁴⁹, A. Bruni [ID](#)^{24b}, G. Bruni [ID](#)^{24b}, M. Bruschi [ID](#)^{24b},
 N. Brusino [ID](#)^{76a,76b}, T. Buanes [ID](#)¹⁷, Q. Buat [ID](#)¹⁴¹, D. Buchin [ID](#)¹¹², A.G. Buckley [ID](#)⁶⁰,
 O. Bulekov [ID](#)³⁸, B.A. Bullard [ID](#)¹⁴⁶, S. Burdin [ID](#)⁹⁴, C.D. Burgard [ID](#)⁵⁰, A.M. Burger [ID](#)³⁷,
 B. Burghgrave [ID](#)⁸, O. Burlayenko [ID](#)⁵⁵, J. Burleson [ID](#)¹⁶⁵, J.T.P. Burr [ID](#)³³, J.C. Burzynski [ID](#)¹⁴⁵,
 E.L. Busch [ID](#)⁴², V. Büscher [ID](#)¹⁰², P.J. Bussey [ID](#)⁶⁰, J.M. Butler [ID](#)²⁶, C.M. Buttar [ID](#)⁶⁰,
 J.M. Butterworth [ID](#)⁹⁸, W. Buttinger [ID](#)¹³⁷, C.J. Buxo Vazquez [ID](#)¹⁰⁹, A.R. Buzykaev [ID](#)³⁸,
 S. Cabrera Urbán [ID](#)¹⁶⁶, L. Cadamuro [ID](#)⁶⁷, D. Caforio [ID](#)⁵⁹, H. Cai [ID](#)¹³², Y. Cai [ID](#)^{14,114c}, Y. Cai [ID](#)^{114a},
 V.M.M. Cairo [ID](#)³⁷, O. Cakir [ID](#)^{3a}, N. Calace [ID](#)³⁷, P. Calafiura [ID](#)^{18a}, G. Calderini [ID](#)¹³⁰,
 P. Calfayan [ID](#)⁶⁹, G. Callea [ID](#)⁶⁰, L.P. Caloba [ID](#)^{84b}, D. Calvet [ID](#)⁴¹, S. Calvet [ID](#)⁴¹, M. Calvetti [ID](#)^{75a,75b},
 R. Camacho Toro [ID](#)¹³⁰, S. Camarda [ID](#)³⁷, D. Camarero Munoz [ID](#)²⁷, P. Camarri [ID](#)^{77a,77b},
 M.T. Camerlingo [ID](#)^{73a,73b}, D. Cameron [ID](#)³⁷, C. Camincher [ID](#)¹⁶⁸, M. Campanelli [ID](#)⁹⁸,
 A. Camplani [ID](#)⁴³, V. Canale [ID](#)^{73a,73b}, A.C. Canbay [ID](#)^{3a}, E. Canonero [ID](#)⁹⁷, J. Cantero [ID](#)¹⁶⁶,
 Y. Cao [ID](#)¹⁶⁵, F. Capocasa [ID](#)²⁷, M. Capua [ID](#)^{44b,44a}, A. Carbone [ID](#)^{72a,72b}, R. Cardarelli [ID](#)^{77a},
 J.C.J. Cardenas [ID](#)⁸, G. Carducci [ID](#)^{44b,44a}, T. Carli [ID](#)³⁷, G. Carlino [ID](#)^{73a}, J.I. Carlotto [ID](#)¹³,
 B.T. Carlson [ID](#)^{132,p}, E.M. Carlson [ID](#)^{168,159a}, J. Carmignani [ID](#)⁹⁴, L. Carminati [ID](#)^{72a,72b},
 A. Carnelli [ID](#)¹³⁸, M. Carnesale [ID](#)³⁷, S. Caron [ID](#)¹¹⁶, E. Carquin [ID](#)^{140f}, I.B. Carr [ID](#)¹⁰⁷, S. Carrá [ID](#)^{72a},
 G. Carratta [ID](#)^{24b,24a}, A.M. Carroll [ID](#)¹²⁶, M.P. Casado [ID](#)^{13,h}, M. Caspar [ID](#)⁴⁹, F.L. Castillo [ID](#)⁴,
 L. Castillo Garcia [ID](#)¹³, V. Castillo Gimenez [ID](#)¹⁶⁶, N.F. Castro [ID](#)^{133a,133e}, A. Catinaccio [ID](#)³⁷,
 J.R. Catmore [ID](#)¹²⁸, T. Cavaliere [ID](#)⁴, V. Cavaliere [ID](#)³⁰, N. Cavalli [ID](#)^{24b,24a},
 L.J. Caviedes Betancourt [ID](#)^{23b}, Y.C. Cekmecelioglu [ID](#)⁴⁹, E. Celebi [ID](#)⁸³, S. Cella [ID](#)³⁷,

M.S. Centonze [ID](#)^{71a,71b}, V. Cepaitis [ID](#)⁵⁷, K. Cerny [ID](#)¹²⁵, A.S. Cerqueira [ID](#)^{84a}, A. Cerri [ID](#)¹⁴⁹, L. Cerrito [ID](#)^{77a,77b}, F. Cerutti [ID](#)^{18a}, B. Cervato [ID](#)¹⁴⁴, A. Cervelli [ID](#)^{24b}, G. Cesarini [ID](#)⁵⁴, S.A. Cetin [ID](#)⁸³, D. Chakraborty [ID](#)¹¹⁸, J. Chan [ID](#)^{18a}, W.Y. Chan [ID](#)¹⁵⁶, J.D. Chapman [ID](#)³³, E. Chapon [ID](#)¹³⁸, B. Chargeishvili [ID](#)^{152b}, D.G. Charlton [ID](#)²¹, M. Chatterjee [ID](#)²⁰, C. Chauhan [ID](#)¹³⁶, Y. Che [ID](#)^{114a}, S. Chekanov [ID](#)⁶, S.V. Chekulaev [ID](#)^{159a}, G.A. Chelkov [ID](#)^{39,a}, A. Chen [ID](#)¹⁰⁸, B. Chen [ID](#)¹⁵⁴, B. Chen [ID](#)¹⁶⁸, H. Chen [ID](#)^{114a}, H. Chen [ID](#)³⁰, J. Chen [ID](#)^{63c}, J. Chen [ID](#)¹⁴⁵, M. Chen [ID](#)¹²⁹, S. Chen [ID](#)⁸⁹, S.J. Chen [ID](#)^{114a}, X. Chen [ID](#)^{63c}, X. Chen [ID](#)^{15,ac}, Y. Chen [ID](#)^{63a}, C.L. Cheng [ID](#)¹⁷³, H.C. Cheng [ID](#)^{65a}, S. Cheong [ID](#)¹⁴⁶, A. Cheplakov [ID](#)³⁹, E. Cheremushkina [ID](#)⁴⁹, E. Cherepanova [ID](#)¹¹⁷, R. Cherkaoui El Moursli [ID](#)^{36e}, E. Cheu [ID](#)⁷, K. Cheung [ID](#)⁶⁶, L. Chevalier [ID](#)¹³⁸, V. Chiarella [ID](#)⁵⁴, G. Chiarelli [ID](#)^{75a}, N. Chiedde [ID](#)¹⁰⁴, G. Chiodini [ID](#)^{71a}, A.S. Chisholm [ID](#)²¹, A. Chitan [ID](#)^{28b}, M. Chitishvili [ID](#)¹⁶⁶, M.V. Chizhov [ID](#)^{39,q}, K. Choi [ID](#)¹¹, Y. Chou [ID](#)¹⁴¹, E.Y.S. Chow [ID](#)¹¹⁶, K.L. Chu [ID](#)¹⁷², M.C. Chu [ID](#)^{65a}, X. Chu [ID](#)^{14,114c}, Z. Chubinidze [ID](#)⁵⁴, J. Chudoba [ID](#)¹³⁴, J.J. Chwastowski [ID](#)⁸⁸, D. Cieri [ID](#)¹¹², K.M. Ciesla [ID](#)^{87a}, V. Cindro [ID](#)⁹⁵, A. Ciocio [ID](#)^{18a}, F. Ciotto [ID](#)^{73a,73b}, Z.H. Citron [ID](#)¹⁷², M. Citterio [ID](#)^{72a}, D.A. Ciubotaru [ID](#)^{28b}, A. Clark [ID](#)⁵⁷, P.J. Clark [ID](#)⁵³, N. Clarke Hall [ID](#)⁹⁸, C. Clarry [ID](#)¹⁵⁸, J.M. Clavijo Columbie [ID](#)⁴⁹, S.E. Clawson [ID](#)⁴⁹, C. Clement [ID](#)^{48a,48b}, Y. Coadou [ID](#)¹⁰⁴, M. Cobal [ID](#)^{70a,70c}, A. Coccaro [ID](#)^{58b}, R.F. Coelho Barrue [ID](#)^{133a}, R. Coelho Lopes De Sa [ID](#)¹⁰⁵, S. Coelli [ID](#)^{72a}, B. Cole [ID](#)⁴², J. Collot [ID](#)⁶¹, P. Conde Muiño [ID](#)^{133a,133g}, M.P. Connell [ID](#)^{34c}, S.H. Connell [ID](#)^{34c}, E.I. Conroy [ID](#)¹²⁹, F. Conventi [ID](#)^{73a,ae}, H.G. Cooke [ID](#)²¹, A.M. Cooper-Sarkar [ID](#)¹²⁹, F.A. Corchia [ID](#)^{24b,24a}, A. Cordeiro Oudot Choi [ID](#)¹³⁰, L.D. Corpe [ID](#)⁴¹, M. Corradi [ID](#)^{76a,76b}, F. Corriveau [ID](#)^{106,x}, A. Cortes-Gonzalez [ID](#)¹⁹, M.J. Costa [ID](#)¹⁶⁶, F. Costanza [ID](#)⁴, D. Costanzo [ID](#)¹⁴², B.M. Cote [ID](#)¹²², J. Couthures [ID](#)⁴, G. Cowan [ID](#)⁹⁷, K. Cranmer [ID](#)¹⁷³, L. Cremer [ID](#)⁵⁰, D. Cremonini [ID](#)^{24b,24a}, S. Crépé-Renaudin [ID](#)⁶¹, F. Crescioli [ID](#)¹³⁰, M. Cristinziani [ID](#)¹⁴⁴, M. Cristoforetti [ID](#)^{79a,79b}, V. Croft [ID](#)¹¹⁷, J.E. Crosby [ID](#)¹²⁴, G. Crosetti [ID](#)^{44b,44a}, A. Cueto [ID](#)¹⁰¹, H. Cui [ID](#)⁹⁸, Z. Cui [ID](#)⁷, W.R. Cunningham [ID](#)⁶⁰, F. Curcio [ID](#)¹⁶⁶, J.R. Curran [ID](#)⁵³, P. Czodrowski [ID](#)³⁷, M.J. Da Cunha Sargedas De Sousa [ID](#)^{58b,58a}, J.V. Da Fonseca Pinto [ID](#)^{84b}, C. Da Via [ID](#)¹⁰³, W. Dabrowski [ID](#)^{87a}, T. Dado [ID](#)³⁷, S. Dahbi [ID](#)¹⁵¹, T. Dai [ID](#)¹⁰⁸, D. Dal Santo [ID](#)²⁰, C. Dallapiccola [ID](#)¹⁰⁵, M. Dam [ID](#)⁴³, G. D’amen [ID](#)³⁰, V. D’Amico [ID](#)¹¹¹, J. Damp [ID](#)¹⁰², J.R. Dandoy [ID](#)³⁵, D. Dannheim [ID](#)³⁷, M. Danninger [ID](#)¹⁴⁵, V. Dao [ID](#)¹⁴⁸, G. Darbo [ID](#)^{58b}, S.J. Das [ID](#)³⁰, F. Dattola [ID](#)⁴⁹, S. D’Auria [ID](#)^{72a,72b}, A. D’Avanzo [ID](#)^{73a,73b}, C. David [ID](#)^{34a}, T. Davidek [ID](#)¹³⁶, I. Dawson [ID](#)⁹⁶, H.A. Day-hall [ID](#)¹³⁵, K. De [ID](#)⁸, R. De Asmundis [ID](#)^{73a}, N. De Biase [ID](#)⁴⁹, S. De Castro [ID](#)^{24b,24a}, N. De Groot [ID](#)¹¹⁶, P. de Jong [ID](#)¹¹⁷, H. De la Torre [ID](#)¹¹⁸, A. De Maria [ID](#)^{114a}, A. De Salvo [ID](#)^{76a}, U. De Sanctis [ID](#)^{77a,77b}, F. De Santis [ID](#)^{71a,71b}, A. De Santo [ID](#)¹⁴⁹, J.B. De Vivie De Regie [ID](#)⁶¹, J. Debevc [ID](#)⁹⁵, D.V. Dedovich [ID](#)³⁹, J. Degens [ID](#)⁹⁴, A.M. Deiana [ID](#)⁴⁵, F. Del Corso [ID](#)^{24b,24a}, J. Del Peso [ID](#)¹⁰¹, L. Delagrangé [ID](#)¹³⁰, F. Deliot [ID](#)¹³⁸, C.M. Delitzsch [ID](#)⁵⁰, M. Della Pietra [ID](#)^{73a,73b}, D. Della Volpe [ID](#)⁵⁷, A. Dell’Acqua [ID](#)³⁷, L. Dell’Asta [ID](#)^{72a,72b}, M. Delmastro [ID](#)⁴, P.A. Delsart [ID](#)⁶¹, S. Demers [ID](#)¹⁷⁵, M. Demichev [ID](#)³⁹, S.P. Denisov [ID](#)³⁸, L. D’Eramo [ID](#)⁴¹, D. Derendarz [ID](#)⁸⁸, F. Derue [ID](#)¹³⁰, P. Dervan [ID](#)⁹⁴, K. Desch [ID](#)²⁵, C. Deutsch [ID](#)²⁵, F.A. Di Bello [ID](#)^{58b,58a}, A. Di Ciaccio [ID](#)^{77a,77b}, L. Di Ciaccio [ID](#)⁴, A. Di Domenico [ID](#)^{76a,76b}, C. Di Donato [ID](#)^{73a,73b}, A. Di Girolamo [ID](#)³⁷, G. Di Gregorio [ID](#)³⁷, A. Di Luca [ID](#)^{79a,79b}, B. Di Micco [ID](#)^{78a,78b}, R. Di Nardo [ID](#)^{78a,78b}, K.F. Di Petrillo [ID](#)⁴⁰, M. Diamantopoulou [ID](#)³⁵, F.A. Dias [ID](#)¹¹⁷, T. Dias Do Vale [ID](#)¹⁴⁵, M.A. Diaz [ID](#)^{140a,140b}, F.G. Diaz Capriles [ID](#)²⁵, A.R. Didenko [ID](#)³⁹, M. Didenko [ID](#)¹⁶⁶, E.B. Diehl [ID](#)¹⁰⁸, S. Díez Cornell [ID](#)⁴⁹, C. Diez Pardos [ID](#)¹⁴⁴, C. Dimitriadi [ID](#)¹⁶⁴, A. Dimitrievska [ID](#)²¹, J. Dingfelder [ID](#)²⁵, T. Dingley [ID](#)¹²⁹, I-M. Dinu [ID](#)^{28b}, S.J. Dittmeier [ID](#)^{64b}, F. Dittus [ID](#)³⁷, M. Divisek [ID](#)¹³⁶, B. Dixit [ID](#)⁹⁴, F. Djama [ID](#)¹⁰⁴,

T. Djobava [ID](#)^{152b}, C. Doglioni [ID](#)^{103,100}, A. Dohnalova [ID](#)^{29a}, J. Dolejsi [ID](#)¹³⁶, Z. Dolezal [ID](#)¹³⁶, K. Domijan [ID](#)^{87a}, K.M. Dona [ID](#)⁴⁰, M. Donadelli [ID](#)^{84d}, B. Dong [ID](#)¹⁰⁹, J. Donini [ID](#)⁴¹, A. D’Onofrio [ID](#)^{73a,73b}, M. D’Onofrio [ID](#)⁹⁴, J. Dopke [ID](#)¹³⁷, A. Doria [ID](#)^{73a}, N. Dos Santos Fernandes [ID](#)^{133a}, P. Dougan [ID](#)¹⁰³, M.T. Dova [ID](#)⁹², A.T. Doyle [ID](#)⁶⁰, M.A. Draguet [ID](#)¹²⁹, M.P. Drescher [ID](#)⁵⁶, E. Dreyer [ID](#)¹⁷², I. Drivas-koulouris [ID](#)¹⁰, M. Drnevich [ID](#)¹²⁰, M. Drozdova [ID](#)⁵⁷, D. Du [ID](#)^{63a}, T.A. du Pree [ID](#)¹¹⁷, F. Dubinin [ID](#)³⁸, M. Dubovsky [ID](#)^{29a}, E. Duchovni [ID](#)¹⁷², G. Duckeck [ID](#)¹¹¹, O.A. Ducu [ID](#)^{28b}, D. Duda [ID](#)⁵³, A. Dudarev [ID](#)³⁷, E.R. Duden [ID](#)²⁷, M. D’uffizi [ID](#)¹⁰³, L. Duflot [ID](#)⁶⁷, M. Dührssen [ID](#)³⁷, I. Duminica [ID](#)^{28g}, A.E. Dumitriu [ID](#)^{28b}, M. Dunford [ID](#)^{64a}, S. Dungs [ID](#)⁵⁰, K. Dunne [ID](#)^{48a,48b}, A. Duperrin [ID](#)¹⁰⁴, H. Duran Yildiz [ID](#)^{3a}, M. Düren [ID](#)⁵⁹, A. Durglishvili [ID](#)^{152b}, B.L. Dwyer [ID](#)¹¹⁸, G.I. Dyckes [ID](#)^{18a}, M. Dyndal [ID](#)^{87a}, B.S. Dziedzic [ID](#)³⁷, Z.O. Earnshaw [ID](#)¹⁴⁹, G.H. Eberwein [ID](#)¹²⁹, B. Eckerova [ID](#)^{29a}, S. Eggebrecht [ID](#)⁵⁶, E. Egidio Purcino De Souza [ID](#)^{84e}, L.F. Ehrke [ID](#)⁵⁷, G. Eigen [ID](#)¹⁷, K. Einsweiler [ID](#)^{18a}, T. Ekelof [ID](#)¹⁶⁴, P.A. Ekman [ID](#)¹⁰⁰, S. El Farkh [ID](#)^{36b}, Y. El Ghazali [ID](#)^{63a}, H. El Jarrari [ID](#)³⁷, A. El Moussaouy [ID](#)^{36a}, V. EllaJosyula [ID](#)¹⁶⁴, M. Ellert [ID](#)¹⁶⁴, F. Ellinghaus [ID](#)¹⁷⁴, N. Ellis [ID](#)³⁷, J. Elmsheuser [ID](#)³⁰, M. Elsayy [ID](#)^{119a}, M. Elsing [ID](#)³⁷, D. Emelianov [ID](#)¹³⁷, Y. Enari [ID](#)⁸⁵, I. Ene [ID](#)^{18a}, S. Epari [ID](#)¹³, P.A. Erland [ID](#)⁸⁸, D. Ernani Martins Neto [ID](#)⁸⁸, M. Errenst [ID](#)¹⁷⁴, M. Escalier [ID](#)⁶⁷, C. Escobar [ID](#)¹⁶⁶, E. Etzion [ID](#)¹⁵⁴, G. Evans [ID](#)^{133a}, H. Evans [ID](#)⁶⁹, L.S. Evans [ID](#)⁹⁷, A. Ezhilov [ID](#)³⁸, S. Ezzarqtouni [ID](#)^{36a}, F. Fabbri [ID](#)^{24b,24a}, L. Fabbri [ID](#)^{24b,24a}, G. Facini [ID](#)⁹⁸, V. Fadeyev [ID](#)¹³⁹, R.M. Fakhruddinov [ID](#)³⁸, D. Fakoudis [ID](#)¹⁰², S. Falciano [ID](#)^{76a}, L.F. Falda Ulhoa Coelho [ID](#)³⁷, F. Fallavollita [ID](#)¹¹², G. Falsetti [ID](#)^{44b,44a}, J. Faltova [ID](#)¹³⁶, C. Fan [ID](#)¹⁶⁵, K.Y. Fan [ID](#)^{65b}, Y. Fan [ID](#)¹⁴, Y. Fang [ID](#)^{14,114c}, M. Fanti [ID](#)^{72a,72b}, M. Faraj [ID](#)^{70a,70b}, Z. Farazpay [ID](#)⁹⁹, A. Farbin [ID](#)⁸, A. Farilla [ID](#)^{78a}, T. Farooque [ID](#)¹⁰⁹, S.M. Farrington [ID](#)⁵³, F. Fassi [ID](#)^{36e}, D. Fassouliotis [ID](#)⁹, M. Faucci Giannelli [ID](#)^{77a,77b}, W.J. Fawcett [ID](#)³³, L. Fayard [ID](#)⁶⁷, P. Federic [ID](#)¹³⁶, P. Federicova [ID](#)¹³⁴, O.L. Fedin [ID](#)^{38,a}, M. Feickert [ID](#)¹⁷³, L. Feligioni [ID](#)¹⁰⁴, D.E. Fellers [ID](#)¹²⁶, C. Feng [ID](#)^{63b}, Z. Feng [ID](#)¹¹⁷, M.J. Fenton [ID](#)¹⁶², L. Ferencz [ID](#)⁴⁹, R.A.M. Ferguson [ID](#)⁹³, S.I. Fernandez Luengo [ID](#)^{140f}, P. Fernandez Martinez [ID](#)⁶⁸, M.J.V. Fernoux [ID](#)¹⁰⁴, J. Ferrando [ID](#)⁹³, A. Ferrari [ID](#)¹⁶⁴, P. Ferrari [ID](#)^{117,116}, R. Ferrari [ID](#)^{74a}, D. Ferrere [ID](#)⁵⁷, C. Ferretti [ID](#)¹⁰⁸, D. Fiacco [ID](#)^{76a,76b}, F. Fiedler [ID](#)¹⁰², P. Fiedler [ID](#)¹³⁵, S. Filimonov [ID](#)³⁸, A. Filipčič [ID](#)⁹⁵, E.K. Filmer [ID](#)^{159a}, F. Filthaut [ID](#)¹¹⁶, M.C.N. Fiolhais [ID](#)^{133a,133c,c}, L. Fiorini [ID](#)¹⁶⁶, W.C. Fisher [ID](#)¹⁰⁹, T. Fitschen [ID](#)¹⁰³, P.M. Fitzhugh [ID](#)¹³⁸, I. Fleck [ID](#)¹⁴⁴, P. Fleischmann [ID](#)¹⁰⁸, T. Flick [ID](#)¹⁷⁴, M. Flores [ID](#)^{34d,aa}, L.R. Flores Castillo [ID](#)^{65a}, L. Flores Sanz De Acedo [ID](#)³⁷, F.M. Follega [ID](#)^{79a,79b}, N. Fomin [ID](#)³³, J.H. Foo [ID](#)¹⁵⁸, A. Formica [ID](#)¹³⁸, A.C. Forti [ID](#)¹⁰³, E. Fortin [ID](#)³⁷, A.W. Fortman [ID](#)^{18a}, M.G. Foti [ID](#)^{18a}, L. Fountas [ID](#)^{9,i}, D. Fournier [ID](#)⁶⁷, H. Fox [ID](#)⁹³, P. Francavilla [ID](#)^{75a,75b}, S. Francescato [ID](#)⁶², S. Franchellucci [ID](#)⁵⁷, M. Franchini [ID](#)^{24b,24a}, S. Franchino [ID](#)^{64a}, D. Francis [ID](#)³⁷, L. Franco [ID](#)¹¹⁶, V. Franco Lima [ID](#)³⁷, L. Franconi [ID](#)⁴⁹, M. Franklin [ID](#)⁶², G. Frattari [ID](#)²⁷, Y.Y. Frid [ID](#)¹⁵⁴, J. Friend [ID](#)⁶⁰, N. Fritzsche [ID](#)³⁷, A. Froch [ID](#)⁵⁵, D. Froidevaux [ID](#)³⁷, J.A. Frost [ID](#)¹²⁹, Y. Fu [ID](#)^{63a}, S. Fuenzalida Garrido [ID](#)^{140f}, M. Fujimoto [ID](#)¹⁰⁴, K.Y. Fung [ID](#)^{65a}, E. Furtado De Simas Filho [ID](#)^{84e}, M. Furukawa [ID](#)¹⁵⁶, J. Fuster [ID](#)¹⁶⁶, A. Gaa [ID](#)⁵⁶, A. Gabrielli [ID](#)^{24b,24a}, A. Gabrielli [ID](#)¹⁵⁸, P. Gadow [ID](#)³⁷, G. Gagliardi [ID](#)^{58b,58a}, L.G. Gagnon [ID](#)^{18a}, S. Gaid [ID](#)¹⁶³, S. Galantzan [ID](#)¹⁵⁴, J. Gallagher [ID](#)¹, E.J. Gallas [ID](#)¹²⁹, B.J. Gallop [ID](#)¹³⁷, K.K. Gan [ID](#)¹²², S. Ganguly [ID](#)¹⁵⁶, Y. Gao [ID](#)⁵³, F.M. Garay Walls [ID](#)^{140a,140b}, B. Garcia [ID](#)³⁰, C. García [ID](#)¹⁶⁶, A. Garcia Alonso [ID](#)¹¹⁷, A.G. Garcia Caffaro [ID](#)¹⁷⁵, J.E. García Navarro [ID](#)¹⁶⁶, M. Garcia-Sciveres [ID](#)^{18a}, G.L. Gardner [ID](#)¹³¹, R.W. Gardner [ID](#)⁴⁰, N. Garelli [ID](#)¹⁶¹, D. Garg [ID](#)⁸¹, R.B. Garg [ID](#)¹⁴⁶, J.M. Gargan [ID](#)⁵³, C.A. Garner [ID](#)¹⁵⁸, C.M. Garvey [ID](#)^{34a}, V.K. Gassmann [ID](#)¹⁶¹, G. Gaudio [ID](#)^{74a},

V. Gautam¹³, P. Gauzzi^{76a,76b}, J. Gavranovic⁹⁵, I.L. Gavrilenko³⁸, A. Gavrilyuk³⁸,
C. Gay¹⁶⁷, G. Gaycken¹²⁶, E.N. Gazis¹⁰, A.A. Geanta^{28b}, C.M. Gee¹³⁹, A. Gekow¹²²,
C. Gemme^{58b}, M.H. Genest⁶¹, A.D. Gentry¹¹⁵, S. George⁹⁷, W.F. George²¹,
T. Gerialis⁴⁷, P. Gessinger-Befurt³⁷, M.E. Geyik¹⁷⁴, M. Ghani¹⁷⁰, K. Ghorbanian⁹⁶,
A. Ghosal¹⁴⁴, A. Ghosh¹⁶², A. Ghosh⁷, B. Giacobbe^{24b}, S. Giagu^{76a,76b}, T. Giani¹¹⁷,
A. Giannini^{63a}, S.M. Gibson⁹⁷, M. Gignac¹³⁹, D.T. Gil^{87b}, A.K. Gilbert^{87a},
B.J. Gilbert⁴², D. Gillberg³⁵, G. Gilles¹¹⁷, L. Ginabat¹³⁰, D.M. Gingrich^{2,ad},
M.P. Giordani^{70a,70c}, P.F. Giraud¹³⁸, G. Giugliarelli^{70a,70c}, D. Giugni^{72a}, F. Giuli^{77a,77b},
I. Gkialas^{9,i}, L.K. Gladilin³⁸, C. Glasman¹⁰¹, G.R. Gledhill¹²⁶, G. Glemža⁴⁹, M. Glisic¹²⁶,
I. Gnesi^{44b}, Y. Go³⁰, M. Goblirsch-Kolb³⁷, B. Gocke⁵⁰, D. Godin¹¹⁰, B. Gokturk^{22a},
S. Goldfarb¹⁰⁷, T. Golling⁵⁷, M.G.D. Gololo^{34g}, D. Golubkov³⁸, J.P. Gombas¹⁰⁹,
A. Gomes^{133a,133b}, G. Gomes Da Silva¹⁴⁴, A.J. Gomez Delegido¹⁶⁶, R. Gonçalo^{133a},
L. Gonella²¹, A. Gongadze^{152c}, F. Gonnella²¹, J.L. Gonski¹⁴⁶, R.Y. González Andana⁵³,
S. González de la Hoz¹⁶⁶, R. Gonzalez Lopez⁹⁴, C. Gonzalez Renteria^{18a},
M.V. Gonzalez Rodrigues⁴⁹, R. Gonzalez Suarez¹⁶⁴, S. Gonzalez-Sevilla⁵⁷, L. Goossens³⁷,
B. Gorini³⁷, E. Gorini^{71a,71b}, A. Gorišek⁹⁵, T.C. Gosart¹³¹, A.T. Goshaw⁵²,
M.I. Gostkin³⁹, S. Goswami¹²⁴, C.A. Gottardo³⁷, S.A. Gotz¹¹¹, M. Gouighri^{36b},
V. Goumarre⁴⁹, A.G. Goussiou¹⁴¹, N. Govender^{34c}, R.P. Grabarczyk¹²⁹,
I. Grabowska-Bold^{87a}, K. Graham³⁵, E. Gramstad¹²⁸, S. Grancagnolo^{71a,71b},
C.M. Grant^{1,138}, P.M. Gravila^{28f}, F.G. Gravili^{71a,71b}, H.M. Gray^{18a}, M. Greco^{71a,71b},
M.J. Green¹, C. Grefe²⁵, A.S. Grefsrud¹⁷, I.M. Gregor⁴⁹, K.T. Greif¹⁶², P. Grenier¹⁴⁶,
S.G. Grewe¹¹², A.A. Grillo¹³⁹, K. Grimm³², S. Grinstein^{13,t}, J.-F. Grivaz⁶⁷, E. Gross¹⁷²,
J. Grosse-Knetter⁵⁶, L. Guan¹⁰⁸, J.G.R. Guerrero Rojas¹⁶⁶, G. Guerrieri³⁷, R. Gugel¹⁰²,
J.A.M. Guhit¹⁰⁸, A. Guida¹⁹, E. Guilloton¹⁷⁰, S. Guindon³⁷, F. Guo^{14,114c}, J. Guo^{63c},
L. Guo⁴⁹, Y. Guo¹⁰⁸, A. Gupta⁵⁰, R. Gupta¹³², S. Gurbuz²⁵, S.S. Gurdasani⁵⁵,
G. Gustavino^{76a,76b}, P. Gutierrez¹²³, L.F. Gutierrez Zagazeta¹³¹, M. Gutsche⁵¹,
C. Gutschow⁹⁸, C. Gwenlan¹²⁹, C.B. Gwilliam⁹⁴, E.S. Haaland¹²⁸, A. Haas¹²⁰,
M. Habedank⁶⁰, C. Haber^{18a}, H.K. Hadavand⁸, A. Haddad⁴¹, A. Hadeef⁵¹, S. Hadzic¹¹²,
A.I. Hagan⁹³, J.J. Hahn¹⁴⁴, E.H. Haines⁹⁸, M. Haleem¹⁶⁹, J. Haley¹²⁴,
G.D. Hallewell¹⁰⁴, L. Halser²⁰, K. Hamano¹⁶⁸, M. Hamer²⁵, E.J. Hampshire⁹⁷,
J. Han^{63b}, L. Han^{114a}, L. Han^{63a}, S. Han^{18a}, Y.F. Han¹⁵⁸, K. Hanagaki⁸⁵,
M. Hance¹³⁹, D.A. Hangal⁴², H. Hanif¹⁴⁵, M.D. Hank¹³¹, J.B. Hansen⁴³, P.H. Hansen⁴³,
D. Harada⁵⁷, T. Harenberg¹⁷⁴, S. Harkusha³⁸, M.L. Harris¹⁰⁵, Y.T. Harris²⁵,
J. Harrison¹³, N.M. Harrison¹²², P.F. Harrison¹⁷⁰, N.M. Hartman¹¹², N.M. Hartmann¹¹¹,
R.Z. Hasan^{97,137}, Y. Hasegawa¹⁴³, F. Haslbeck¹²⁹, S. Hassan¹⁷, R. Hauser¹⁰⁹,
C.M. Hawkes²¹, R.J. Hawkins³⁷, Y. Hayashi¹⁵⁶, D. Hayden¹⁰⁹, C. Hayes¹⁰⁸,
R.L. Hayes¹¹⁷, C.P. Hays¹²⁹, J.M. Hays⁹⁶, H.S. Hayward⁹⁴, F. He^{63a}, M. He^{14,114c},
Y. He⁴⁹, Y. He⁹⁸, N.B. Heatley⁹⁶, V. Hedberg¹⁰⁰, A.L. Heggelund¹²⁸, N.D. Hehir^{96,*},
C. Heidegger⁵⁵, K.K. Heidegger⁵⁵, J. Heilman³⁵, S. Heim⁴⁹, T. Heim^{18a},
J.G. Heinlein¹³¹, J.J. Heinrich¹²⁶, L. Heinrich^{112,ab}, J. Hejbal¹³⁴, A. Held¹⁷³,
S. Hellesund¹⁷, C.M. Helling¹⁶⁷, S. Hellman^{48a,48b}, R.C.W. Henderson⁹³, L. Henkelmann³³,
A.M. Henriques Correia³⁷, H. Herde¹⁰⁰, Y. Hernández Jiménez¹⁴⁸, L.M. Herrmann²⁵,
T. Herrmann⁵¹, G. Herten⁵⁵, R. Hertenberger¹¹¹, L. Hervas³⁷, M.E. Hesping¹⁰²,

N.P. Hesse^{159a}, J. Hessler¹¹², M. Hidaoui^{36b}, N. Hidic¹³⁶, E. Hill¹⁵⁸, S.J. Hillier²¹, J.R. Hinds¹⁰⁹, F. Hinterkeuser²⁵, M. Hirose¹²⁷, S. Hirose¹⁶⁰, D. Hirschbuehl¹⁷⁴, T.G. Hitchings¹⁰³, B. Hiti⁹⁵, J. Hobbs¹⁴⁸, R. Hobincu^{28e}, N. Hod¹⁷², M.C. Hodgkinson¹⁴², B.H. Hodgkinson¹²⁹, A. Hoecker³⁷, D.D. Hofer¹⁰⁸, J. Hofer¹⁶⁶, T. Holm²⁵, M. Holzbock³⁷, L.B.A.H. Hommels³³, B.P. Honan¹⁰³, J.J. Hong⁶⁹, J. Hong^{63c}, T.M. Hong¹³², B.H. Hooberman¹⁶⁵, W.H. Hopkins⁶, M.C. Hoppesch¹⁶⁵, Y. Horii¹¹³, M.E. Horstmann¹¹², S. Hou¹⁵¹, A.S. Howard⁹⁵, J. Howarth⁶⁰, J. Hoya⁶, M. Hrabovsky¹²⁵, A. Hrynevich⁴⁹, T. Hryn'ova⁴, P.J. Hsu⁶⁶, S.-C. Hsu¹⁴¹, T. Hsu⁶⁷, M. Hu^{18a}, Q. Hu^{63a}, S. Huang³³, X. Huang^{14,114c}, Y. Huang¹⁴², Y. Huang¹⁰², Y. Huang¹⁴, Z. Huang¹⁰³, Z. Hubacek¹³⁵, M. Huebner²⁵, F. Huegging²⁵, T.B. Huffman¹²⁹, M. Hufnagel Maranha De Faria^{84a}, C.A. Hugli⁴⁹, M. Huhtinen³⁷, S.K. Huiberts¹⁷, R. Hulsken¹⁰⁶, N. Huseynov^{12,f}, J. Huston¹⁰⁹, J. Huth⁶², R. Hyneman¹⁴⁶, G. Iacobucci⁵⁷, G. Iakovidis³⁰, L. Iconomidou-Fayard⁶⁷, J.P. Iddon³⁷, P. Iengo^{73a,73b}, R. Iguchi¹⁵⁶, Y. Iiyama¹⁵⁶, T. Iizawa¹²⁹, Y. Ikegami⁸⁵, N. Ilic¹⁵⁸, H. Imam^{84c}, G. Inacio Goncalves^{84d}, T. Ingebretsen Carlson^{48a,48b}, J.M. Inglis⁹⁶, G. Introzzi^{74a,74b}, M. Iodice^{78a}, V. Ippolito^{76a,76b}, R.K. Irwin⁹⁴, M. Ishino¹⁵⁶, W. Islam¹⁷³, C. Issever¹⁹, S. Istin^{22a,ah}, H. Ito¹⁷¹, R. Iuppa^{79a,79b}, A. Ivina¹⁷², J.M. Izen⁴⁶, V. Izzo^{73a}, P. Jacka¹³⁴, P. Jackson¹, C.S. Jagfeld¹¹¹, G. Jain^{159a}, P. Jain⁴⁹, K. Jakobs⁵⁵, T. Jakoubek¹⁷², J. Jamieson⁶⁰, W. Jang¹⁵⁶, M. Javurkova¹⁰⁵, P. Jawahar¹⁰³, L. Jeanty¹²⁶, J. Jejelava^{152a,z}, P. Jenni^{55,e}, C.E. Jessiman³⁵, C. Jia^{63b}, H. Jia¹⁶⁷, J. Jia¹⁴⁸, X. Jia^{14,114c}, Z. Jia^{114a}, C. Jiang⁵³, S. Jiggins⁴⁹, J. Jimenez Pena¹³, S. Jin^{114a}, A. Jinaru^{28b}, O. Jinnouchi¹⁵⁷, P. Johansson¹⁴², K.A. Johns⁷, J.W. Johnson¹³⁹, F.A. Jolly⁴⁹, D.M. Jones¹⁴⁹, E. Jones⁴⁹, K.S. Jones⁸, P. Jones³³, R.W.L. Jones⁹³, T.J. Jones⁹⁴, H.L. Joos^{56,37}, R. Joshi¹²², J. Jovicevic¹⁶, X. Ju^{18a}, J.J. Junggeburth¹⁰⁵, T. Junkermann^{64a}, A. Juste Rozas^{13,t}, M.K. Juzek⁸⁸, S. Kabana^{140e}, A. Kaczmarska⁸⁸, M. Kado¹¹², H. Kagan¹²², M. Kagan¹⁴⁶, A. Kahn¹³¹, C. Kahra¹⁰², T. Kaji¹⁵⁶, E. Kajomovitz¹⁵³, N. Kakati¹⁷², I. Kalaitzidou⁵⁵, C.W. Kalderon³⁰, N.J. Kang¹³⁹, D. Kar^{34g}, K. Karava¹²⁹, M.J. Kareem^{159b}, E. Karentzos⁵⁵, O. Karkout¹¹⁷, S.N. Karpov³⁹, Z.M. Karpova³⁹, V. Kartvelishvili⁹³, A.N. Karyukhin³⁸, E. Kasimi¹⁵⁵, J. Katzy⁴⁹, S. Kaur³⁵, K. Kawade¹⁴³, M.P. Kawale¹²³, C. Kawamoto⁸⁹, T. Kawamoto^{63a}, E.F. Kay³⁷, F.I. Kaya¹⁶¹, S. Kazakos¹⁰⁹, V.F. Kazanin³⁸, Y. Ke¹⁴⁸, J.M. Keaveney^{34a}, R. Keeler¹⁶⁸, G.V. Kehris⁶², J.S. Keller³⁵, J.J. Kempster¹⁴⁹, O. Kepka¹³⁴, B.P. Kerridge¹³⁷, S. Kersten¹⁷⁴, B.P. Kerševan⁹⁵, L. Keszeghova^{29a}, S. Ketabchi Haghighat¹⁵⁸, R.A. Khan¹³², A. Khanov¹²⁴, A.G. Kharlamov³⁸, T. Kharlamova³⁸, E.E. Khoda¹⁴¹, M. Kholodenko^{133a}, T.J. Khoo¹⁹, G. Khorauli¹⁶⁹, J. Khubua^{152b,*}, Y.A.R. Khwaira¹³⁰, B. Kibirige^{34g}, D. Kim⁶, D.W. Kim^{48a,48b}, Y.K. Kim⁴⁰, N. Kimura⁹⁸, M.K. Kingston⁵⁶, A. Kirchhoff⁵⁶, C. Kirfel²⁵, F. Kirfel²⁵, J. Kirk¹³⁷, A.E. Kiryunin¹¹², S. Kita¹⁶⁰, C. Kitsaki¹⁰, O. Kivernyk²⁵, M. Klassen¹⁶¹, C. Klein³⁵, L. Klein¹⁶⁹, M.H. Klein⁴⁵, S.B. Klein⁵⁷, U. Klein⁹⁴, A. Klimentov³⁰, T. Klioutchnikova³⁷, P. Kluit¹¹⁷, S. Kluth¹¹², E. Kneringer⁸⁰, T.M. Knight¹⁵⁸, A. Knue⁵⁰, D. Kobylanskii¹⁷², S.F. Koch¹²⁹, M. Kocian¹⁴⁶, P. Kodyš¹³⁶, D.M. Koeck¹²⁶, P.T. Koenig²⁵, T. Koffas³⁵, O. Kolay⁵¹, I. Koletsou⁴, T. Komarek⁸⁸, K. Köneke⁵⁵, A.X.Y. Kong¹, T. Kono¹²¹,

N. Konstantinidis [ID](#)⁹⁸, P. Kontaxakis [ID](#)⁵⁷, B. Konya [ID](#)¹⁰⁰, R. Kopeliansky [ID](#)⁴², S. Koperny [ID](#)^{87a}, K. Korcyl [ID](#)⁸⁸, K. Kordas [ID](#)^{155,d}, A. Korn [ID](#)⁹⁸, S. Korn [ID](#)⁵⁶, I. Korolkov [ID](#)¹³, N. Korotkova [ID](#)³⁸, B. Kortman [ID](#)¹¹⁷, O. Kortner [ID](#)¹¹², S. Kortner [ID](#)¹¹², W.H. Kostecka [ID](#)¹¹⁸, V.V. Kostyukhin [ID](#)¹⁴⁴, A. Kotsokechagia [ID](#)³⁷, A. Kotwal [ID](#)⁵², A. Koulouris [ID](#)³⁷, A. Kourkumeli-Charalampidi [ID](#)^{74a,74b}, C. Kourkumelis [ID](#)⁹, E. Kourlitis [ID](#)^{112,ab}, O. Kovanda [ID](#)¹²⁶, R. Kowalewski [ID](#)¹⁶⁸, W. Kozanecki [ID](#)¹²⁶, A.S. Kozhin [ID](#)³⁸, V.A. Kramarenko [ID](#)³⁸, G. Kramberger [ID](#)⁹⁵, P. Kramer [ID](#)¹⁰², M.W. Krasny [ID](#)¹³⁰, A. Krasznahorkay [ID](#)³⁷, A.C. Kraus [ID](#)¹¹⁸, J.W. Kraus [ID](#)¹⁷⁴, J.A. Kremer [ID](#)⁴⁹, T. Kresse [ID](#)⁵¹, L. Kretschmann [ID](#)¹⁷⁴, J. Kretzschmar [ID](#)⁹⁴, K. Kreul [ID](#)¹⁹, P. Krieger [ID](#)¹⁵⁸, M. Krivos [ID](#)¹³⁶, K. Krizka [ID](#)²¹, K. Kroeninger [ID](#)⁵⁰, H. Kroha [ID](#)¹¹², J. Kroll [ID](#)¹³⁴, J. Kroll [ID](#)¹³¹, K.S. Krowpman [ID](#)¹⁰⁹, U. Kruchonak [ID](#)³⁹, H. Krüger [ID](#)²⁵, N. Krumnack [ID](#)⁸², M.C. Kruse [ID](#)⁵², O. Kuchinskaia [ID](#)³⁸, S. Kuday [ID](#)^{3a}, S. Kuehn [ID](#)³⁷, R. Kuesters [ID](#)⁵⁵, T. Kuhl [ID](#)⁴⁹, V. Kukhtin [ID](#)³⁹, Y. Kulchitsky [ID](#)^{38,a}, S. Kuleshov [ID](#)^{140d,140b}, M. Kumar [ID](#)^{34g}, N. Kumari [ID](#)⁴⁹, P. Kumari [ID](#)^{159b}, A. Kupco [ID](#)¹³⁴, T. Kupfer [ID](#)⁵⁰, A. Kupich [ID](#)³⁸, O. Kuprash [ID](#)⁵⁵, H. Kurashige [ID](#)⁸⁶, L.L. Kurchaninov [ID](#)^{159a}, O. Kurdysh [ID](#)⁶⁷, Y.A. Kurochkin [ID](#)³⁸, A. Kurova [ID](#)³⁸, M. Kuze [ID](#)¹⁵⁷, A.K. Kvam [ID](#)¹⁰⁵, J. Kvita [ID](#)¹²⁵, T. Kwan [ID](#)¹⁰⁶, N.G. Kyriacou [ID](#)¹⁰⁸, L.A.O. Laatu [ID](#)¹⁰⁴, C. Lacasta [ID](#)¹⁶⁶, F. Lacava [ID](#)^{76a,76b}, H. Lackner [ID](#)¹⁹, D. Lacour [ID](#)¹³⁰, N.N. Lad [ID](#)⁹⁸, E. Ladygin [ID](#)³⁹, A. Lafarge [ID](#)⁴¹, B. Laforge [ID](#)¹³⁰, T. Lagouri [ID](#)¹⁷⁵, F.Z. Lahbabi [ID](#)^{36a}, S. Lai [ID](#)⁵⁶, J.E. Lambert [ID](#)¹⁶⁸, S. Lammers [ID](#)⁶⁹, W. Lampl [ID](#)⁷, C. Lampoudis [ID](#)^{155,d}, G. Lamprinoudis [ID](#)¹⁰², A.N. Lancaster [ID](#)¹¹⁸, E. Lançon [ID](#)³⁰, U. Landgraf [ID](#)⁵⁵, M.P.J. Landon [ID](#)⁹⁶, V.S. Lang [ID](#)⁵⁵, O.K.B. Langrekken [ID](#)¹²⁸, A.J. Lankford [ID](#)¹⁶², F. Lanni [ID](#)³⁷, K. Lantzsch [ID](#)²⁵, A. Lanza [ID](#)^{74a}, M. Lanzac Berrocal [ID](#)¹⁶⁶, J.F. Laporte [ID](#)¹³⁸, T. Lari [ID](#)^{72a}, F. Lasagni Manghi [ID](#)^{24b}, M. Lassnig [ID](#)³⁷, V. Latonova [ID](#)¹³⁴, A. Laurier [ID](#)¹⁵³, S.D. Lawlor [ID](#)¹⁴², Z. Lawrence [ID](#)¹⁰³, R. Lazaridou [ID](#)¹⁷⁰, M. Lazzaroni [ID](#)^{72a,72b}, B. Le [ID](#)¹⁰³, H.D.M. Le [ID](#)¹⁰⁹, E.M. Le Boulicaut [ID](#)¹⁷⁵, L.T. Le Pottier [ID](#)^{18a}, B. Leban [ID](#)^{24b,24a}, A. Lebedev [ID](#)⁸², M. LeBlanc [ID](#)¹⁰³, F. Ledroit-Guillon [ID](#)⁶¹, S.C. Lee [ID](#)¹⁵¹, S. Lee [ID](#)^{48a,48b}, T.F. Lee [ID](#)⁹⁴, L.L. Leeuw [ID](#)^{34c}, H.P. Lefebvre [ID](#)⁹⁷, M. Lefebvre [ID](#)¹⁶⁸, C. Leggett [ID](#)^{18a}, G. Lehmann Miotto [ID](#)³⁷, M. Leigh [ID](#)⁵⁷, W.A. Leight [ID](#)¹⁰⁵, W. Leinonen [ID](#)¹¹⁶, A. Leisos [ID](#)^{155,r}, M.A.L. Leite [ID](#)^{84c}, C.E. Leitgeb [ID](#)¹⁹, R. Leitner [ID](#)¹³⁶, K.J.C. Leney [ID](#)⁴⁵, T. Lenz [ID](#)²⁵, S. Leone [ID](#)^{75a}, C. Leonidopoulos [ID](#)⁵³, A. Leopold [ID](#)¹⁴⁷, R. Les [ID](#)¹⁰⁹, C.G. Lester [ID](#)³³, M. Levchenko [ID](#)³⁸, J. Levêque [ID](#)⁴, L.J. Levinson [ID](#)¹⁷², G. Levrini [ID](#)^{24b,24a}, M.P. Lewicki [ID](#)⁸⁸, C. Lewis [ID](#)¹⁴¹, D.J. Lewis [ID](#)⁴, L. Lewitt [ID](#)¹⁴², A. Li [ID](#)³⁰, B. Li [ID](#)^{63b}, C. Li [ID](#)^{63a}, C-Q. Li [ID](#)¹¹², H. Li [ID](#)^{63a}, H. Li [ID](#)^{63b}, H. Li [ID](#)^{114a}, H. Li [ID](#)¹⁵, H. Li [ID](#)^{63b}, J. Li [ID](#)^{63c}, K. Li [ID](#)¹⁴, L. Li [ID](#)^{63c}, M. Li [ID](#)^{14,114c}, S. Li [ID](#)^{14,114c}, S. Li [ID](#)^{63d,63c}, T. Li [ID](#)⁵, X. Li [ID](#)¹⁰⁶, Z. Li [ID](#)¹⁵⁶, Z. Li [ID](#)^{14,114c}, Z. Li [ID](#)^{63a}, S. Liang [ID](#)^{14,114c}, Z. Liang [ID](#)¹⁴, M. Liberatore [ID](#)¹³⁸, B. Liberti [ID](#)^{77a}, K. Lie [ID](#)^{65c}, J. Lieber Marin [ID](#)^{84e}, H. Lien [ID](#)⁶⁹, H. Lin [ID](#)¹⁰⁸, K. Lin [ID](#)¹⁰⁹, R.E. Lindley [ID](#)⁷, J.H. Lindon [ID](#)², J. Ling [ID](#)⁶², E. Lipeles [ID](#)¹³¹, A. Lipniacka [ID](#)¹⁷, A. Lister [ID](#)¹⁶⁷, J.D. Little [ID](#)⁶⁹, B. Liu [ID](#)¹⁴, B.X. Liu [ID](#)^{114b}, D. Liu [ID](#)^{63d,63c}, E.H.L. Liu [ID](#)²¹, J.B. Liu [ID](#)^{63a}, J.K.K. Liu [ID](#)³³, K. Liu [ID](#)^{63d}, K. Liu [ID](#)^{63d,63c}, M. Liu [ID](#)^{63a}, M.Y. Liu [ID](#)^{63a}, P. Liu [ID](#)¹⁴, Q. Liu [ID](#)^{63d,141,63c}, X. Liu [ID](#)^{63a}, X. Liu [ID](#)^{63b}, Y. Liu [ID](#)^{114b,114c}, Y.L. Liu [ID](#)^{63b}, Y.W. Liu [ID](#)^{63a}, S.L. Lloyd [ID](#)⁹⁶, E.M. Lobodzinska [ID](#)⁴⁹, P. Loch [ID](#)⁷, E. Lodhi [ID](#)¹⁵⁸, T. Lohse [ID](#)¹⁹, K. Lohwasser [ID](#)¹⁴², E. Loiacono [ID](#)⁴⁹, M. Lokajicek [ID](#)^{134,*}, J.D. Lomas [ID](#)²¹, J.D. Long [ID](#)⁴², I. Longarini [ID](#)¹⁶², R. Longo [ID](#)¹⁶⁵, I. Lopez Paz [ID](#)⁶⁸, A. Lopez Solis [ID](#)⁴⁹, N.A. Lopez-canelas [ID](#)⁷, N. Lorenzo Martinez [ID](#)⁴, A.M. Lory [ID](#)¹¹¹, M. Losada [ID](#)^{119a}, G. Löschke Centeno [ID](#)¹⁴⁹, O. Loseva [ID](#)³⁸, X. Lou [ID](#)^{48a,48b}, X. Lou [ID](#)^{14,114c}, A. Lounis [ID](#)⁶⁷, P.A. Love [ID](#)⁹³, G. Lu [ID](#)^{14,114c}, M. Lu [ID](#)⁶⁷, S. Lu [ID](#)¹³¹, Y.J. Lu [ID](#)⁶⁶, H.J. Lubatti [ID](#)¹⁴¹, C. Luci [ID](#)^{76a,76b}, F.L. Lucio Alves [ID](#)^{114a}, F. Luehring [ID](#)⁶⁹, O. Lukianchuk [ID](#)⁶⁷,

B.S. Lunday [ID](#)¹³¹, O. Lundberg [ID](#)¹⁴⁷, B. Lund-Jensen [ID](#)^{147,*}, N.A. Luongo [ID](#)⁶, M.S. Lutz [ID](#)³⁷,
 A.B. Lux [ID](#)²⁶, D. Lynn [ID](#)³⁰, R. Lysak [ID](#)¹³⁴, E. Lytken [ID](#)¹⁰⁰, V. Lyubushkin [ID](#)³⁹, T. Lyubushkina [ID](#)³⁹,
 M.M. Lyukova [ID](#)¹⁴⁸, M.Firdaus M. Soberi [ID](#)⁵³, H. Ma [ID](#)³⁰, K. Ma [ID](#)^{63a}, L.L. Ma [ID](#)^{63b}, W. Ma [ID](#)^{63a},
 Y. Ma [ID](#)¹²⁴, J.C. MacDonald [ID](#)¹⁰², P.C. Machado De Abreu Farias [ID](#)^{84e}, R. Madar [ID](#)⁴¹,
 T. Madula [ID](#)⁹⁸, J. Maeda [ID](#)⁸⁶, T. Maeno [ID](#)³⁰, H. Maguire [ID](#)¹⁴², V. Maiboroda [ID](#)¹³⁸,
 A. Maio [ID](#)^{133a,133b,133d}, K. Maj [ID](#)^{87a}, O. Majersky [ID](#)⁴⁹, S. Majewski [ID](#)¹²⁶, N. Makovec [ID](#)⁶⁷,
 V. Maksimovic [ID](#)¹⁶, B. Malaescu [ID](#)¹³⁰, Pa. Malecki [ID](#)⁸⁸, V.P. Maleev [ID](#)³⁸, F. Malek [ID](#)^{61,m},
 M. Mali [ID](#)⁹⁵, D. Malito [ID](#)⁹⁷, U. Mallik [ID](#)^{81,*}, S. Maltezos¹⁰, S. Malyukov³⁹, J. Mamuzic [ID](#)¹³,
 G. Mancini [ID](#)⁵⁴, M.N. Mancini [ID](#)²⁷, G. Manco [ID](#)^{74a,74b}, J.P. Mandalia [ID](#)⁹⁶, S.S. Mandarri [ID](#)¹⁴⁹,
 I. Mandić [ID](#)⁹⁵, L. Manhaes de Andrade Filho [ID](#)^{84a}, I.M. Maniatis [ID](#)¹⁷², J. Manjarres Ramos [ID](#)⁹¹,
 D.C. Mankad [ID](#)¹⁷², A. Mann [ID](#)¹¹¹, S. Manzoni [ID](#)³⁷, L. Mao [ID](#)^{63c}, X. Mapekula [ID](#)^{34c},
 A. Marantis [ID](#)^{155,r}, G. Marchiori [ID](#)⁵, M. Marcisovsky [ID](#)¹³⁴, C. Marcon [ID](#)^{72a}, M. Marinescu [ID](#)²¹,
 S. Marium [ID](#)⁴⁹, M. Marjanovic [ID](#)¹²³, A. Markhoos [ID](#)⁵⁵, M. Markovitch [ID](#)⁶⁷, E.J. Marshall [ID](#)⁹³,
 Z. Marshall [ID](#)^{18a}, S. Marti-Garcia [ID](#)¹⁶⁶, J. Martin [ID](#)⁹⁸, T.A. Martin [ID](#)¹³⁷, V.J. Martin [ID](#)⁵³,
 B. Martin dit Latour [ID](#)¹⁷, L. Martinelli [ID](#)^{76a,76b}, M. Martinez [ID](#)^{13,t}, P. Martinez Agullo [ID](#)¹⁶⁶,
 V.I. Martinez Outschoorn [ID](#)¹⁰⁵, P. Martinez Suarez [ID](#)¹³, S. Martin-Haugh [ID](#)¹³⁷,
 G. Martinovicova [ID](#)¹³⁶, V.S. Martoiu [ID](#)^{28b}, A.C. Martyniuk [ID](#)⁹⁸, A. Marzin [ID](#)³⁷, D. Mascione [ID](#)^{79a,79b},
 L. Masetti [ID](#)¹⁰², J. Masik [ID](#)¹⁰³, A.L. Maslennikov [ID](#)³⁸, S.L. Mason [ID](#)⁴², P. Massarotti [ID](#)^{73a,73b},
 P. Mastrandrea [ID](#)^{75a,75b}, A. Mastroberardino [ID](#)^{44b,44a}, T. Masubuchi [ID](#)¹²⁷, T.T. Mathew [ID](#)¹²⁶,
 T. Mathisen [ID](#)¹⁶⁴, J. Matousek [ID](#)¹³⁶, D.M. Mattern [ID](#)⁵⁰, J. Maurer [ID](#)^{28b}, T. Maurin [ID](#)⁶⁰,
 A.J. Maury [ID](#)⁶⁷, B. Maček [ID](#)⁹⁵, D.A. Maximov [ID](#)³⁸, A.E. May [ID](#)¹⁰³, R. Mazini [ID](#)¹⁵¹, I. Maznas [ID](#)¹¹⁸,
 M. Mazza [ID](#)¹⁰⁹, S.M. Mazza [ID](#)¹³⁹, E. Mazzeo [ID](#)^{72a,72b}, C. Mc Ginn [ID](#)³⁰, J.P. Mc Gowan [ID](#)¹⁶⁸,
 S.P. Mc Kee [ID](#)¹⁰⁸, C.A. Mc Lean [ID](#)⁶, C.C. McCracken [ID](#)¹⁶⁷, E.F. McDonald [ID](#)¹⁰⁷,
 A.E. McDougall [ID](#)¹¹⁷, J.A. Mcfayden [ID](#)¹⁴⁹, R.P. McGovern [ID](#)¹³¹, R.P. Mckenzie [ID](#)^{34g},
 T.C. McLachlan [ID](#)⁴⁹, D.J. Mclaughlin [ID](#)⁹⁸, S.J. McMahan [ID](#)¹³⁷, C.M. Mcpartland [ID](#)⁹⁴,
 R.A. McPherson [ID](#)^{168,x}, S. Mehlhase [ID](#)¹¹¹, A. Mehta [ID](#)⁹⁴, D. Melini [ID](#)¹⁶⁶, B.R. Mellado Garcia [ID](#)^{34g},
 A.H. Melo [ID](#)⁵⁶, F. Meloni [ID](#)⁴⁹, A.M. Mendes Jacques Da Costa [ID](#)¹⁰³, H.Y. Meng [ID](#)¹⁵⁸, L. Meng [ID](#)⁹³,
 S. Menke [ID](#)¹¹², M. Mentink [ID](#)³⁷, E. Meoni [ID](#)^{44b,44a}, G. Mercado [ID](#)¹¹⁸, S. Merianos [ID](#)¹⁵⁵,
 C. Merlassino [ID](#)^{70a,70c}, L. Merola [ID](#)^{73a,73b}, C. Meroni [ID](#)^{72a,72b}, J. Metcalfe [ID](#)⁶, A.S. Mete [ID](#)⁶,
 E. Meuser [ID](#)¹⁰², C. Meyer [ID](#)⁶⁹, J-P. Meyer [ID](#)¹³⁸, R.P. Middleton [ID](#)¹³⁷, L. Mijović [ID](#)⁵³,
 G. Mikenberg [ID](#)¹⁷², M. Mikesikova [ID](#)¹³⁴, M. Mikuž [ID](#)⁹⁵, H. Mildner [ID](#)¹⁰², A. Milic [ID](#)³⁷,
 D.W. Miller [ID](#)⁴⁰, E.H. Miller [ID](#)¹⁴⁶, L.S. Miller [ID](#)³⁵, A. Milov [ID](#)¹⁷², D.A. Milstead^{48a,48b}, T. Min^{114a},
 A.A. Minaenko [ID](#)³⁸, I.A. Minashvili [ID](#)^{152b}, L. Mince [ID](#)⁶⁰, A.I. Mincer [ID](#)¹²⁰, B. Mindur [ID](#)^{87a},
 M. Mineev [ID](#)³⁹, Y. Mino [ID](#)⁸⁹, L.M. Mir [ID](#)¹³, M. Miralles Lopez [ID](#)⁶⁰, M. Mironova [ID](#)^{18a},
 M.C. Missio [ID](#)¹¹⁶, A. Mitra [ID](#)¹⁷⁰, V.A. Mitsou [ID](#)¹⁶⁶, Y. Mitsumori [ID](#)¹¹³, O. Miu [ID](#)¹⁵⁸,
 P.S. Miyagawa [ID](#)⁹⁶, T. Mkrtchyan [ID](#)^{64a}, M. Mlinarevic [ID](#)⁹⁸, T. Mlinarevic [ID](#)⁹⁸, M. Mlynarikova [ID](#)³⁷,
 S. Mobius [ID](#)²⁰, P. Mogg [ID](#)¹¹¹, M.H. Mohamed Farook [ID](#)¹¹⁵, A.F. Mohammed [ID](#)^{14,114c},
 S. Mohapatra [ID](#)⁴², G. Mokgatitwane [ID](#)^{34g}, L. Moleri [ID](#)¹⁷², B. Mondal [ID](#)¹⁴⁴, S. Mondal [ID](#)¹³⁵,
 K. Mönig [ID](#)⁴⁹, E. Monnier [ID](#)¹⁰⁴, L. Monsonis Romero¹⁶⁶, J. Montejo Berlingen [ID](#)¹³,
 A. Montella [ID](#)^{48a,48b}, M. Montella [ID](#)¹²², F. Montekali [ID](#)^{78a,78b}, F. Monticelli [ID](#)⁹², S. Monzani [ID](#)^{70a,70c},
 A. Morancho Tarda [ID](#)⁴³, N. Morange [ID](#)⁶⁷, A.L. Moreira De Carvalho [ID](#)⁴⁹, M. Moreno Llácer [ID](#)¹⁶⁶,
 C. Moreno Martinez [ID](#)⁵⁷, J.M. Moreno Perez^{23b}, P. Morettini [ID](#)^{58b}, S. Morgenstern [ID](#)³⁷, M. Morii [ID](#)⁶²,
 M. Morinaga [ID](#)¹⁵⁶, M. Moritsu [ID](#)⁹⁰, F. Morodei [ID](#)^{76a,76b}, P. Moschovakos [ID](#)³⁷, B. Moser [ID](#)¹²⁹,


















M. Mosidze [ID](#)^{152b}, T. Moskalets [ID](#)⁴⁵, P. Moskvitina [ID](#)¹¹⁶, J. Moss [ID](#)^{32,j}, P. Moszkowicz [ID](#)^{87a},
A. Moussa [ID](#)^{36d}, E.J.W. Moyse [ID](#)¹⁰⁵, O. Mtintsilana [ID](#)^{34g}, S. Muanza [ID](#)¹⁰⁴, J. Mueller [ID](#)¹³²,
D. Muenstermann [ID](#)⁹³, R. Müller [ID](#)³⁷, G.A. Mullier [ID](#)¹⁶⁴, A.J. Mullin³³, J.J. Mullin¹³¹,
A.E. Mulski [ID](#)⁶², D.P. Mungo [ID](#)¹⁵⁸, D. Munoz Perez [ID](#)¹⁶⁶, F.J. Munoz Sanchez [ID](#)¹⁰³, M. Murin [ID](#)¹⁰³,
W.J. Murray [ID](#)^{170,137}, M. Muškinja [ID](#)⁹⁵, C. Mwewa [ID](#)³⁰, A.G. Myagkov [ID](#)^{38,a}, A.J. Myers [ID](#)⁸,
G. Myers [ID](#)¹⁰⁸, M. Myska [ID](#)¹³⁵, B.P. Nachman [ID](#)^{18a}, O. Nackenhorst [ID](#)⁵⁰, K. Nagai [ID](#)¹²⁹,
K. Nagano [ID](#)⁸⁵, R. Nagasaka¹⁵⁶, J.L. Nagle [ID](#)^{30,af}, E. Nagy [ID](#)¹⁰⁴, A.M. Nairz [ID](#)³⁷, Y. Nakahama [ID](#)⁸⁵,
K. Nakamura [ID](#)⁸⁵, K. Nakkalil [ID](#)⁵, H. Nanjo [ID](#)¹²⁷, E.A. Narayanan [ID](#)⁴⁵, I. Naryshkin [ID](#)³⁸,
L. Nasella [ID](#)^{72a,72b}, M. Naseri [ID](#)³⁵, S. Nasri [ID](#)^{119b}, C. Nass [ID](#)²⁵, G. Navarro [ID](#)^{23a},
J. Navarro-Gonzalez [ID](#)¹⁶⁶, R. Nayak [ID](#)¹⁵⁴, A. Nayaz [ID](#)¹⁹, P.Y. Nechaeva [ID](#)³⁸, S. Nechaeva [ID](#)^{24b,24a},
F. Nechansky [ID](#)¹³⁴, L. Nedic [ID](#)¹²⁹, T.J. Neep [ID](#)²¹, A. Negri [ID](#)^{74a,74b}, M. Negrini [ID](#)^{24b}, C. Nellist [ID](#)¹¹⁷,
C. Nelson [ID](#)¹⁰⁶, K. Nelson [ID](#)¹⁰⁸, S. Nemecek [ID](#)¹³⁴, M. Nessi [ID](#)^{37,g}, M.S. Neubauer [ID](#)¹⁶⁵,
F. Neuhaus [ID](#)¹⁰², J. Neundorff [ID](#)⁴⁹, J. Newell [ID](#)⁹⁴, P.R. Newman [ID](#)²¹, C.W. Ng [ID](#)¹³², Y.W.Y. Ng [ID](#)⁴⁹,
B. Ngair [ID](#)^{119a}, H.D.N. Nguyen [ID](#)¹¹⁰, R.B. Nickerson [ID](#)¹²⁹, R. Nicolaidou [ID](#)¹³⁸, J. Nielsen [ID](#)¹³⁹,
M. Niemeyer [ID](#)⁵⁶, J. Niermann [ID](#)⁵⁶, N. Nikiforou [ID](#)³⁷, V. Nikolaenko [ID](#)^{38,a}, I. Nikolic-Audit [ID](#)¹³⁰,
K. Nikolopoulos [ID](#)²¹, P. Nilsson [ID](#)³⁰, I. Ninca [ID](#)⁴⁹, G. Ninio [ID](#)¹⁵⁴, A. Nisati [ID](#)^{76a}, N. Nishu [ID](#)²,
R. Nisius [ID](#)¹¹², N. Nitika [ID](#)^{70a,70c}, J-E. Nitschke [ID](#)⁵¹, E.K. Nkadimeng [ID](#)^{34g}, T. Nobe [ID](#)¹⁵⁶,
T. Nommensen [ID](#)¹⁵⁰, M.B. Norfolk [ID](#)¹⁴², B.J. Norman [ID](#)³⁵, M. Noury [ID](#)^{36a}, J. Novak [ID](#)⁹⁵,
T. Novak [ID](#)⁹⁵, L. Novotny [ID](#)¹³⁵, R. Novotny [ID](#)¹¹⁵, L. Nozka [ID](#)¹²⁵, K. Ntekas [ID](#)¹⁶²,
N.M.J. Nunes De Moura Junior [ID](#)^{84b}, J. Ocariz [ID](#)¹³⁰, A. Ochi [ID](#)⁸⁶, I. Ochoa [ID](#)^{133a}, S. Oerdek [ID](#)^{49,u},
J.T. Offermann [ID](#)⁴⁰, A. Ogrodnik [ID](#)¹³⁶, A. Oh [ID](#)¹⁰³, C.C. Ohm [ID](#)¹⁴⁷, H. Oide [ID](#)⁸⁵, R. Oishi [ID](#)¹⁵⁶,
M.L. Ojeda [ID](#)³⁷, Y. Okumura [ID](#)¹⁵⁶, L.F. Oleiro Seabra [ID](#)^{133a}, I. Oleksiyuk [ID](#)⁵⁷,
S.A. Olivares Pino [ID](#)^{140d}, G. Oliveira Correa [ID](#)¹³, D. Oliveira Damazio [ID](#)³⁰, J.L. Oliver [ID](#)¹⁶²,
Ö.O. Öncel [ID](#)⁵⁵, A.P. O'Neill [ID](#)²⁰, A. Onofre [ID](#)^{133a,133e}, P.U.E. Onyisi [ID](#)¹¹, M.J. Oreglia [ID](#)⁴⁰,
G.E. Orellana [ID](#)⁹², D. Orestano [ID](#)^{78a,78b}, N. Orlando [ID](#)¹³, R.S. Orr [ID](#)¹⁵⁸, L.M. Osojnak [ID](#)¹³¹,
R. Ospanov [ID](#)^{63a}, Y. Osumi¹¹³, G. Otero y Garzon [ID](#)³¹, H. Otono [ID](#)⁹⁰, P.S. Ott [ID](#)^{64a},
G.J. Ottino [ID](#)^{18a}, M. Ouchrif [ID](#)^{36d}, F. Ould-Saada [ID](#)¹²⁸, T. Ovsianikova [ID](#)¹⁴¹, M. Owen [ID](#)⁶⁰,
R.E. Owen [ID](#)¹³⁷, V.E. Ozcan [ID](#)^{22a}, F. Ozturk [ID](#)⁸⁸, N. Ozturk [ID](#)⁸, S. Ozturk [ID](#)⁸³, H.A. Pacey [ID](#)¹²⁹,
A. Pacheco Pages [ID](#)¹³, C. Padilla Aranda [ID](#)¹³, G. Padovano [ID](#)^{76a,76b}, S. Pagan Griso [ID](#)^{18a},
G. Palacino [ID](#)⁶⁹, A. Palazzo [ID](#)^{71a,71b}, J. Pampel [ID](#)²⁵, J. Pan [ID](#)¹⁷⁵, T. Pan [ID](#)^{65a}, D.K. Panchal [ID](#)¹¹,
C.E. Pandini [ID](#)¹¹⁷, J.G. Panduro Vazquez [ID](#)¹³⁷, H.D. Pandya [ID](#)¹, H. Pang [ID](#)¹⁵, P. Pani [ID](#)⁴⁹,
G. Panizzo [ID](#)^{70a,70c}, L. Panwar [ID](#)¹³⁰, L. Paolozzi [ID](#)⁵⁷, S. Parajuli [ID](#)¹⁶⁵, A. Paramonov [ID](#)⁶,
C. Paraskevopoulos [ID](#)⁵⁴, D. Paredes Hernandez [ID](#)^{65b}, A. Pareti [ID](#)^{74a,74b}, K.R. Park [ID](#)⁴²,
T.H. Park [ID](#)¹⁵⁸, M.A. Parker [ID](#)³³, F. Parodi [ID](#)^{58b,58a}, E.W. Parrish [ID](#)¹¹⁸, V.A. Parrish [ID](#)⁵³,
J.A. Parsons [ID](#)⁴², U. Parzefall [ID](#)⁵⁵, B. Pascual Dias [ID](#)¹¹⁰, L. Pascual Dominguez [ID](#)¹⁰¹,
E. Pasqualucci [ID](#)^{76a}, S. Passaggio [ID](#)^{58b}, F. Pastore [ID](#)⁹⁷, P. Patel [ID](#)⁸⁸, U.M. Patel [ID](#)⁵², J.R. Pater [ID](#)¹⁰³,
T. Pauly [ID](#)³⁷, F. Pauwels [ID](#)¹³⁶, C.I. Pazos [ID](#)¹⁶¹, M. Pedersen [ID](#)¹²⁸, R. Pedro [ID](#)^{133a},
S.V. Peleganchuk [ID](#)³⁸, O. Penc [ID](#)³⁷, E.A. Pender [ID](#)⁵³, S. Peng [ID](#)¹⁵, G.D. Penn [ID](#)¹⁷⁵, K.E. Penski [ID](#)¹¹¹,
M. Penzin [ID](#)³⁸, B.S. Peralva [ID](#)^{84d}, A.P. Pereira Peixoto [ID](#)¹⁴¹, L. Pereira Sanchez [ID](#)¹⁴⁶,
D.V. Perepelitsa [ID](#)^{30,af}, G. Perera [ID](#)¹⁰⁵, E. Perez Codina [ID](#)^{159a}, M. Perganti [ID](#)¹⁰, H. Pernegger [ID](#)³⁷,
S. Perrella [ID](#)^{76a,76b}, O. Perrin [ID](#)⁴¹, K. Peters [ID](#)⁴⁹, R.F.Y. Peters [ID](#)¹⁰³, B.A. Petersen [ID](#)³⁷,
T.C. Petersen [ID](#)⁴³, E. Petit [ID](#)¹⁰⁴, V. Petousis [ID](#)¹³⁵, C. Petridou [ID](#)^{155,d}, T. Petru [ID](#)¹³⁶,
A. Petrukhin [ID](#)¹⁴⁴, M. Pettee [ID](#)^{18a}, A. Petukhov [ID](#)³⁸, K. Petukhova [ID](#)³⁷, R. Pezoa [ID](#)^{140f},

L. Pezzotti [ID](#)³⁷, G. Pezzullo [ID](#)¹⁷⁵, A.J. Pflieger [ID](#)³⁷, T.M. Pham [ID](#)¹⁷³, T. Pham [ID](#)¹⁰⁷,
 P.W. Phillips [ID](#)¹³⁷, G. Piacquadio [ID](#)¹⁴⁸, E. Pianori [ID](#)^{18a}, F. Piazza [ID](#)¹²⁶, R. Piegai [ID](#)³¹,
 D. Pietreanu [ID](#)^{28b}, A.D. Pilkington [ID](#)¹⁰³, M. Pinamonti [ID](#)^{70a,70c}, J.L. Pinfeld [ID](#)²,
 B.C. Pinheiro Pereira [ID](#)^{133a}, J. Pinol Bel [ID](#)¹³, A.E. Pinto Pinoargote [ID](#)^{138,138}, L. Pintucci [ID](#)^{70a,70c},
 K.M. Piper [ID](#)¹⁴⁹, A. Pirttikoski [ID](#)⁵⁷, D.A. Pizzi [ID](#)³⁵, L. Pizzimento [ID](#)^{65b}, A. Pizzini [ID](#)¹¹⁷,
 M.-A. Pleier [ID](#)³⁰, V. Pleskot [ID](#)¹³⁶, E. Plotnikova [ID](#)³⁹, G. Poddar [ID](#)⁹⁶, R. Poettgen [ID](#)¹⁰⁰,
 L. Poggioli [ID](#)¹³⁰, I. Pokharel [ID](#)⁵⁶, S. Polacek [ID](#)¹³⁶, G. Polesello [ID](#)^{74a}, A. Poley [ID](#)^{145,159a},
 A. Polini [ID](#)^{24b}, C.S. Pollard [ID](#)¹⁷⁰, Z.B. Pollock [ID](#)¹²², E. Pompa Pacchi [ID](#)^{76a,76b}, N.I. Pond [ID](#)⁹⁸,
 D. Ponomarenko [ID](#)⁶⁹, L. Pontecorvo [ID](#)³⁷, S. Popa [ID](#)^{28a}, G.A. Popeneciu [ID](#)^{28d}, A. Poreba [ID](#)³⁷,
 D.M. Portillo Quintero [ID](#)^{159a}, S. Pospisil [ID](#)¹³⁵, M.A. Postill [ID](#)¹⁴², P. Postolache [ID](#)^{28c},
 K. Potamianos [ID](#)¹⁷⁰, P.A. Potepa [ID](#)^{87a}, I.N. Potrap [ID](#)³⁹, C.J. Potter [ID](#)³³, H. Potti [ID](#)¹⁵⁰,
 J. Poveda [ID](#)¹⁶⁶, M.E. Pozo Astigarraga [ID](#)³⁷, A. Prades Ibanez [ID](#)^{77a,77b}, J. Pretel [ID](#)¹⁶⁸, D. Price [ID](#)¹⁰³,
 M. Primavera [ID](#)^{71a}, L. Primomo [ID](#)^{70a,70c}, M.A. Principe Martin [ID](#)¹⁰¹, R. Privara [ID](#)¹²⁵,
 T. Procter [ID](#)⁶⁰, M.L. Proffitt [ID](#)¹⁴¹, N. Proklova [ID](#)¹³¹, K. Prokofiev [ID](#)^{65c}, G. Proto [ID](#)¹¹²,
 J. Proudfoot [ID](#)⁶, M. Przybycien [ID](#)^{87a}, W.W. Przygoda [ID](#)^{87b}, A. Psallidas [ID](#)⁴⁷, J.E. Puddefoot [ID](#)¹⁴²,
 D. Pudzha [ID](#)⁵⁵, D. Pyatiizbyantseva [ID](#)³⁸, J. Qian [ID](#)¹⁰⁸, D. Qichen [ID](#)¹⁰³, Y. Qin [ID](#)¹³, T. Qiu [ID](#)⁵³,
 A. Quadt [ID](#)⁵⁶, M. Queitsch-Maitland [ID](#)¹⁰³, G. Quetant [ID](#)⁵⁷, R.P. Quinn [ID](#)¹⁶⁷,
 G. Rabanal Bolanos [ID](#)⁶², D. Rafanoharana [ID](#)⁵⁵, F. Raffaelli [ID](#)^{77a,77b}, F. Ragusa [ID](#)^{72a,72b},
 J.L. Rainbolt [ID](#)⁴⁰, J.A. Raine [ID](#)⁵⁷, S. Rajagopalan [ID](#)³⁰, E. Ramakoti [ID](#)³⁸, L. Rambelli [ID](#)^{58b,58a},
 I.A. Ramirez-Berend [ID](#)³⁵, K. Ran [ID](#)^{49,114c}, D.S. Rankin [ID](#)¹³¹, N.P. Rapheeha [ID](#)^{34g}, H. Rasheed [ID](#)^{28b},
 V. Raskina [ID](#)¹³⁰, D.F. Rassloff [ID](#)^{64a}, A. Rastogi [ID](#)^{18a}, S. Rave [ID](#)¹⁰², S. Ravera [ID](#)^{58b,58a}, B. Ravina [ID](#)⁵⁶,
 I. Ravinovich [ID](#)¹⁷², M. Raymond [ID](#)³⁷, A.L. Read [ID](#)¹²⁸, N.P. Readioff [ID](#)¹⁴², D.M. Rebutuzzi [ID](#)^{74a,74b},
 G. Redlinger [ID](#)³⁰, A.S. Reed [ID](#)¹¹², K. Reeves [ID](#)²⁷, J.A. Reidelsturz [ID](#)¹⁷⁴, D. Reikher [ID](#)¹²⁶, A. Rej [ID](#)⁵⁰,
 C. Rembser [ID](#)³⁷, M. Renda [ID](#)^{28b}, F. Renner [ID](#)⁴⁹, A.G. Rennie [ID](#)¹⁶², A.L. Rescia [ID](#)⁴⁹, S. Resconi [ID](#)^{72a},
 M. Ressegotti [ID](#)^{58b,58a}, S. Rettie [ID](#)³⁷, J.G. Reyes Rivera [ID](#)¹⁰⁹, E. Reynolds [ID](#)^{18a}, O.L. Rezanova [ID](#)³⁸,
 P. Reznicek [ID](#)¹³⁶, H. Riani [ID](#)^{36d}, N. Ribaric [ID](#)⁵², E. Ricci [ID](#)^{79a,79b}, R. Richter [ID](#)¹¹², S. Richter [ID](#)^{48a,48b},
 E. Richter-Was [ID](#)^{87b}, M. Ridel [ID](#)¹³⁰, S. Ridouani [ID](#)^{36d}, P. Rieck [ID](#)¹²⁰, P. Riedler [ID](#)³⁷,
 E.M. Riefel [ID](#)^{48a,48b}, J.O. Rieger [ID](#)¹¹⁷, M. Rijssenbeek [ID](#)¹⁴⁸, M. Rimoldi [ID](#)³⁷, L. Rinaldi [ID](#)^{24b,24a},
 P. Rincke [ID](#)^{56,164}, T.T. Rinn [ID](#)³⁰, M.P. Rinnagel [ID](#)¹¹¹, G. Ripellino [ID](#)¹⁶⁴, I. Riu [ID](#)¹³,
 J.C. Rivera Vergara [ID](#)¹⁶⁸, F. Rizatdinova [ID](#)¹²⁴, E. Rizvi [ID](#)⁹⁶, B.R. Roberts [ID](#)^{18a}, S.S. Roberts [ID](#)¹³⁹,
 S.H. Robertson [ID](#)^{106,x}, D. Robinson [ID](#)³³, M. Robles Manzano [ID](#)¹⁰², A. Robson [ID](#)⁶⁰, A. Rocchi [ID](#)^{77a,77b},
 C. Roda [ID](#)^{75a,75b}, S. Rodriguez Bosca [ID](#)³⁷, Y. Rodriguez Garcia [ID](#)^{23a}, A. Rodriguez Rodriguez [ID](#)⁵⁵,
 A.M. Rodríguez Vera [ID](#)¹¹⁸, S. Roe [ID](#)³⁷, J.T. Roemer [ID](#)³⁷, A.R. Roepe-Gier [ID](#)¹³⁹, O. Röhne [ID](#)¹²⁸,
 R.A. Rojas [ID](#)¹⁰⁵, C.P.A. Roland [ID](#)¹³⁰, J. Roloff [ID](#)³⁰, A. Romaniouk [ID](#)⁸⁰, E. Romano [ID](#)^{74a,74b},
 M. Romano [ID](#)^{24b}, A.C. Romero Hernandez [ID](#)¹⁶⁵, N. Rompotis [ID](#)⁹⁴, L. Roos [ID](#)¹³⁰, S. Rosati [ID](#)^{76a},
 B.J. Rosser [ID](#)⁴⁰, E. Rossi [ID](#)¹²⁹, E. Rossi [ID](#)^{73a,73b}, L.P. Rossi [ID](#)⁶², L. Rossini [ID](#)⁵⁵, R. Rosten [ID](#)¹²²,
 M. Rotaru [ID](#)^{28b}, B. Rottler [ID](#)⁵⁵, C. Rougier [ID](#)⁹¹, D. Rousseau [ID](#)⁶⁷, D. Rousso [ID](#)⁴⁹, A. Roy [ID](#)¹⁶⁵,
 S. Roy-Garand [ID](#)¹⁵⁸, A. Rozanov [ID](#)¹⁰⁴, Z.M.A. Rozario [ID](#)⁶⁰, Y. Rozen [ID](#)¹⁵³, A. Rubio Jimenez [ID](#)¹⁶⁶,
 A.J. Ruby [ID](#)⁹⁴, V.H. Ruelas Rivera [ID](#)¹⁹, T.A. Ruggeri [ID](#)¹, A. Ruggiero [ID](#)¹²⁹, A. Ruiz-Martinez [ID](#)¹⁶⁶,
 A. Rummeler [ID](#)³⁷, Z. Rurikova [ID](#)⁵⁵, N.A. Rusakovich [ID](#)³⁹, H.L. Russell [ID](#)¹⁶⁸, G. Russo [ID](#)^{76a,76b},
 J.P. Rutherford [ID](#)⁷, S. Rutherford Colmenares [ID](#)³³, M. Rybar [ID](#)¹³⁶, E.B. Rye [ID](#)¹²⁸, A. Ryzhov [ID](#)⁴⁵,
 J.A. Sabater Iglesias [ID](#)⁵⁷, H.F.-W. Sadrozinski [ID](#)¹³⁹, F. Safai Tehrani [ID](#)^{76a}, B. Safarzadeh Samani [ID](#)¹³⁷,
 S. Saha [ID](#)¹, M. Sahinsoy [ID](#)⁸³, A. Saibel [ID](#)¹⁶⁶, M. Saimpert [ID](#)¹³⁸, M. Saito [ID](#)¹⁵⁶, T. Saito [ID](#)¹⁵⁶,

A. Sala [ID](#)^{72a,72b}, D. Salamani [ID](#)³⁷, A. Salmikov [ID](#)¹⁴⁶, J. Salt [ID](#)¹⁶⁶, A. Salvador Salas [ID](#)¹⁵⁴,
 D. Salvatore [ID](#)^{44b,44a}, F. Salvatore [ID](#)¹⁴⁹, A. Salzburger [ID](#)³⁷, D. Sammel [ID](#)⁵⁵, E. Sampson [ID](#)⁹³,
 D. Sampsonidis [ID](#)^{155,d}, D. Sampsonidou [ID](#)¹²⁶, J. Sánchez [ID](#)¹⁶⁶, V. Sanchez Sebastian [ID](#)¹⁶⁶,
 H. Sandaker [ID](#)¹²⁸, C.O. Sander [ID](#)⁴⁹, J.A. Sandesara [ID](#)¹⁰⁵, M. Sandhoff [ID](#)¹⁷⁴, C. Sandoval [ID](#)^{23b},
 L. Sanfilippo [ID](#)^{64a}, D.P.C. Sankey [ID](#)¹³⁷, T. Sano [ID](#)⁸⁹, A. Sansoni [ID](#)⁵⁴, L. Santi [ID](#)^{37,76b}, C. Santoni [ID](#)⁴¹,
 H. Santos [ID](#)^{133a,133b}, A. Santra [ID](#)¹⁷², E. Sanzani [ID](#)^{24b,24a}, K.A. Saoucha [ID](#)¹⁶³, J.G. Saraiva [ID](#)^{133a,133d},
 J. Sardain [ID](#)⁷, O. Sasaki [ID](#)⁸⁵, K. Sato [ID](#)¹⁶⁰, C. Sauer [ID](#)^{64b}, E. Sauvan [ID](#)⁴, P. Savard [ID](#)^{158,ad},
 R. Sawada [ID](#)¹⁵⁶, C. Sawyer [ID](#)¹³⁷, L. Sawyer [ID](#)⁹⁹, C. Sbarra [ID](#)^{24b}, A. Sbrizzi [ID](#)^{24b,24a}, T. Scanlon [ID](#)⁹⁸,
 J. Schaarschmidt [ID](#)¹⁴¹, U. Schäfer [ID](#)¹⁰², A.C. Schaffer [ID](#)^{67,45}, D. Schaile [ID](#)¹¹¹, R.D. Schamberger [ID](#)¹⁴⁸,
 C. Scharf [ID](#)¹⁹, M.M. Schefer [ID](#)²⁰, V.A. Schegelsky [ID](#)³⁸, D. Scheirich [ID](#)¹³⁶, M. Schernau [ID](#)¹⁶²,
 C. Scheulen [ID](#)⁵⁶, C. Schiavi [ID](#)^{58b,58a}, M. Schioppa [ID](#)^{44b,44a}, B. Schlag [ID](#)¹⁴⁶, S. Schlenker [ID](#)³⁷,
 J. Schmeing [ID](#)¹⁷⁴, M.A. Schmidt [ID](#)¹⁷⁴, K. Schmieden [ID](#)¹⁰², C. Schmitt [ID](#)¹⁰², N. Schmitt [ID](#)¹⁰²,
 S. Schmitt [ID](#)⁴⁹, L. Schoeffel [ID](#)¹³⁸, A. Schoening [ID](#)^{64b}, P.G. Scholer [ID](#)³⁵, E. Schopf [ID](#)¹²⁹, M. Schott [ID](#)²⁵,
 J. Schovancova [ID](#)³⁷, S. Schramm [ID](#)⁵⁷, T. Schroer [ID](#)⁵⁷, H-C. Schultz-Coulon [ID](#)^{64a}, M. Schumacher [ID](#)⁵⁵,
 B.A. Schumm [ID](#)¹³⁹, Ph. Schune [ID](#)¹³⁸, A.J. Schuy [ID](#)¹⁴¹, H.R. Schwartz [ID](#)¹³⁹, A. Schwartzman [ID](#)¹⁴⁶,
 T.A. Schwarz [ID](#)¹⁰⁸, Ph. Schwemling [ID](#)¹³⁸, R. Schwienhorst [ID](#)¹⁰⁹, F.G. Sciacca [ID](#)²⁰, A. Sciandra [ID](#)³⁰,
 G. Sciolla [ID](#)²⁷, F. Scuri [ID](#)^{75a}, C.D. Sebastiani [ID](#)⁹⁴, K. Sedlaczek [ID](#)¹¹⁸, S.C. Seidel [ID](#)¹¹⁵,
 A. Seiden [ID](#)¹³⁹, B.D. Seidlitz [ID](#)⁴², C. Seitz [ID](#)⁴⁹, J.M. Seixas [ID](#)^{84b}, G. Sekhniaidze [ID](#)^{73a}, L. Selem [ID](#)⁶¹,
 N. Semprini-Cesari [ID](#)^{24b,24a}, D. Sengupta [ID](#)⁵⁷, V. Senthilkumar [ID](#)¹⁶⁶, L. Serin [ID](#)⁶⁷, M. Sessa [ID](#)^{77a,77b},
 H. Severini [ID](#)¹²³, F. Sforza [ID](#)^{58b,58a}, A. Sfyrla [ID](#)⁵⁷, Q. Sha [ID](#)¹⁴, E. Shabalina [ID](#)⁵⁶, A.H. Shah [ID](#)³³,
 R. Shaheen [ID](#)¹⁴⁷, J.D. Shahinian [ID](#)¹³¹, D. Shaked Renous [ID](#)¹⁷², L.Y. Shan [ID](#)¹⁴, M. Shapiro [ID](#)^{18a},
 A. Sharma [ID](#)³⁷, A.S. Sharma [ID](#)¹⁶⁷, P. Sharma [ID](#)⁸¹, P.B. Shatalov [ID](#)³⁸, K. Shaw [ID](#)¹⁴⁹, S.M. Shaw [ID](#)¹⁰³,
 Q. Shen [ID](#)^{63c}, D.J. Sheppard [ID](#)¹⁴⁵, P. Sherwood [ID](#)⁹⁸, L. Shi [ID](#)⁹⁸, X. Shi [ID](#)¹⁴, S. Shimizu [ID](#)⁸⁵,
 C.O. Shimmin [ID](#)¹⁷⁵, J.D. Shinner [ID](#)⁹⁷, I.P.J. Shipsey [ID](#)¹²⁹, S. Shirabe [ID](#)⁹⁰, M. Shiyakova [ID](#)^{39,v},
 M.J. Shochet [ID](#)⁴⁰, D.R. Shope [ID](#)¹²⁸, B. Shrestha [ID](#)¹²³, S. Shrestha [ID](#)^{122,ag}, I. Shreyber [ID](#)³⁸,
 M.J. Shroff [ID](#)¹⁶⁸, P. Sicho [ID](#)¹³⁴, A.M. Sickles [ID](#)¹⁶⁵, E. Sideras Haddad [ID](#)^{34g}, A.C. Sidley [ID](#)¹¹⁷,
 A. Sidoti [ID](#)^{24b}, F. Siegert [ID](#)⁵¹, Dj. Sijacki [ID](#)¹⁶, F. Sili [ID](#)⁹², J.M. Silva [ID](#)⁵³, I. Silva Ferreira [ID](#)^{84b},
 M.V. Silva Oliveira [ID](#)³⁰, S.B. Silverstein [ID](#)^{48a}, S. Simion [ID](#)⁶⁷, R. Simoniello [ID](#)³⁷, E.L. Simpson [ID](#)¹⁰³,
 H. Simpson [ID](#)¹⁴⁹, L.R. Simpson [ID](#)¹⁰⁸, S. Simsek [ID](#)⁸³, S. Sindhu [ID](#)⁵⁶, P. Sinervo [ID](#)¹⁵⁸, S. Singh [ID](#)¹⁵⁸,
 S. Sinha [ID](#)⁴⁹, S. Sinha [ID](#)¹⁰³, M. Sioli [ID](#)^{24b,24a}, I. Siral [ID](#)³⁷, E. Sitnikova [ID](#)⁴⁹, J. Sjölin [ID](#)^{48a,48b},
 A. Skaf [ID](#)⁵⁶, E. Skorda [ID](#)²¹, P. Skubic [ID](#)¹²³, M. Slawinska [ID](#)⁸⁸, V. Smakhtin [ID](#)¹⁷², B.H. Smart [ID](#)¹³⁷,
 S.Yu. Smirnov [ID](#)³⁸, Y. Smirnov [ID](#)³⁸, L.N. Smirnova [ID](#)^{38,a}, O. Smirnova [ID](#)¹⁰⁰, A.C. Smith [ID](#)⁴²,
 D.R. Smith [ID](#)¹⁶², E.A. Smith [ID](#)⁴⁰, J.L. Smith [ID](#)¹⁰³, R. Smith [ID](#)¹⁴⁶, M. Smizanska [ID](#)⁹³, K. Smolek [ID](#)¹³⁵,
 A.A. Snesarev [ID](#)³⁸, H.L. Snoek [ID](#)¹¹⁷, S. Snyder [ID](#)³⁰, R. Sobie [ID](#)^{168,x}, A. Soffer [ID](#)¹⁵⁴,
 C.A. Solans Sanchez [ID](#)³⁷, E.Yu. Soldatov [ID](#)³⁸, U. Soldevila [ID](#)¹⁶⁶, A.A. Solodkov [ID](#)³⁸, S. Solomon [ID](#)²⁷,
 A. Soloshenko [ID](#)³⁹, K. Solovieva [ID](#)⁵⁵, O.V. Solovyanov [ID](#)⁴¹, P. Sommer [ID](#)⁵¹, A. Sonay [ID](#)¹³,
 W.Y. Song [ID](#)^{159b}, A. Sopczak [ID](#)¹³⁵, A.L. Soppio [ID](#)⁵³, F. Sopkova [ID](#)^{29b}, J.D. Sorenson [ID](#)¹¹⁵,
 I.R. Sotarriva Alvarez [ID](#)¹⁵⁷, V. Sothilingam [ID](#)^{64a}, O.J. Soto Sandoval [ID](#)^{140c,140b}, S. Sottocornola [ID](#)⁶⁹,
 R. Soualah [ID](#)¹⁶³, Z. Soumami [ID](#)^{36e}, D. South [ID](#)⁴⁹, N. Soybelman [ID](#)¹⁷², S. Spagnolo [ID](#)^{71a,71b},
 M. Spalla [ID](#)¹¹², D. Sperlich [ID](#)⁵⁵, G. Spigo [ID](#)³⁷, B. Spisso [ID](#)^{73a,73b}, D.P. Spiteri [ID](#)⁶⁰, M. Spousta [ID](#)¹³⁶,
 E.J. Staats [ID](#)³⁵, R. Stamen [ID](#)^{64a}, A. Stampekis [ID](#)²¹, E. Stanecka [ID](#)⁸⁸, W. Stanek-Maslouska [ID](#)⁴⁹,
 M.V. Stange [ID](#)⁵¹, B. Stanislaus [ID](#)^{18a}, M.M. Stanitzki [ID](#)⁴⁹, B. Stapf [ID](#)⁴⁹, E.A. Starchenko [ID](#)³⁸,
 G.H. Stark [ID](#)¹³⁹, J. Stark [ID](#)⁹¹, P. Staroba [ID](#)¹³⁴, P. Starovoitov [ID](#)^{64a}, S. Stärz [ID](#)¹⁰⁶, R. Staszewski [ID](#)⁸⁸,

G. Stavropoulos [ID](#)⁴⁷, A. Steff [ID](#)³⁷, P. Steinberg [ID](#)³⁰, B. Stelzer [ID](#)^{145,159a}, H.J. Stelzer [ID](#)¹³²,
O. Stelzer-Chilton [ID](#)^{159a}, H. Stenzel [ID](#)⁵⁹, T.J. Stevenson [ID](#)¹⁴⁹, G.A. Stewart [ID](#)³⁷, J.R. Stewart [ID](#)¹²⁴,
M.C. Stockton [ID](#)³⁷, G. Stoicea [ID](#)^{28b}, M. Stolarski [ID](#)^{133a}, S. Stonjek [ID](#)¹¹², A. Straessner [ID](#)⁵¹,
J. Strandberg [ID](#)¹⁴⁷, S. Strandberg [ID](#)^{48a,48b}, M. Stratmann [ID](#)¹⁷⁴, M. Strauss [ID](#)¹²³, T. Streblner [ID](#)¹⁰⁴,
P. Strizenec [ID](#)^{29b}, R. Ströhmer [ID](#)¹⁶⁹, D.M. Strom [ID](#)¹²⁶, R. Stroynowski [ID](#)⁴⁵, A. Strubig [ID](#)^{48a,48b},
S.A. Stucci [ID](#)³⁰, B. Stugu [ID](#)¹⁷, J. Stupak [ID](#)¹²³, N.A. Styles [ID](#)⁴⁹, D. Su [ID](#)¹⁴⁶, S. Su [ID](#)^{63a}, W. Su [ID](#)^{63d},
X. Su [ID](#)^{63a}, D. Suchy [ID](#)^{29a}, K. Sugizaki [ID](#)¹⁵⁶, V.V. Sulim [ID](#)³⁸, M.J. Sullivan [ID](#)⁹⁴, D.M.S. Sultan [ID](#)¹²⁹,
L. Sultanaliyeva [ID](#)³⁸, S. Sultansoy [ID](#)^{3b}, T. Sumida [ID](#)⁸⁹, S. Sun [ID](#)¹⁷³, O. Sunneborn Gudnadottir [ID](#)¹⁶⁴,
N. Sur [ID](#)¹⁰⁴, M.R. Sutton [ID](#)¹⁴⁹, H. Suzuki [ID](#)¹⁶⁰, M. Svatos [ID](#)¹³⁴, M. Swiatlowski [ID](#)^{159a},
T. Swirski [ID](#)¹⁶⁹, I. Sykora [ID](#)^{29a}, M. Sykora [ID](#)¹³⁶, T. Sykora [ID](#)¹³⁶, D. Ta [ID](#)¹⁰², K. Tackmann [ID](#)^{49,u},
A. Taffard [ID](#)¹⁶², R. Tafirout [ID](#)^{159a}, J.S. Tafoya Vargas [ID](#)⁶⁷, Y. Takubo [ID](#)⁸⁵, M. Talby [ID](#)¹⁰⁴,
A.A. Talyshev [ID](#)³⁸, K.C. Tam [ID](#)^{65b}, N.M. Tamir [ID](#)¹⁵⁴, A. Tanaka [ID](#)¹⁵⁶, J. Tanaka [ID](#)¹⁵⁶, R. Tanaka [ID](#)⁶⁷,
M. Tanasini [ID](#)¹⁴⁸, Z. Tao [ID](#)¹⁶⁷, S. Tapia Araya [ID](#)^{140f}, S. Tapprogge [ID](#)¹⁰²,
A. Tarek Abouelfadl Mohamed [ID](#)¹⁰⁹, S. Tarem [ID](#)¹⁵³, K. Tariq [ID](#)¹⁴, G. Tarna [ID](#)^{28b}, G.F. Tartarelli [ID](#)^{72a},
M.J. Tartarin [ID](#)⁹¹, P. Tas [ID](#)¹³⁶, M. Tasevsky [ID](#)¹³⁴, E. Tassi [ID](#)^{44b,44a}, A.C. Tate [ID](#)¹⁶⁵, G. Tateno [ID](#)¹⁵⁶,
Y. Tayalati [ID](#)^{36e,w}, G.N. Taylor [ID](#)¹⁰⁷, W. Taylor [ID](#)^{159b}, R. Teixeira De Lima [ID](#)¹⁴⁶,
P. Teixeira-Dias [ID](#)⁹⁷, J.J. Teoh [ID](#)¹⁵⁸, K. Terashi [ID](#)¹⁵⁶, J. Terron [ID](#)¹⁰¹, S. Terzo [ID](#)¹³, M. Testa [ID](#)⁵⁴,
R.J. Teuscher [ID](#)^{158,x}, A. Thaler [ID](#)⁸⁰, O. Theiner [ID](#)⁵⁷, T. Theveneaux-Pelzer [ID](#)¹⁰⁴, O. Thielmann [ID](#)¹⁷⁴,
D.W. Thomas [ID](#)⁹⁷, J.P. Thomas [ID](#)²¹, E.A. Thompson [ID](#)^{18a}, P.D. Thompson [ID](#)²¹, E. Thomson [ID](#)¹³¹,
R.E. Thornberry [ID](#)⁴⁵, C. Tian [ID](#)^{63a}, Y. Tian [ID](#)⁵⁷, V. Tikhomirov [ID](#)^{38,a}, Yu.A. Tikhonov [ID](#)³⁸,
S. Timoshenko [ID](#)³⁸, D. Timoshyn [ID](#)¹³⁶, E.X.L. Ting [ID](#)¹, P. Tipton [ID](#)¹⁷⁵, A. Tishelman-Charny [ID](#)³⁰,
S.H. Tlou [ID](#)^{34g}, K. Todome [ID](#)¹⁵⁷, S. Todorova-Nova [ID](#)¹³⁶, S. Todt [ID](#)⁵¹, L. Toffolin [ID](#)^{70a,70c},
M. Togawa [ID](#)⁸⁵, J. Tojo [ID](#)⁹⁰, S. Tokár [ID](#)^{29a}, K. Tokushuku [ID](#)⁸⁵, O. Toldaiev [ID](#)⁶⁹, M. Tomoto [ID](#)^{85,113},
L. Tompkins [ID](#)^{146,l}, K.W. Topolnicki [ID](#)^{87b}, E. Torrence [ID](#)¹²⁶, H. Torres [ID](#)⁹¹, E. Torró Pastor [ID](#)¹⁶⁶,
M. Toscani [ID](#)³¹, C. Toscirì [ID](#)⁴⁰, M. Tost [ID](#)¹¹, D.R. Tovey [ID](#)¹⁴², I.S. Trandafir [ID](#)^{28b}, T. Trefzger [ID](#)¹⁶⁹,
A. Tricoli [ID](#)³⁰, I.M. Trigger [ID](#)^{159a}, S. Trincaz-Duvoid [ID](#)¹³⁰, D.A. Trischuk [ID](#)²⁷, B. Trocmé [ID](#)⁶¹,
A. Tropina [ID](#)³⁹, L. Truong [ID](#)^{34c}, M. Trzebinski [ID](#)⁸⁸, A. Trzupek [ID](#)⁸⁸, F. Tsai [ID](#)¹⁴⁸, M. Tsai [ID](#)¹⁰⁸,
A. Tsiamis [ID](#)¹⁵⁵, P.V. Tsiarshka [ID](#)³⁸, S. Tsigaridas [ID](#)^{159a}, A. Tsirigotis [ID](#)^{155,r}, V. Tsiskaridze [ID](#)¹⁵⁸,
E.G. Tskhadadze [ID](#)^{152a}, M. Tsopoulou [ID](#)¹⁵⁵, Y. Tsujikawa [ID](#)⁸⁹, I.I. Tsukerman [ID](#)³⁸, V. Tsulaia [ID](#)^{18a},
S. Tsuno [ID](#)⁸⁵, K. Tsurii [ID](#)¹²¹, D. Tsybychev [ID](#)¹⁴⁸, Y. Tu [ID](#)^{65b}, A. Tudorache [ID](#)^{28b}, V. Tudorache [ID](#)^{28b},
A.N. Tuna [ID](#)⁶², S. Turchikhin [ID](#)^{58b,58a}, I. Turk Cakir [ID](#)^{3a}, R. Turra [ID](#)^{72a}, T. Turtuvshin [ID](#)³⁹,
P.M. Tuts [ID](#)⁴², S. Tzamarias [ID](#)^{155,d}, E. Tzovara [ID](#)¹⁰², F. Ukegawa [ID](#)¹⁶⁰, P.A. Ulloa Poblete [ID](#)^{140c,140b},
E.N. Umaka [ID](#)³⁰, G. Unal [ID](#)³⁷, A. Undrus [ID](#)³⁰, G. Unel [ID](#)¹⁶², J. Urban [ID](#)^{29b}, P. Urrejola [ID](#)^{140a},
G. Usai [ID](#)⁸, R. Ushioda [ID](#)¹⁵⁷, M. Usman [ID](#)¹¹⁰, F. Ustuner [ID](#)⁵³, Z. Uysal [ID](#)⁸³, V. Vacek [ID](#)¹³⁵,
B. Vachon [ID](#)¹⁰⁶, T. Vafeiadis [ID](#)³⁷, A. Vaitkus [ID](#)⁹⁸, C. Valderanis [ID](#)¹¹¹, E. Valdes Santurio [ID](#)^{48a,48b},
M. Valente [ID](#)^{159a}, S. Valentinetti [ID](#)^{24b,24a}, A. Valero [ID](#)¹⁶⁶, E. Valiente Moreno [ID](#)¹⁶⁶, A. Vallier [ID](#)⁹¹,
J.A. Valls Ferrer [ID](#)¹⁶⁶, D.R. Van Arneman [ID](#)¹¹⁷, T.R. Van Daalen [ID](#)¹⁴¹, A. Van Der Graaf [ID](#)⁵⁰,
P. Van Gemmeren [ID](#)⁶, M. Van Rijnbach [ID](#)³⁷, S. Van Stroud [ID](#)⁹⁸, I. Van Vulpen [ID](#)¹¹⁷, P. Vana [ID](#)¹³⁶,
M. Vanadia [ID](#)^{77a,77b}, U.M. Vande Voorde [ID](#)¹⁴⁷, W. Vandelli [ID](#)³⁷, E.R. Vandewall [ID](#)¹²⁴,
D. Vannicola [ID](#)¹⁵⁴, L. Vannoli [ID](#)⁵⁴, R. Vari [ID](#)^{76a}, E.W. Varnes [ID](#)⁷, C. Varni [ID](#)^{18b}, T. Varol [ID](#)¹⁵¹,
D. Varouchas [ID](#)⁶⁷, L. Varriale [ID](#)¹⁶⁶, K.E. Varvell [ID](#)¹⁵⁰, M.E. Vasile [ID](#)^{28b}, L. Vaslin [ID](#)⁸⁵,
G.A. Vasquez [ID](#)¹⁶⁸, A. Vasyukov [ID](#)³⁹, L.M. Vaughan [ID](#)¹²⁴, R. Vavricka [ID](#)¹⁰², T. Vazquez Schroeder [ID](#)³⁷,
J. Veatch [ID](#)³², V. Vecchio [ID](#)¹⁰³, M.J. Veen [ID](#)¹⁰⁵, I. Veliscek [ID](#)³⁰, L.M. Veloce [ID](#)¹⁵⁸,

F. Veloso [ID](#)^{133a,133c}, S. Veneziano [ID](#)^{76a}, A. Ventura [ID](#)^{71a,71b}, S. Ventura Gonzalez [ID](#)¹³⁸,
A. Verbytskyi [ID](#)¹¹², M. Verducci [ID](#)^{75a,75b}, C. Vergis [ID](#)⁹⁶, M. Verissimo De Araujo [ID](#)^{84b},
W. Verkerke [ID](#)¹¹⁷, J.C. Vermeulen [ID](#)¹¹⁷, C. Vernieri [ID](#)¹⁴⁶, M. Vessella [ID](#)¹⁰⁵, M.C. Vetterli [ID](#)^{145,ad},
A. Vgenopoulos [ID](#)¹⁰², N. Viaux Maira [ID](#)^{140f}, T. Vickey [ID](#)¹⁴², O.E. Vickey Boeriu [ID](#)¹⁴²,
G.H.A. Viehhauser [ID](#)¹²⁹, L. Vigani [ID](#)^{64b}, M. Vigil [ID](#)¹¹², M. Villa [ID](#)^{24b,24a}, M. Villaplana Perez [ID](#)¹⁶⁶,
E.M. Villhauer⁵³, E. Vilucchi [ID](#)⁵⁴, M.G. Vincter [ID](#)³⁵, A. Visibile¹¹⁷, C. Vittori [ID](#)³⁷,
I. Vivarelli [ID](#)^{24b,24a}, E. Voevodina [ID](#)¹¹², F. Vogel [ID](#)¹¹¹, J.C. Voigt [ID](#)⁵¹, P. Vokac [ID](#)¹³⁵,
Yu. Volkotrub [ID](#)^{87b}, E. Von Toerne [ID](#)²⁵, B. Vormwald [ID](#)³⁷, V. Vorobel [ID](#)¹³⁶, K. Vorobev [ID](#)³⁸,
M. Vos [ID](#)¹⁶⁶, K. Voss [ID](#)¹⁴⁴, M. Vozak [ID](#)¹¹⁷, L. Vozdecky [ID](#)¹²³, N. Vranjes [ID](#)¹⁶,
M. Vranjes Milosavljevic [ID](#)¹⁶, M. Vreeswijk [ID](#)¹¹⁷, N.K. Vu [ID](#)^{63d,63c}, R. Vuillermet [ID](#)³⁷,
O. Vujanovic [ID](#)¹⁰², I. Vukotic [ID](#)⁴⁰, I.K. Vyas [ID](#)³⁵, S. Wada [ID](#)¹⁶⁰, C. Wagner¹⁴⁶, J.M. Wagner [ID](#)^{18a},
W. Wagner [ID](#)¹⁷⁴, S. Wahdan [ID](#)¹⁷⁴, H. Wahlberg [ID](#)⁹², C.H. Waits¹²³, J. Walder [ID](#)¹³⁷, R. Walker [ID](#)¹¹¹,
W. Walkowiak [ID](#)¹⁴⁴, A. Wall [ID](#)¹³¹, E.J. Wallin [ID](#)¹⁰⁰, T. Wamorkar [ID](#)⁶, A.Z. Wang [ID](#)¹³⁹,
C. Wang [ID](#)¹⁰², C. Wang [ID](#)¹¹, H. Wang [ID](#)^{18a}, J. Wang [ID](#)^{65c}, P. Wang [ID](#)⁹⁸, R. Wang [ID](#)⁶², R. Wang [ID](#)⁶,
S.M. Wang [ID](#)¹⁵¹, S. Wang [ID](#)^{63b}, S. Wang [ID](#)¹⁴, T. Wang [ID](#)^{63a}, T. Wang^{63a}, W.T. Wang [ID](#)⁸¹,
W. Wang [ID](#)¹⁴, X. Wang [ID](#)^{114a}, X. Wang [ID](#)¹⁶⁵, X. Wang [ID](#)^{63c}, Y. Wang [ID](#)^{63d}, Y. Wang [ID](#)^{114a},
Y. Wang [ID](#)^{63a}, Z. Wang [ID](#)¹⁰⁸, Z. Wang [ID](#)^{63d,52,63c}, Z. Wang [ID](#)¹⁰⁸, A. Warburton [ID](#)¹⁰⁶, R.J. Ward [ID](#)²¹,
N. Warrack [ID](#)⁶⁰, S. Waterhouse [ID](#)⁹⁷, A.T. Watson [ID](#)²¹, H. Watson [ID](#)⁵³, M.F. Watson [ID](#)²¹,
E. Watton [ID](#)^{60,137}, G. Watts [ID](#)¹⁴¹, B.M. Waugh [ID](#)⁹⁸, J.M. Webb [ID](#)⁵⁵, C. Weber [ID](#)³⁰, H.A. Weber [ID](#)¹⁹,
M.S. Weber [ID](#)²⁰, S.M. Weber [ID](#)^{64a}, C. Wei [ID](#)^{63a}, Y. Wei [ID](#)⁵⁵, A.R. Weidberg [ID](#)¹²⁹, E.J. Weik [ID](#)¹²⁰,
J. Weingarten [ID](#)⁵⁰, C. Weiser [ID](#)⁵⁵, C.J. Wells [ID](#)⁴⁹, T. Wenaus [ID](#)³⁰, B. Wendland [ID](#)⁵⁰, T. Wengler [ID](#)³⁷,
N.S. Wenke¹¹², N. Wermes [ID](#)²⁵, M. Wessels [ID](#)^{64a}, A.M. Wharton [ID](#)⁹³, A.S. White [ID](#)⁶², A. White [ID](#)⁸,
M.J. White [ID](#)¹, D. Whiteson [ID](#)¹⁶², L. Wickremasinghe [ID](#)¹²⁷, W. Wiedenmann [ID](#)¹⁷³, M. Wielers [ID](#)¹³⁷,
C. Wiglesworth [ID](#)⁴³, D.J. Wilbern¹²³, H.G. Wilkens [ID](#)³⁷, J.J.H. Wilkinson [ID](#)³³, D.M. Williams [ID](#)⁴²,
H.H. Williams¹³¹, S. Williams [ID](#)³³, S. Willocq [ID](#)¹⁰⁵, B.J. Wilson [ID](#)¹⁰³, P.J. Windischhofer [ID](#)⁴⁰,
F.I. Winkel [ID](#)³¹, F. Winklmeier [ID](#)¹²⁶, B.T. Winter [ID](#)⁵⁵, J.K. Winter [ID](#)¹⁰³, M. Wittgen¹⁴⁶,
M. Wobisch [ID](#)⁹⁹, T. Wojtkowski⁶¹, Z. Wolffs [ID](#)¹¹⁷, J. Wollrath¹⁶², M.W. Wolter [ID](#)⁸⁸,
H. Wolters [ID](#)^{133a,133c}, M.C. Wong¹³⁹, E.L. Woodward [ID](#)⁴², S.D. Worm [ID](#)⁴⁹, B.K. Wosiek [ID](#)⁸⁸,
K.W. Woźniak [ID](#)⁸⁸, S. Wozniewski [ID](#)⁵⁶, K. Wraight [ID](#)⁶⁰, C. Wu [ID](#)²¹, M. Wu [ID](#)^{114b}, M. Wu [ID](#)¹¹⁶,
S.L. Wu [ID](#)¹⁷³, X. Wu [ID](#)⁵⁷, Y. Wu [ID](#)^{63a}, Z. Wu [ID](#)⁴, J. Wuerzinger [ID](#)^{112,ab}, T.R. Wyatt [ID](#)¹⁰³,
B.M. Wynne [ID](#)⁵³, S. Xella [ID](#)⁴³, L. Xia [ID](#)^{114a}, M. Xia [ID](#)¹⁵, M. Xie [ID](#)^{63a}, S. Xin [ID](#)^{14,114c}, A. Xiong [ID](#)¹²⁶,
J. Xiong [ID](#)^{18a}, D. Xu [ID](#)¹⁴, H. Xu [ID](#)^{63a}, L. Xu [ID](#)^{63a}, R. Xu [ID](#)¹³¹, T. Xu [ID](#)¹⁰⁸, Y. Xu [ID](#)¹⁵, Z. Xu [ID](#)⁵³,
Z. Xu^{114a}, B. Yabsley [ID](#)¹⁵⁰, S. Yacoob [ID](#)^{34a}, Y. Yamaguchi [ID](#)⁸⁵, E. Yamashita [ID](#)¹⁵⁶,
H. Yamauchi [ID](#)¹⁶⁰, T. Yamazaki [ID](#)^{18a}, Y. Yamazaki [ID](#)⁸⁶, S. Yan [ID](#)⁶⁰, Z. Yan [ID](#)¹⁰⁵, H.J. Yang [ID](#)^{63c,63d},
H.T. Yang [ID](#)^{63a}, S. Yang [ID](#)^{63a}, T. Yang [ID](#)^{65c}, X. Yang [ID](#)³⁷, X. Yang [ID](#)¹⁴, Y. Yang [ID](#)⁴⁵, Y. Yang^{63a},
Z. Yang [ID](#)^{63a}, W-M. Yao [ID](#)^{18a}, H. Ye [ID](#)^{114a}, H. Ye [ID](#)⁵⁶, J. Ye [ID](#)¹⁴, S. Ye [ID](#)³⁰, X. Ye [ID](#)^{63a}, Y. Yeh [ID](#)⁹⁸,
I. Yeletskikh [ID](#)³⁹, B. Yeo [ID](#)^{18b}, M.R. Yexley [ID](#)⁹⁸, T.P. Yildirim [ID](#)¹²⁹, P. Yin [ID](#)⁴², K. Yorita [ID](#)¹⁷¹,
S. Younas [ID](#)^{28b}, C.J.S. Young [ID](#)³⁷, C. Young [ID](#)¹⁴⁶, C. Yu [ID](#)^{14,114c}, Y. Yu [ID](#)^{63a}, J. Yuan [ID](#)^{14,114c},
M. Yuan [ID](#)¹⁰⁸, R. Yuan [ID](#)^{63d,63c}, L. Yue [ID](#)⁹⁸, M. Zaazoua [ID](#)^{63a}, B. Zabinski [ID](#)⁸⁸, E. Zaid⁵³,
Z.K. Zak [ID](#)⁸⁸, T. Zakareishvili [ID](#)¹⁶⁶, S. Zambito [ID](#)⁵⁷, J.A. Zamora Saa [ID](#)^{140d,140b}, J. Zang [ID](#)¹⁵⁶,
D. Zanzi [ID](#)⁵⁵, O. Zaplatilek [ID](#)¹³⁵, C. Zeitnitz [ID](#)¹⁷⁴, H. Zeng [ID](#)¹⁴, J.C. Zeng [ID](#)¹⁶⁵, D.T. Zenger Jr [ID](#)²⁷,
O. Zenin [ID](#)³⁸, T. Ženiš [ID](#)^{29a}, S. Zenz [ID](#)⁹⁶, S. Zerradi [ID](#)^{36a}, D. Zerwas [ID](#)⁶⁷, M. Zhai [ID](#)^{14,114c},
D.F. Zhang [ID](#)¹⁴², J. Zhang [ID](#)^{63b}, J. Zhang [ID](#)⁶, K. Zhang [ID](#)^{14,114c}, L. Zhang [ID](#)^{63a}, L. Zhang [ID](#)^{114a},

P. Zhang ^{14,114c}, R. Zhang ¹⁷³, S. Zhang ¹⁰⁸, S. Zhang ⁹¹, T. Zhang ¹⁵⁶, X. Zhang ^{63c},
X. Zhang ^{63b}, Y. Zhang ^{63c}, Y. Zhang ⁹⁸, Y. Zhang ^{114a}, Z. Zhang ^{18a}, Z. Zhang ^{63b},
Z. Zhang ⁶⁷, H. Zhao ¹⁴¹, T. Zhao ^{63b}, Y. Zhao ¹³⁹, Z. Zhao ^{63a}, Z. Zhao ^{63a},
A. Zhemchugov ³⁹, J. Zheng ^{114a}, K. Zheng ¹⁶⁵, X. Zheng ^{63a}, Z. Zheng ¹⁴⁶, D. Zhong ¹⁶⁵,
B. Zhou ¹⁰⁸, H. Zhou ⁷, N. Zhou ^{63c}, Y. Zhou ¹⁵, Y. Zhou ^{114a}, Y. Zhou⁷, C.G. Zhu ^{63b},
J. Zhu ¹⁰⁸, X. Zhu^{63d}, Y. Zhu ^{63c}, Y. Zhu ^{63a}, X. Zhuang ¹⁴, K. Zhukov ⁶⁹, N.I. Zimine ³⁹,
J. Zinsler ^{64b}, M. Ziolkowski ¹⁴⁴, L. Živković ¹⁶, A. Zoccoli ^{24b,24a}, K. Zoch ⁶²,
T.G. Zorbas ¹⁴², O. Zormpa ⁴⁷, W. Zou ⁴², L. Zwalinski ³⁷

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Department of Physics, University of Alberta, Edmonton AB, Canada

³ ^(a) Department of Physics, Ankara University, Ankara; ^(b) Division of Physics, TOBB University of Economics and Technology, Ankara, Türkiye

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX, United States of America

⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece

¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece

¹¹ Department of Physics, University of Texas at Austin, Austin TX, United States of America

¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan

¹³ Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain

¹⁴ Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China

¹⁵ Physics Department, Tsinghua University, Beijing, China

¹⁶ Institute of Physics, University of Belgrade, Belgrade, Serbia

¹⁷ Department for Physics and Technology, University of Bergen, Bergen, Norway

¹⁸ ^(a) Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA; ^(b) University of California, Berkeley CA, United States of America

¹⁹ Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany

²⁰ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland

²¹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom

²² ^(a) Department of Physics, Bogazici University, Istanbul; ^(b) Department of Physics Engineering, Gaziantep University, Gaziantep; ^(c) Department of Physics, Istanbul University, Istanbul, Türkiye

²³ ^(a) Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá;

^(b) Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia

²⁴ ^(a) Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna; ^(b) INFN Sezione di Bologna, Italy

²⁵ Physikalisches Institut, Universität Bonn, Bonn, Germany

²⁶ Department of Physics, Boston University, Boston MA, United States of America

²⁷ Department of Physics, Brandeis University, Waltham MA, United States of America

²⁸ ^(a) Transilvania University of Brasov, Brasov; ^(b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; ^(c) Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi;

^(d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics

Department, Cluj-Napoca; ^(e) National University of Science and Technology Politehnica, Bucharest;

^(f) West University in Timisoara, Timisoara; ^(g) Faculty of Physics, University of Bucharest, Bucharest, Romania

²⁹ ^(a) Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava; ^(b) Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic

³⁰ Physics Department, Brookhaven National Laboratory, Upton NY, United States of America

- ³¹ *Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina*
- ³² *California State University, CA, United States of America*
- ³³ *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
- ³⁴ ^(a) *Department of Physics, University of Cape Town, Cape Town;* ^(b) *iThemba Labs, Western Cape;* ^(c) *Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg;* ^(d) *National Institute of Physics, University of the Philippines Diliman (Philippines);* ^(e) *University of South Africa, Department of Physics, Pretoria;* ^(f) *University of Zululand, KwaDlangezwa;* ^(g) *School of Physics, University of the Witwatersrand, Johannesburg, South Africa*
- ³⁵ *Department of Physics, Carleton University, Ottawa ON, Canada*
- ³⁶ ^(a) *Faculté des Sciences Ain Chock, Université Hassan II de Casablanca;* ^(b) *Faculté des Sciences, Université Ibn-Tofail, Kénitra;* ^(c) *Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;* ^(d) *LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda;* ^(e) *Faculté des sciences, Université Mohammed V, Rabat;* ^(f) *Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco*
- ³⁷ *CERN, Geneva, Switzerland*
- ³⁸ *Affiliated with an institute covered by a cooperation agreement with CERN*
- ³⁹ *Affiliated with an international laboratory covered by a cooperation agreement with CERN*
- ⁴⁰ *Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America*
- ⁴¹ *LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France*
- ⁴² *Nevis Laboratory, Columbia University, Irvington NY, United States of America*
- ⁴³ *Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
- ⁴⁴ ^(a) *Dipartimento di Fisica, Università della Calabria, Rende;* ^(b) *INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy*
- ⁴⁵ *Physics Department, Southern Methodist University, Dallas TX, United States of America*
- ⁴⁶ *Physics Department, University of Texas at Dallas, Richardson TX, United States of America*
- ⁴⁷ *National Centre for Scientific Research “Demokritos”, Agia Paraskevi, Greece*
- ⁴⁸ ^(a) *Department of Physics, Stockholm University;* ^(b) *Oskar Klein Centre, Stockholm, Sweden*
- ⁴⁹ *Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany*
- ⁵⁰ *Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany*
- ⁵¹ *Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany*
- ⁵² *Department of Physics, Duke University, Durham NC, United States of America*
- ⁵³ *SUPA - School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom*
- ⁵⁴ *INFN e Laboratori Nazionali di Frascati, Frascati, Italy*
- ⁵⁵ *Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany*
- ⁵⁶ *II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany*
- ⁵⁷ *Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland*
- ⁵⁸ ^(a) *Dipartimento di Fisica, Università di Genova, Genova;* ^(b) *INFN Sezione di Genova, Italy*
- ⁵⁹ *II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany*
- ⁶⁰ *SUPA - School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*
- ⁶¹ *LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France*
- ⁶² *Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America*
- ⁶³ ^(a) *Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei;* ^(b) *Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao;* ^(c) *School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai;* ^(d) *Tsung-Dao Lee Institute, Shanghai;* ^(e) *School of Physics and Microelectronics, Zhengzhou University, China*
- ⁶⁴ ^(a) *Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg;* ^(b) *Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany*
- ⁶⁵ ^(a) *Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong;* ^(b) *Department of Physics, University of Hong Kong, Hong Kong;* ^(c) *Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China*

- ⁶⁶ *Department of Physics, National Tsing Hua University, Hsinchu, Taiwan*
- ⁶⁷ *IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France*
- ⁶⁸ *Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain*
- ⁶⁹ *Department of Physics, Indiana University, Bloomington IN, United States of America*
- ⁷⁰ ^(a) *INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;* ^(b) *ICTP, Trieste;* ^(c) *Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy*
- ⁷¹ ^(a) *INFN Sezione di Lecce;* ^(b) *Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy*
- ⁷² ^(a) *INFN Sezione di Milano;* ^(b) *Dipartimento di Fisica, Università di Milano, Milano, Italy*
- ⁷³ ^(a) *INFN Sezione di Napoli;* ^(b) *Dipartimento di Fisica, Università di Napoli, Napoli, Italy*
- ⁷⁴ ^(a) *INFN Sezione di Pavia;* ^(b) *Dipartimento di Fisica, Università di Pavia, Pavia, Italy*
- ⁷⁵ ^(a) *INFN Sezione di Pisa;* ^(b) *Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*
- ⁷⁶ ^(a) *INFN Sezione di Roma;* ^(b) *Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy*
- ⁷⁷ ^(a) *INFN Sezione di Roma Tor Vergata;* ^(b) *Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*
- ⁷⁸ ^(a) *INFN Sezione di Roma Tre;* ^(b) *Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*
- ⁷⁹ ^(a) *INFN-TIFPA;* ^(b) *Università degli Studi di Trento, Trento, Italy*
- ⁸⁰ *Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria*
- ⁸¹ *University of Iowa, Iowa City IA, United States of America*
- ⁸² *Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America*
- ⁸³ *Istinye University, Sariyer, Istanbul, Türkiye*
- ⁸⁴ ^(a) *Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora;* ^(b) *Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro;* ^(c) *Instituto de Física, Universidade de São Paulo, São Paulo;* ^(d) *Rio de Janeiro State University, Rio de Janeiro;* ^(e) *Federal University of Bahia, Bahia, Brazil*
- ⁸⁵ *KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*
- ⁸⁶ *Graduate School of Science, Kobe University, Kobe, Japan*
- ⁸⁷ ^(a) *AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow;* ^(b) *Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*
- ⁸⁸ *Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
- ⁸⁹ *Faculty of Science, Kyoto University, Kyoto, Japan*
- ⁹⁰ *Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*
- ⁹¹ *L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France*
- ⁹² *Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*
- ⁹³ *Physics Department, Lancaster University, Lancaster, United Kingdom*
- ⁹⁴ *Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
- ⁹⁵ *Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*
- ⁹⁶ *School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*
- ⁹⁷ *Department of Physics, Royal Holloway University of London, Egham, United Kingdom*
- ⁹⁸ *Department of Physics and Astronomy, University College London, London, United Kingdom*
- ⁹⁹ *Louisiana Tech University, Ruston LA, United States of America*
- ¹⁰⁰ *Fysiska institutionen, Lunds universitet, Lund, Sweden*
- ¹⁰¹ *Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*
- ¹⁰² *Institut für Physik, Universität Mainz, Mainz, Germany*
- ¹⁰³ *School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- ¹⁰⁴ *CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*
- ¹⁰⁵ *Department of Physics, University of Massachusetts, Amherst MA, United States of America*
- ¹⁰⁶ *Department of Physics, McGill University, Montreal QC, Canada*
- ¹⁰⁷ *School of Physics, University of Melbourne, Victoria, Australia*
- ¹⁰⁸ *Department of Physics, University of Michigan, Ann Arbor MI, United States of America*
- ¹⁰⁹ *Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America*

- ¹¹⁰ *Group of Particle Physics, University of Montreal, Montreal QC, Canada*
- ¹¹¹ *Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
- ¹¹² *Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
- ¹¹³ *Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*
- ¹¹⁴ ^(a) *Department of Physics, Nanjing University, Nanjing;* ^(b) *School of Science, Shenzhen Campus of Sun Yat-sen University;* ^(c) *University of Chinese Academy of Science (UCAS), Beijing, China*
- ¹¹⁵ *Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America*
- ¹¹⁶ *Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, The Netherlands*
- ¹¹⁷ *Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, The Netherlands*
- ¹¹⁸ *Department of Physics, Northern Illinois University, DeKalb IL, United States of America*
- ¹¹⁹ ^(a) *New York University Abu Dhabi, Abu Dhabi;* ^(b) *United Arab Emirates University, Al Ain, United Arab Emirates*
- ¹²⁰ *Department of Physics, New York University, New York NY, United States of America*
- ¹²¹ *Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*
- ¹²² *Ohio State University, Columbus OH, United States of America*
- ¹²³ *Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America*
- ¹²⁴ *Department of Physics, Oklahoma State University, Stillwater OK, United States of America*
- ¹²⁵ *Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*
- ¹²⁶ *Institute for Fundamental Science, University of Oregon, Eugene, OR, United States of America*
- ¹²⁷ *Graduate School of Science, Osaka University, Osaka, Japan*
- ¹²⁸ *Department of Physics, University of Oslo, Oslo, Norway*
- ¹²⁹ *Department of Physics, Oxford University, Oxford, United Kingdom*
- ¹³⁰ *LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*
- ¹³¹ *Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America*
- ¹³² *Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America*
- ¹³³ ^(a) *Laboratório de Instrumentação e Física Experimental de Partículas - LIP, Lisboa;* ^(b) *Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa;* ^(c) *Departamento de Física, Universidade de Coimbra, Coimbra;* ^(d) *Centro de Física Nuclear da Universidade de Lisboa, Lisboa;* ^(e) *Departamento de Física, Universidade do Minho, Braga;* ^(f) *Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain);* ^(g) *Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*
- ¹³⁴ *Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*
- ¹³⁵ *Czech Technical University in Prague, Prague, Czech Republic*
- ¹³⁶ *Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
- ¹³⁷ *Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
- ¹³⁸ *IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ¹³⁹ *Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America*
- ¹⁴⁰ ^(a) *Departamento de Física, Pontificia Universidad Católica de Chile, Santiago;* ^(b) *Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago;* ^(c) *Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena;* ^(d) *Universidad Andres Bello, Department of Physics, Santiago;* ^(e) *Instituto de Alta Investigación, Universidad de Tarapacá, Arica;* ^(f) *Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
- ¹⁴¹ *Department of Physics, University of Washington, Seattle WA, United States of America*
- ¹⁴² *Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
- ¹⁴³ *Department of Physics, Shinshu University, Nagano, Japan*
- ¹⁴⁴ *Department Physik, Universität Siegen, Siegen, Germany*
- ¹⁴⁵ *Department of Physics, Simon Fraser University, Burnaby BC, Canada*

- ¹⁴⁶ *SLAC National Accelerator Laboratory, Stanford CA, United States of America*
- ¹⁴⁷ *Department of Physics, Royal Institute of Technology, Stockholm, Sweden*
- ¹⁴⁸ *Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY, United States of America*
- ¹⁴⁹ *Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
- ¹⁵⁰ *School of Physics, University of Sydney, Sydney, Australia*
- ¹⁵¹ *Institute of Physics, Academia Sinica, Taipei, Taiwan*
- ¹⁵² ^(a) *E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi;* ^(b) *High Energy Physics Institute, Tbilisi State University, Tbilisi;* ^(c) *University of Georgia, Tbilisi, Georgia*
- ¹⁵³ *Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*
- ¹⁵⁴ *Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
- ¹⁵⁵ *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- ¹⁵⁶ *International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*
- ¹⁵⁷ *Department of Physics, Tokyo Institute of Technology, Tokyo, Japan*
- ¹⁵⁸ *Department of Physics, University of Toronto, Toronto ON, Canada*
- ¹⁵⁹ ^(a) *TRIUMF, Vancouver BC;* ^(b) *Department of Physics and Astronomy, York University, Toronto ON, Canada*
- ¹⁶⁰ *Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*
- ¹⁶¹ *Department of Physics and Astronomy, Tufts University, Medford MA, United States of America*
- ¹⁶² *Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America*
- ¹⁶³ *University of Sharjah, Sharjah, United Arab Emirates*
- ¹⁶⁴ *Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
- ¹⁶⁵ *Department of Physics, University of Illinois, Urbana IL, United States of America*
- ¹⁶⁶ *Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia - CSIC, Valencia, Spain*
- ¹⁶⁷ *Department of Physics, University of British Columbia, Vancouver BC, Canada*
- ¹⁶⁸ *Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada*
- ¹⁶⁹ *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- ¹⁷⁰ *Department of Physics, University of Warwick, Coventry, United Kingdom*
- ¹⁷¹ *Waseda University, Tokyo, Japan*
- ¹⁷² *Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*
- ¹⁷³ *Department of Physics, University of Wisconsin, Madison WI, United States of America*
- ¹⁷⁴ *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
- ¹⁷⁵ *Department of Physics, Yale University, New Haven CT, United States of America*
- ^a *Also Affiliated with an institute covered by a cooperation agreement with CERN*
- ^b *Also at An-Najah National University, Nablus, Palestine*
- ^c *Also at Borough of Manhattan Community College, City University of New York, New York NY, United States of America*
- ^d *Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece*
- ^e *Also at CERN, Geneva, Switzerland*
- ^f *Also at CMD-AC UNEC Research Center, Azerbaijan State University of Economics (UNEC), Azerbaijan*
- ^g *Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland*
- ^h *Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain*
- ⁱ *Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece*
- ^j *Also at Department of Physics, California State University, Sacramento, United States of America*
- ^k *Also at Department of Physics, King's College London, London, United Kingdom*
- ^l *Also at Department of Physics, Stanford University, Stanford CA, United States of America*
- ^m *Also at Department of Physics, Stellenbosch University, South Africa*
- ⁿ *Also at Department of Physics, University of Fribourg, Fribourg, Switzerland*
- ^o *Also at Department of Physics, University of Thessaly, Greece*

- ^p Also at Department of Physics, Westmont College, Santa Barbara, United States of America
- ^q Also at Faculty of Physics, Sofia University, ‘St. Kliment Ohridski’, Sofia, Bulgaria
- ^r Also at Hellenic Open University, Patras, Greece
- ^s Also at Imam Mohammad Ibn Saud Islamic University, Saudi Arabia
- ^t Also at Institucio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain
- ^u Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ^v Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria
- ^w Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
- ^x Also at Institute of Particle Physics (IPP), Canada
- ^y Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^z Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia
- ^{aa} Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
- ^{ab} Also at Technical University of Munich, Munich, Germany
- ^{ac} Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China
- ^{ad} Also at TRIUMF, Vancouver BC, Canada
- ^{ae} Also at Università di Napoli Parthenope, Napoli, Italy
- ^{af} Also at University of Colorado Boulder, Department of Physics, Colorado, United States of America
- ^{ag} Also at Washington College, Chestertown, MD, United States of America
- ^{ah} Also at Yeditepe University, Physics Department, Istanbul, Türkiye
- * Deceased