

Search for dimuon resonance in the 35 to 75 GeV mass range using 140 fb^{-1} of 13 TeV pp collisions with the ATLAS detector



The ATLAS collaboration

Full author list at the end of the paper

E-mail: atlas.publications@cern.ch

ABSTRACT: A model-independent search for low-mass resonances decaying into pairs of oppositely charged muons is presented. The analysis uses proton-proton collision data corresponding to an integrated luminosity of 140 fb^{-1} , recorded by the ATLAS detector at the Large Hadron Collider between 2015 and 2018. The search targets hypothetical dimuon resonances in the invariant mass range from 35 GeV to 75 GeV. The modelling of this mass region is particularly challenging for conventional analytic background parameterisations. To address this, a Gaussian process regression technique is used to model the background. The dimuon mass spectrum is analysed for potential signals, and no statistically significant excess is observed. Upper limits at the 95% confidence level are set on the fiducial production cross-section of new resonances decaying promptly into muons, ranging from 20 fb to 110 fb, depending on the resonance mass. These results are further interpreted in the context of dark-photon and dark-matter-mediator models, leading to new constraints on their parameter spaces.

KEYWORDS: Hadron-Hadron Scattering

ARXIV EPRINT: [2601.21361](https://arxiv.org/abs/2601.21361)

Contents

1	Introduction	1
2	ATLAS detector	3
3	Data and Monte Carlo samples	4
3.1	Data sample	4
3.2	Simulation of signal processes	5
3.3	Simulation of background processes	6
4	Object and event selection	7
5	Signal modelling	8
5.1	Acceptance and efficiency	8
5.2	Parameterisation of the dimuon invariant mass	9
6	Systematic uncertainties	10
7	Background modelling and signal yield extraction	11
7.1	Signal extraction procedure with GPR-based background modelling	12
7.2	Hyper-parameters tuning of GPR	13
8	Statistical interpretation and limit setting	14
9	Results	16
10	Conclusions	19
	The ATLAS collaboration	26

1 Introduction

Many strategies are employed to search for physics beyond the Standard Model (BSM), motivated by the open questions that remain in particle physics. Model-independent searches for low-mass resonances are of considerable interest due to their potential to reveal new phenomena, such as possible dark-matter interactions. Among the possible final states, the dimuon channel provides a clean and well-understood signature, offering high sensitivity to a broad class of BSM scenarios.

BSM scenarios involving dark matter (DM) provide a compelling motivation for such searches. While there is convincing cosmological evidence for the existence of dark matter [1–4], its fundamental nature remains one of the most pressing open questions in both particle physics and cosmology. Although no interactions between DM and Standard Model (SM) particles beyond gravity have yet been observed, many theoretical models predict that DM could interact very weakly with SM particles [5]. These scenarios often introduce a hidden

sector of particles, with interactions mediated by a new vector or axial-vector boson. If such interactions exist, these mediators could be produced in proton-proton (pp) collisions at the Large Hadron Collider (LHC) [6] and subsequently decay into SM particles.

While the search presented in this paper is designed to be model independent, two benchmark theoretical scenarios are used for interpretation, illustrating possible DM realisations leading to low-mass dimuon resonances. A standard benchmark for LHC DM searches [7] involves extending the SM with an additional $U(1)$ gauge symmetry, under which the DM particle carries a charge. If certain SM particles are also assumed to carry charges under this new gauge group, a new gauge boson, commonly denoted as Z' , could mediate interactions between SM and DM particles. Within the framework of a simplified s -channel exchange model, these interactions can be described by the following Lagrangians, incorporating both vector and axial-vector couplings:

$$\mathcal{L}_V \supset \frac{1}{2}m_{Z'}^2 V_\mu V^\mu - g_q V_\mu \bar{q}_i \gamma^\mu q_i - g_l V_\mu \bar{l}_i \gamma^\mu l_i - g_\chi V_\mu \bar{\chi} \gamma^\mu \chi \quad (1.1)$$

$$\mathcal{L}_A \supset \frac{1}{2}m_{Z'}^2 V_\mu V^\mu - g_q V_\mu \bar{q}_i \gamma^\mu \gamma^5 q_i - g_l V_\mu \bar{l}_i \gamma^\mu \gamma^5 l_i - g_\chi V_\mu \bar{\chi} \gamma^\mu \gamma^5 \chi \quad (1.2)$$

where $m_{Z'}$ is the mass of the Z' boson (V_μ). The couplings g_q and g_l are taken to be universal across all quark and lepton flavours, respectively, and g_χ represents the coupling between the mediator and the DM particle (χ).

An alternative, theoretically well-motivated framework introduces kinetic mixing between a dark Abelian gauge symmetry, $U_D(1)$, and the SM hypercharge, $U_Y(1)$ [8]. The relevant gauge terms in the Lagrangian are:

$$\mathcal{L} \supset -\frac{1}{4}B_{\mu\nu}B^{\mu\nu} - \frac{1}{4}Z_{D\mu\nu}Z_D^{\mu\nu} + \frac{1}{2}\frac{\epsilon}{\cos\theta}Z_{D\mu\nu}B^{\mu\nu} + \frac{1}{2}m_{Z_D,0}^2 Z_D^\mu Z_{D\mu}.$$

where the $U_Y(1)$ and $U_D(1)$ field strengths are defined as $B_{\mu\nu} = \partial_\mu B_\nu - \partial_\nu B_\mu$ and $Z_{D\mu\nu} = \partial_\mu Z_{D\nu} - \partial_\nu Z_{D\mu}$, respectively, and θ is the Weinberg mixing angle. In this model, the resonance, referred to as a dark photon, Z_D , has a mass m_{Z_D} , denoted as $m_{Z_D,0}$ before mixing with the SM. While the dark photon has no direct couplings to SM particles, the kinetic mixing parameter ϵ induces an effective coupling between the two sectors.

This analysis searches for new resonances decaying into pairs of muons, using the dimuon invariant mass as the primary discriminating variable. Benchmark signal models include a Z' and a Z_D , which could be directly produced via the Drell-Yan (DY) mechanism in pp collisions and subsequently decay promptly into a pair of oppositely charged muons, as illustrated in figure 1. These benchmark signals serve as representative scenarios for evaluating the sensitivity of the search.

Searches for low-mass dimuon resonances have been performed by the CMS [9, 10] and LHCb [11] Collaborations, covering mass ranges of 1.1–7.9 GeV, 11.5–75 GeV and 110–200 GeV for CMS, and 0.214–70 GeV for LHCb. Building on similar strategies, this analysis employs a data-driven approach to estimate the dominant, smoothly varying background from Z/γ^* induced dimuon production and to search for new resonances appearing as localised deviations on top of this background spectrum using ATLAS data [12]. The mass region from 35 to 75 GeV is investigated. This range is selected based on signal-extraction capability and is explored for the first time in a resonance search with ATLAS data.




Figure 1. Feynman diagrams for Drell-Yan production of (a) a generic resonance Z' and (b) a kinetically mixed dark photon Z_D .

A key innovation of this study is the use of Gaussian process regression (GPR) [13–15], a flexible non-parametric method that is novel in the context of modelling the background shape in resonance searches. This replaces the traditional analytic functions used, for example, in refs. [9–11, 16–18], to describe the background in simultaneous signal-plus-background fits, and provides a robust description of the full mass range accessible with standard, unscaled muon triggers.

The signal is extracted through a binned simultaneous profile likelihood fit to the signal and background components observed in data. In the absence of a significant excess, upper limits are set on the fiducial production cross-section times branching ratio to the dimuon final state of a new resonance, as a function of its mass. These model-independent fiducial cross-sections are then parameterised into the coupling parameters of the DM mediator and dark photon models, described above, from which upper limits on these theoretical parameters are derived.

The structure of this paper is as follows. Section 2 provides a brief description of the ATLAS detector. Section 3 presents the data and Monte Carlo (MC) simulation samples used in the analysis. The event reconstruction and selection criteria are detailed in section 4. Section 5 discusses the modelling of the signal and the associated systematic uncertainties. The background estimation and signal extraction based on GPR are described in section 7. Section 8 outlines the statistical interpretation and limit-setting procedure. The results and their interpretations in the context of benchmark models are presented in section 9, and the conclusions are summarised in section 10.

2 ATLAS detector

The ATLAS detector [12] at the LHC covers nearly the entire solid angle around the collision point.¹ It consists of an inner tracking detector surrounded by a thin superconducting

¹ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Polar coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the z -axis. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$ and is equal to the rapidity $y = \frac{1}{2} \ln \left(\frac{E+p_z}{E-p_z} \right)$ in the relativistic limit. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta y)^2 + (\Delta \phi)^2}$.

solenoid, electromagnetic and hadronic calorimeters, and a muon spectrometer incorporating three large superconducting air-core toroidal magnets.

The inner-detector system (ID) is immersed in a 2 T axial magnetic field and provides charged-particle tracking in the range of $|\eta| < 2.5$. The high-granularity silicon pixel detector covers the vertex region and typically provides four measurements per track [19, 20]. It is followed by the semiconductor tracker (SCT), which usually contributes eight measurements per track. These silicon detectors are complemented by the transition radiation tracker (TRT), which extends track reconstruction capabilities to a radial distance corresponding to $|\eta| = 2.0$. The TRT also provides electron identification information based on the fraction of hits (typically 30 in total) above a higher energy-deposit threshold corresponding to transition radiation.

The calorimeter system covers $|\eta| < 4.9$. Within $|\eta| < 3.2$, electromagnetic calorimetry is provided by barrel and endcap high-granularity lead/liquid-argon (LAr) calorimeters, with an additional thin LAr presampler covering $|\eta| < 1.8$ to correct for energy loss in material upstream of the calorimeters. Hadronic calorimetry is provided by the steel/scintillator-tile calorimeter within $|\eta| < 1.7$, and two copper/LAr hadronic endcap calorimeters in $1.5 < |\eta| < 3.2$. The solid angle coverage is completed with forward copper/LAr and tungsten/LAr calorimeter modules optimised for electromagnetic and hadronic energy measurements, respectively.

The muon spectrometer (MS) comprises separate trigger and high-precision tracking chambers measuring the deflection of muons in a magnetic field generated by the superconducting air-core toroidal magnets. The field integral of the toroids ranges between 2.0 and 6.0 T m across most of the detector. Three layers of precision chambers, each consisting of layers of monitored drift tubes, cover the region $|\eta| < 2.7$, complemented by cathode-strip chambers in the forward region, where the background is highest. The muon trigger system covers the range $|\eta| < 2.4$ with resistive-plate chambers in the barrel, and thin-gap chambers in the endcap regions.

Events were selected by the first-level trigger system implemented in custom hardware, followed by selections made by algorithms implemented in software in the high-level trigger [21]. The first-level trigger accepted events from the 40 MHz bunch crossings at a rate close to 100 kHz, which the high-level trigger further reduced in order to record complete events to disk at about 1.25 kHz.

A software suite [22] is used in data simulation, in the reconstruction and analysis of real and simulated data, in detector operations, and in the trigger and data acquisition systems of the experiment.

3 Data and Monte Carlo samples

3.1 Data sample

The data were recorded by the ATLAS detector during the period 2015–2018. After selecting data-taking periods corresponding to good detector conditions [23] and applying standard data-quality requirements, the total integrated luminosity amounts to 140 fb^{-1} [24, 25]. Events were selected using unprescaled single-muon and dimuon triggers [26].

For single-muon triggers, two types of trigger were employed, one with an isolation requirement and one without. The single-muon trigger with the isolation condition selected muons with transverse momentum $p_T > 26$ GeV that satisfied medium identification and isolation criteria [27]. To enhance acceptance for high-momentum muons, an additional non-isolated single-muon trigger requiring $p_T > 50$ GeV was also used, avoiding the isolation requirement whose efficiency decreases at high p_T .

Two dimuon triggers were employed, one with symmetric and the other with asymmetric p_T requirements on the two muons. The symmetric trigger required two muons with $p_T > 14$ GeV, while the asymmetric configuration required one muon with $p_T > 22$ GeV and the other with $p_T > 8$ GeV. Neither of the dimuon triggers applied isolation requirements to the muons.

3.2 Simulation of signal processes

Dedicated MC samples were produced for the benchmark signal models involving the Z' and dark photon (Z_D) resonances. These samples are used to model the signal acceptance, efficiency, and invariant-mass distributions. The simplified DM model was used for the MC production of the Z' signal samples, in which the Z' boson couples to SM and DM particles through either vector or axial-vector interactions, as defined in eqs. (1.1) and (1.2). The two interaction types are denoted as Z'_V and Z'_A , respectively. To study one of the most commonly considered scenarios [5], the mass of the DM particle is set to 10 TeV, thereby kinematically forbidding the decay of the Z' boson into DM particles.

The simulations are based on a *Universal FeynRules Output* (UFO) [28, 29] implementation of the DMsimp model [30], generated using FeynRules [29]. The original model was modified to include couplings to leptons [31]. Signal events were generated at leading order (LO) using MADGRAPH 5 [8] with the A14 set of tuned parameters (tune) [32] and the NNPDF2.3LO [33] parton distribution function (PDF) set, followed by parton showering with PYTHIA 8 [34].

The differences in acceptance and mass shape modelling between the Z'_A and Z'_V models are found to be negligible. Therefore, signal sample production focuses on the axial-vector interaction case, while results for the vector case can be obtained by reinterpretation, using the relationship between couplings and cross-sections.

To explore different regions of parameter space, MC samples were generated over a range of Z' masses and intrinsic widths. For mass modelling, benchmarks were set between 35 GeV to 75 GeV, in 5 GeV intervals, with both g_l and g_q set to 0.1. To study intrinsic width effects, two representative mass points (45 GeV and 65 GeV) were chosen, and the coupling strength was varied from 0.1 to 0.3, maintaining $g_l = g_q$. This corresponds to intrinsic-width ratios of $\Gamma/m_{Z'} \approx 0.4\% - 4\%$.

The spacing between simulated mass points is validated as sufficient for interpolating the signal modelling, enabling a continuous parameterisation across the mass and width ranges of interest. The upper range of the coupling scan is chosen such that the intrinsic width becomes comparable to the detector resolution, allowing an evaluation of width effects on the analysis sensitivity. The intrinsic width Γ used is calculated according to theoretical predictions for Z'_A [31], which account for contributions from decays into leptons, quarks,

and neutrinos, given by:

$$\begin{aligned}\Gamma^{q\bar{q}} &= \frac{g_q^2 m_{Z'}}{4\pi} (1 - 4z_q)^{3/2}, \\ \Gamma^{\ell\bar{\ell}} &= \frac{g_\ell^2 m_{Z'}}{12\pi} (1 - 4z_\ell)^{3/2}, \\ \Gamma^{\nu\bar{\nu}} &= \frac{g_\ell^2}{24\pi} m_{Z'},\end{aligned}$$

where $z_i = m_i^2/m_{Z'}^2$, with $i = q, \ell$.

LO Z_D samples were generated between 35 GeV to 75 GeV, in 5 GeV intervals, using the hidden Abelian Higgs model (HAHM v3) [8] implemented in MADGRAPH5, in order to quantify the results in terms of the dark-photon interpretation. The input parameters for MADGRAPH5 were derived from the chosen Z_D mass (m_{Z_D}), together with the corresponding width (Γ_{Z_D}) and branching ratio ($\mathcal{B}_{\ell\ell}$), calculated including three-loop quantum chromodynamics (QCD) corrections as reported in ref. [8]. In the (HAHM v3) configuration used in this analysis, no hidden-sector states lighter than the Z_D are assumed, and therefore the Z_D decays exclusively into Standard Model fermions. The NNPDF2.3LO [33] PDF set was used for the matrix-element calculation. Parton showering and hadronisation were performed by PYTHIA 8 [35], using the A14 tune and the NNPDF2.3LO [36] PDF set. Signal samples for both models were simulated using the ATLAS fast simulation framework (AtlFast-II) [37].

For both the Z' and Z_D signals, cross-sections were evaluated at LO and corrected to next-to-next-to-leading order (NNLO) using a common k-factor [38].

The effect of multiple interactions in the same and neighbouring bunch crossings (pile-up) for all simulated signal and background (described below) samples was modelled by overlaying the simulated hard-scattering events with inelastic pp events generated with PYTHIA 8.186 [35], the NNPDF2.3LO PDF set and the A3 tune [39]. Simulated events were reweighted to match the pile-up conditions in data. All samples were reconstructed and processed with the same trigger and reconstruction algorithms as used in data.

3.3 Simulation of background processes

To validate the statistical analysis for the data-driven background estimation, simulated SM background processes are used. The dominant contribution arises from DY $Z/\gamma^* \rightarrow \mu^+\mu^-$ production, with smaller contributions from $Z/\gamma^* \rightarrow \tau^+\tau^-$, top-quark pair ($t\bar{t}$) production, and diboson processes. Background events from the DY $Z/\gamma^* \rightarrow \mu^+\mu^-$ and $Z/\gamma^* \rightarrow \tau^+\tau^-$ process were simulated with SHERPA 2.2.1 [40] employing next-to-leading-order (NLO) accurate matrix elements for up to two partons, and LO-accurate matrix elements for up to four partons. These were calculated with the COMIX [41] and OPENLOOPS [42, 43] libraries and used the NNPDF3.0NNLO PDF set [44]. Parton showering was performed using the SHERPA parton shower [45] with MEPS@NLO matching [46–49]. Diboson processes (WW , WZ , and ZZ) were simulated with a similar set-up in SHERPA 2.2.1. The $t\bar{t}$ samples were generated at NLO using POWHEG BOX [50, 51] with the NNPDF3.0NLO PDF set interfaced to PYTHIA 8 for parton showering and hadronisation with the A14 tune. All background MC samples were processed by the full ATLAS detector simulation based on GEANT4 [52].

Typically, the equivalent integrated luminosity of the fully simulated background samples is 5–20 times higher than that of the data. To validate the signal extraction procedure with a smooth background template, an additional large DY sample was produced using a generator-smearing technique, following the method used in the ATLAS $H \rightarrow \mu^+\mu^-$ analysis [53]. In this technique, generator-level muons are smeared using parameterised detector resolutions that include non-Gaussian tails to emulate reconstruction effects. The generator-smearing simulation was performed with PYTHIA 8.244. Only $Z \rightarrow \mu^+\mu^-$ and $Z \rightarrow \tau^+\tau^-$ decays were enabled. To speed up event generation without affecting the final-state muon kinematics, multi-parton interactions and hadronisation were disabled. The A14 tune, together with the NNPDF2.3LO PDF set, was used as the baseline. Final-state radiation photons were simulated using the default PYTHIA 8 QED parton shower. The equivalent integrated luminosity of the generator-smearing sample corresponds to approximately 30 ab^{-1} . Residual mismodelling in the generator-smearing sample was corrected by reweighting its mass spectrum to match that of the fully simulated DY sample, using a high-order polynomial to avoid propagating statistical uncertainties from the fully simulated sample.

4 Object and event selection

Proton-proton interaction vertices are reconstructed from events containing at least two tracks associated with the ID, each with transverse momentum $p_T > 0.5 \text{ GeV}$. Track reconstruction in the ID is performed using a combinatorial Kalman filter algorithm, seeded by hit triplets in the pixel and silicon microstrip detectors, with additional recovery of tracks formed from segments in the TRT. The primary hard-scatter vertex is defined as the vertex with the largest $\sum p_T^2$ of its associated tracks [54].

Most muon candidates are reconstructed using a combined track from the ID and the MS. To increase the muon reconstruction efficiency within the region $|\eta| < 1$, where the MS coverage is limited, additional muon candidates are reconstructed by matching an ID track to either calorimeter hits consistent with a minimum-ionising particle or to a single MS track segment.

Corrections are applied to the reconstructed muon momentum in simulation to ensure precise agreement with data. These corrections to the simulated momentum scale and resolution are parameterised as an expansion in powers of the muon p_T , with each coefficient determined as a function of η and ϕ [55].

Muon candidates are required to satisfy medium identification criteria [27]. To reduce the contribution from fake muons originating from light-jet misidentification, a particle-flow-based isolation criterion [56] is applied. In addition, to suppress muons from non-prompt heavy-flavour hadron decays, muon candidates must satisfy $|d_0/\sigma_{d_0}| < 3$ and $|z_0 \sin \theta| < 0.5 \text{ mm}$, where d_0 is the transverse impact parameter measured relative to the measured beamline position, σ_{d_0} is its uncertainty, and z_0 is the longitudinal distance between the point of closest approach in the transverse plane and the primary vertex. Muon candidates are required to have $p_T > 3 \text{ GeV}$ and $|\eta| < 2.4$.

Events are selected if they contain at least two muon candidates. The two muons with the highest p_T are chosen to form the dimuon pair and are required to have opposite electric charges. To ensure that the trigger operated in its efficiency plateau region, dedicated

Trigger type	Matching criteria	p_T [GeV]
Single muon	At least one muon matched to a single-muon trigger	> 27
Asymmetric dimuon	Leading muon matched to the high- p_T trigger object	> 23
	Subleading muon matched to the trigger low- p_T object	> 10
Symmetric dimuon	Both muons matched to the two trigger objects	> 15

Table 1. Summary of matching criteria ensuring the events are in the trigger efficiency plateau.

Fiducial categories	$p_T^{\mu_1}$ [GeV]	$p_T^{\mu_2}$ [GeV]	$ \eta^{\mu_1} $	$ \eta^{\mu_2} $
Single muon	> 27	> 3	< 2.4	< 2.4
Asymmetric dimuon	> 23	> 10	< 2.4	< 2.4
Symmetric dimuon	> 15	> 15	< 2.4	< 2.4

Table 2. Definition of fiducial regions. Each event is required to contain two muons (labelled as μ_1 and μ_2) that satisfy all listed selection criteria.

selection criteria on p_T are applied to the muons matched to the corresponding trigger objects. These requirements are summarised in table 1.

The overall trigger matching [26] is performed by applying a logical OR of the criteria listed for the various trigger types in table 1. An event is considered matched if it satisfies the requirements of at least one trigger type. The relative contributions of different triggers depend on the signal mass: at low masses, approximately 65% of events are selected exclusively by the asymmetric dimuon trigger, whereas at higher masses, about 61% of events are selected by all three trigger types. The signal region is defined by the invariant mass of the dimuon pair being within the range 30–80 GeV.

5 Signal modelling

Building on the event selection outlined in the previous section, the expected signal contribution is modelled to assess the sensitivity of the analysis to possible new resonances. The modelling of the signal shape, and the evaluation of the acceptance and efficiency within the fiducial region are presented in this section.

5.1 Acceptance and efficiency

Following the detector-level selection, the signal production cross-section is evaluated within a fiducial volume defined by applying the muon selection criteria at particle level, as summarised in table 2. These criteria are defined after final-state radiation and are designed to reflect the acceptance of the corresponding trigger matching applied at the reconstruction level. Three overlapping categories, single-muon, asymmetric-dimuon and symmetric-dimuon are defined to emulate the respective trigger requirements. An event is considered to be within the fiducial region if it satisfies the conditions of at least one of these three categories.

The fiducial regions, defined in table 2, provide the framework for evaluating signal acceptance and selection efficiency. The acceptance ($\mathcal{A}$) is defined as the fraction of all




Figure 2. Parameterisation of the acceptance and efficiency for the new resonance. (a) The product of acceptance and efficiency ($\mathcal{A} \times \varepsilon$) as a function of the resonance mass, fitted with a second-order polynomial. (b) The detector correction factor (efficiency, ε) as a function of the resonance mass, fitted with a third-order polynomial.

generated signal events that satisfy the fiducial selections at particle level. The efficiency (ε) is defined as the probability that a fiducial event also passes the full reconstruction-level selection, including all object- and event-level requirements. These quantities are used to extrapolate the measured signal yield to the fiducial phase space and to interpret the results in terms of theoretical parameters.

The overall acceptance and efficiency of the signal depend strongly on the mass of the new resonance. Figure 2 presents both the acceptance times efficiency ($\mathcal{A} \times \varepsilon$) and the standalone efficiency as a function of the new resonance mass. To model their mass dependence, a second-order polynomial is fitted to $\mathcal{A} \times \varepsilon$, while a third-order polynomial is used to describe ε . As the acceptance and efficiency are found to be similar for the Z' and Z_D signals, a common parameterisation is adopted for both cases.

5.2 Parameterisation of the dimuon invariant mass

The invariant mass ($m_{\mu\mu}$) distribution of the signal resonance is modelled using a Breit-Wigner (BW) function convolved with a double-sided Crystal Ball (DSCB) function [57–59]. The generator-level lineshape of the signal is described by the BW function, as:

$$f(x) \propto \frac{1}{(x - m_X)^2 + \left(\frac{1}{2}\Gamma\right)^2}$$

where m_X is the new resonance mass and Γ is the intrinsic width, which is described in section 3. The DSCB function is used to model the detector resolution, featuring a Gaussian distribution core with power-law tails on both sides.

In the dark photon model, the intrinsic width is expected to be sufficiently small to be negligible [8]. Therefore, the narrow width approximation (NWA) is used to test this model.

The parameters of the DSCB function are extracted by fitting simulated signal samples. The width of the Gaussian core (σ), which reflects the detector resolution, varies from approximately 0.6 GeV to 1.3 GeV, depending on the new resonance mass. To enable a




Figure 3. (a) Width of the DSCB Gaussian core as a function of the new resonance mass (solid markers), with a linear fit overlaid. (b) Simulated dimuon mass distribution for a hypothetical Z' resonance with a mass of 55 GeV and a width $\Gamma = 0.21$ GeV (solid markers), overlaid with the signal model, defined as a Breit-Wigner distribution convolved with a DSCB function and obtained from a parametric fit to the signal template. The lower panel displays the relative difference between the MC simulation and the signal model.

smooth scan over the full mass range from 35 GeV to 75 GeV, a continuous signal model is constructed by interpolating the fitted parameters obtained from a set of discrete mass point simulations, as shown in figure 3(a). Figure 3(b) presents a representative comparison between the simulated dimuon mass distribution and the parameterised signal shape, demonstrating the accuracy of the signal modelling.

6 Systematic uncertainties

Systematic uncertainties affecting both the fitted signal yield and shape are considered. These include theoretical, experimental, and background-modelling uncertainties. The latter play a dominant role in the analysis and are discussed in detail in section 7.2.

To estimate theoretical uncertainties in the signal yield, systematic variations are applied to account for uncertainties in the choice of QCD renormalisation (μ_R) and factorisation (μ_F) scales, as well as in the PDFs. The QCD scales are varied independently by factors of 0.5 and 2.0 relative to their nominal values, with the largest observed deviation taken as the systematic uncertainty. Following PDF4LHC recommendations [60], PDF uncertainties are estimated by using the envelope of variations across different PDF sets.

As discussed in section 3, the signal cross-section is normalised to the NNLO prediction, and uncertainties from ref. [38] are used to estimate cross-section uncertainties. The NNLO cross-section uncertainty, together with the effects of QCD scale and PDF variations on the acceptance, is considered only when interpreting the cross-section limits as constraints on the coupling parameters.

Experimental systematic uncertainties related to the reconstructed physics objects also affect expected yields. In addition, uncertainties in the muon momentum scale and resolution




Figure 4. The dimuon mass, $m_{\mu\mu}$, distribution in the range 30–80 GeV, after applying the selections described in section 4.

impact the signal mass distribution. The experimental uncertainties considered include muon reconstruction and identification efficiencies, efficiencies related to the trigger, isolation and impact-parameter requirements, and the muon momentum scale and resolution [26, 27, 61]. The uncertainty in the combined 2015–2018 integrated luminosity is 0.83% [24], derived using the LUCID-2 detector [25] for the primary luminosity measurements. The overall relative experimental uncertainty in the dimuon event selection efficiency is estimated to be below 1%, while the total uncertainty in the dimuon mass resolution is approximately 3.5%.

All systematic uncertainties impacting the final dimuon invariant mass distribution are implemented as nuisance parameters, constrained by Gaussian likelihood terms in the statistical analysis described in section 7.1.

7 Background modelling and signal yield extraction

The analysis adopts a bump-hunting strategy, fitting the mass spectrum using a data-driven estimation of the background. However, as shown in figure 4, the mass spectrum exhibits a non-trivial structure, including threshold effects from the muon triggers that are most visible in the 30–45 GeV region. This complexity makes it difficult to model the background using traditional analytic functions typically used for smoothly falling spectra.

To overcome these challenges, GPR is employed. GPR, a well-established machine-learning technique typically used for smoothing procedures [16], provides a flexible yet robust framework for background modelling. In this analysis, it is used innovatively to model the background within a simultaneous signal-plus-background (S+B) fit, enabling signal extraction.

The GPR assumes that bin-to-bin correlations in the background $m_{\mu\mu}$ spectrum follow a multivariate Gaussian distribution. Under this assumption, the background distribution is modelled as a Gaussian random process, with the covariance matrix determining the degree of correlation between bins.

The flexibility of the GP is governed by the covariance matrix, derived from the chosen kernel function, and the prior mean function. The radial basis function (RBF) kernel is selected

in this analysis, with the correlation decreasing as a function of the distance between bins:

$$C_{ij} = c(x_i, x_j) = k \exp \left(-\frac{(x_i - x_j)^2}{\ell^2} \right), \quad (7.1)$$

where k and ℓ are the covariance strength and length scale, respectively. The tuning of these hyper-parameters, aimed at optimising sensitivity and minimising bias, is detailed in section 7.2. Alternative kernel choices were explored during the development of the GPR. More complex kernels, such as the Gibbs kernel [62], introduce additional hyperparameters that are less straightforward to interpret and optimise. In the studies conducted, these kernels did not lead to improvements in statistical uncertainty or a reduction in the background modelling bias compared to the RBF kernel. The RBF kernel is therefore adopted due to its simplicity, interpretability, and robust performance. The prior mean is parameterised by a ninth-degree polynomial function fitted to the generator-smeared samples. As the prior mean is determined before any reweighting of these samples, as described at the end of section 3.3, the resulting bias in the uncertainty estimation from background modelling (section 7.2) is negligible and does not artificially improve the agreement between the background model and the data. It has also been checked that modest variations of the polynomial parameterisation do not lead to any significant change in the results.

7.1 Signal extraction procedure with GPR-based background modelling

The GPR is applied to the $m_{\mu\mu}$ distribution, binned as (m_i, N_i) for $i = 1, \dots, n$, where m_i is the bin centre and N_i is the observed yield. Signal extraction is incorporated into the fit through the following likelihood:

$$\begin{aligned} L(\text{data}|\mu, \theta) = & \left(\prod_{i \in \text{bins}} G\left(N_i^{\text{background}}(\mu, \theta) \mid N_i^{\text{GP}}, \sqrt{N_i^{\text{GP}}}\right) \right) \\ & \times (G(\mathbf{N}_{\text{GP}} \mid \mathbf{b}_0, \mathbf{C}_0)) \\ & \times \left(\prod_{i \in \text{systematics}} G(\theta_i \mid \theta_i^{\text{aux}}, \sigma(\theta_i^{\text{aux}})) \right) \end{aligned}$$

where the background yield in bin i is given by

$$N_i^{\text{background}} = N_i^{\text{data}} - N_i^{\text{signal}}(\mu, m_X, \Gamma, \theta)$$

Here, N_i^{data} is the observed data yield in bin i , $N_i^{\text{signal}}(\mu, m_X, \Gamma, \theta)$ denotes the expected signal yield for the given signal hypothesis and μ is the signal strength, relative to a reference signal yield. The first term in the likelihood compares the GP background model (N_i^{GP}) to the observed background ($N_i^{\text{background}}$) across different bins. The second term, introduced by the GPR, constrains the background prediction to the prior mean function ($\mathbf{b}_0$) through the covariance matrix ($\mathbf{C}_0$) determined by the kernel function in eq. (7.1), where $\mathbf{N}_{\text{GP}}$ denotes the binned vector of the predicted yields from GP. The third term applies Gaussian constraints to the nuisance parameters θ_i , each associated with an auxiliary measurement θ_i^{aux} and its corresponding uncertainty $\sigma(\theta_i^{\text{aux}})$. These constraints incorporate systematic uncertainties

into the likelihood and enable a simultaneous fit to signal and background within a data-driven framework, ensuring a statistically well-defined treatment of all sources of uncertainty. Based on this likelihood, the best-fit mean and covariance functions, derived from the GP using the input histogram, define the background shape.

The parameter of interest extracted from the likelihood fit is the signal strength μ , which serves as a scaling factor for the total event yield predicted by the signal model. This is subsequently converted into the fiducial cross-section using a correction factor for the detection efficiency.

7.2 Hyper-parameters tuning of GPR

The GP kernel function captures the correlation structure across bins in the likelihood fit. The choice of kernel hyper-parameters is critical, as it controls the flexibility and smoothness of the background modelling. In the RBF kernel used in this analysis, the hyper-parameter k defines the correlation strength across bins, while ℓ characterises the correlation length scale, i.e., how far neighbouring bins influence each other.

The choice of hyper-parameters is guided by their ability to model the background shape reliably while maintaining a balance between flexibility and robustness. The values of k and ℓ are selected to achieve a smooth yet accurate background model, following the procedure outlined below. The optimisation is performed on mass-spectrum templates reweighted from the generator-smearing sample to the fully simulated sample, as described in section 3.3. The criteria for choosing suitable hyper-parameters include the requirement that only hyper-parameter sets yielding a χ^2 probability greater than 1% when fitting the simulation template are retained. For the final choice of parameters, the background-only fit χ^2 probability is in the range of 5–20% when evaluated in a $\pm 3\sigma$ mass window around each tested mass point, where σ is the detector resolution at that mass.

To validate the signal extraction procedure, a series of signal injection tests is performed. These include scenarios with varying injected signal strengths as well as a null injection case. The response to a null signal injection, referred to as a spurious signal (SS) [63], is evaluated by fitting signal-plus-background models to background-only templates. Any non-zero fitted signal yield in this context indicates an intrinsic bias in the background modelling in the absence of a true signal. The magnitude of the SS is treated as a systematic uncertainty associated with the background model. Following recommendations for smooth background modelling [64], the background model is optimised to ensure that the SS yield satisfies $N_{\text{SS}} < 0.5\sigma_{\text{fit}}$, where σ_{fit} is the statistical uncertainty in the fitted signal yield. This criterion ensures that any potential bias remains within the range covered by the modelling uncertainty controlled via nuisance parameters.

Additional validation tests are conducted by injecting signals of varying strengths on top of the background-only template. The linearity between the injected and extracted signal yields is verified by fitting the response curve, and the fitted slope is required to remain within 3% of unity during hyper-parameter optimisation. Any residual deviation is treated as an additional systematic uncertainty associated with the signal extraction procedure.

Among the hyper-parameter configurations meeting the established criteria, the final choice is made by selecting the set that minimises the total uncertainty in the extracted

m_X [GeV] range	k	ℓ [GeV]
$35 \leq m_X < 38$	4×10^9	4.4
$38 \leq m_X < 40$	2×10^8	8.0
$40 \leq m_X < 55$	2×10^8	7.1
$55 \leq m_X < 68$	2×10^8	8.7
$68 \leq m_X < 71.5$	5×10^8	12.1
$71.5 \leq m_X < 75$	5×10^8	11.4

Table 3. RBF kernel hyper-parameter sets optimised for different m_X mass hypotheses, tuned using spurious signal and linearity tests.

signal yield. This total uncertainty is defined as the quadrature sum of the statistical uncertainty from the fit and the systematic contribution from the SS, thereby ensuring optimal overall sensitivity.

Different hyper-parameter configurations are used for distinct resonance mass ranges, as summarised in table 3. The optimal values depend on the resonance mass, reflecting variations in the background shape and signal resolution; consequently, no single set of hyper-parameters provides an adequate description across the entire mass range. The parameter k correlates with the behaviour of the spectrum shown in figure 4. Larger k values are used near the rapidly varying edges of the mass range to constrain the GP prediction around the prior mean, while smaller values in the central region allow greater flexibility. The correlation length ℓ is primarily driven by the signal resolution and generally increases with the resonance mass, except in the few GeV at the upper edge of the mass range, where smaller ℓ values are required to capture the steeply varying spectrum. The resulting SS values after optimisation are shown in figure 5 as a function of the resonance mass. The envelope of the SS distribution is obtained as the magnitude of the analytic signal constructed from the quadrature sum of the original signal and its Hilbert-transformed [65] counterpart, and is subsequently smoothed with a Savitzky-Golay filter. This envelope defines the final systematic uncertainty associated with the background model, and its symmetrised band is taken as the systematic uncertainty in the background modelling. The sensitivity of the analysis is dominated by statistical uncertainties, while the leading systematic contribution arises from the spurious signal uncertainty, with a relative impact of approximately 20%.

8 Statistical interpretation and limit setting

Hypothesis testing of the signal strength μ is based on the profile likelihood ratio [66], with the test statistic for the limit-setting:

$$q_\mu = \begin{cases} -2 \ln \frac{L(\text{data}|\mu, \hat{\hat{\theta}}(\mu))}{L(\text{data}|0, \hat{\hat{\theta}}(0))}, & \hat{\mu} < 0 \\ -2 \ln \frac{L(\text{data}|\mu, \hat{\hat{\theta}}(\mu))}{L(\text{data}|\hat{\mu}, \hat{\hat{\theta}})}, & 0 \leq \hat{\mu} \leq \mu \\ 0. & \hat{\mu} > \mu \end{cases} \quad (8.1)$$




Figure 5. Spurious signal yield as a function of the new resonance mass, obtained by fitting signal-plus-background models to background-only templates. The points represent the fitted signal yields, with vertical error bars indicating the corresponding statistical uncertainties. The thick curves denote the symmetrised envelope, which defines the systematic uncertainty associated with the background modelling. Discontinuities in the spurious signal reflect transitions between different Gaussian process hyper-parameter configurations.

Here, $\hat{\mu}$ and $\hat{\theta}$ denote the unconditional maximum-likelihood (ML) estimators of the signal strength and nuisance parameters, while $\hat{\theta}(\mu)$ and $\hat{\theta}(0)$ are the corresponding conditional estimators obtained under the signal-plus-background and background-only hypotheses, respectively. The likelihood function L incorporates all sources of systematic uncertainty through nuisance parameters and their correlations. For significance and p -value evaluations, the corresponding one-sided test statistic q_0 is used, following the asymptotic formalism in ref. [66].

The significance of a potential excess is first quantified with the p_0 value, defined as the probability that the background could fluctuate to the observed excess:

$$p_0 = P(q_0 > q_0^{\text{obs}} \mid \mu = 0)$$

For discovery tests, the one-sided statistic q_0 is defined analogously to eq. (8.1), restricted to positive signal-strength estimates ($\hat{\mu} > 0$) [66]. The p_0 value is converted into a local significance, expressed as the equivalent number of Gaussian standard deviations (σ) assuming a one-sided normal distribution.

Upper limits on the signal strength are evaluated using the CL_s method [67]. A signal strength μ is considered excluded at the 95% confidence level when the resulting CL_s value falls below 0.05.

Since the measurement is performed within a fiducial phase-space region (defined in section 4), to facilitate reinterpretation, the number of signal events N_S is parameterised in terms of the fiducial cross-section times branching ratio to derive upper limits:

$$\sigma_{\text{fid}} \times \mathcal{B}(X \rightarrow \mu\mu) = \frac{N_S}{\varepsilon \times \mathcal{L}},$$

where the $\mathcal{L}$ is the integrated luminosity and ε is the correction factor accounting for the detector efficiency, described in section 5.

9 Results

The signal extraction is performed by fitting the dimuon invariant mass spectrum in the range of 30–80 GeV, which corresponds to events satisfying the signal-region (SR) selection defined in section 4. The search for a potential resonance is carried out within the narrower range of 35–75 GeV to avoid potential edge effects from the fit boundaries. The dimuon mass distributions, overlaid with signal-plus-background fits using various GP hyperparameter configurations, are shown in figure 6 for several representative resonance mass hypotheses.

The p_0 values and local significance, corresponding to the background-only hypothesis, are scanned across a range of hypothesised new resonance masses, as shown in figure 7. The methodology for this calculation is detailed in section 8. The minimum p_0 value is observed at a mass of 57.5 GeV, corresponding to a local significance of 2.3σ , while the global significance is negligible. The ranking of systematic uncertainties is dominated by the SS contribution, followed by theoretical and experimental sources.

The observed and expected 95% confidence level (CL) upper limits on the production fiducial cross-section times branching ratio, $\sigma_{\text{fid}} \times \mathcal{B}(X \rightarrow \mu\mu)$, as a function of the resonance mass are shown in figure 8. The limits are derived under the narrow-width approximation ($\Gamma = 0$). The results remain valid for resonances with relative intrinsic widths $\Gamma/m_X < 1\%$, covering a broad class of new-physics scenarios with perturbative couplings. The primary factors limiting the sensitivity are the size of the recorded data sample and uncertainties associated with the background modelling. Discontinuities in the limit curve reflect transitions between different sets of hyper-parameters used in the GP background modelling.

Assuming a coupling of 0.1 between the Z' and quarks, an upper limit on the coupling (g_l) between Z' and leptons is derived by varying the intrinsic signal width as described in section 3.2. As shown in figure 9(a), the limits on g_l range from 4×10^{-4} to 1.4×10^{-3} , depending on the assumed Z' mass.

A similar search strategy can be applied to models involving dark photons, where the coupling to SM particles is characterised by the kinetic mixing parameter ϵ . In such models, the production cross-section scales as ϵ^2 . The experimental sensitivity is thus expressed as an upper limit on ϵ^2 . The resulting limits, shown in figure 9(b), range from 1×10^{-6} to 9×10^{-6} . As noted in section 5.2, the narrow-width approximation is applicable to these models.

The search sets stringent constraints on the dark-photon kinetic mixing in the mass range 35–75 GeV, complementing results from CMS [9] and LHCb [11]. An improvement in sensitivity is achieved in the 35–45 GeV region, where the CMS results [9] were obtained using a scouting data acquisition scheme. This improvement is driven by the mass-shape modelling capability provided by GPR, which enables the use of standard, unrescaled muon triggers together with the standard offline p_T selection, thereby suppressing backgrounds. In addition, the larger integrated luminosity of the dataset used in this analysis (140 fb^{-1}) compared to the CMS scouting dataset (96 fb^{-1}) also contributes to the improved sensitivity.




Figure 6. Fit results for various new resonance mass hypotheses. Each plot shows the $m_{\mu\mu}$ distribution in data overlaid with the fitted signal-plus-background model. The lower panels display the data-minus-background residuals (points), obtained by subtracting the estimated background component of the fit model from the data, and the extracted signal component (line). The N_S in the plots refers to the extracted signal yield. The fits are performed in the range of 30 GeV to 80 GeV, but only the region around the signal hypothesis is shown. The plots correspond to different resonance mass hypotheses: (a) 35 GeV, (b) 40 GeV, (c) 50 GeV, (d) 60 GeV, (e) 70 GeV, and (f) 75 GeV.




Figure 7. Scan of the p_0 values as a function of the new resonance mass. Discontinuities correspond to the boundaries between different Gaussian process hyper-parameter regions. The vertical dashed lines indicate the mass points where the hyper-parameters are changed.




Figure 8. Observed and expected 95% CL upper limits on the production fiducial cross-section times branching ratio of a narrow-width ($\Gamma = 0$ GeV) resonance, as a function of the new resonance mass. Discontinuities correspond to the boundaries between different GP hyper-parameter regions. The vertical dashed lines indicate the mass points where the hyper-parameters are changed.




Figure 9. (a) Observed and expected 95% CL upper limits on the coupling between the Z' boson and leptons as a function of $m_{Z'}$, assuming $g_q = 0.1$. (b) Observed and expected 95% CL upper limits on the kinetic mixing parameter (ϵ^2 in the dark photon model) as a function of m_{Z_D} . Discontinuities correspond to the boundaries between different GP hyper-parameter regions. Vertical dashed lines indicate the mass points where the hyper-parameters are changed.

10 Conclusions

A search for new resonances in the dimuon invariant mass spectrum between 35 GeV and 75 GeV is performed using 140 fb^{-1} of Run-2 proton-proton collision data at $\sqrt{s} = 13 \text{ TeV}$, collected with the ATLAS detector at the LHC. This study constitutes the first ATLAS search targeting this mass region, extending the sensitivity of previous dimuon resonance analyses to lower masses.

A novel background-modelling technique based on Gaussian process regression is employed, providing a flexible and accurate description of the rapidly varying Drell-Yan continuum and enhancing sensitivity to narrow resonances. The largest excess occurs near 57.5 GeV, with a local significance of 2.3 standard deviations, while the corresponding global significance is negligible.

Upper limits are set on the fiducial production cross-section times branching ratio, defined within a fiducial region closely matching the detector-level selection. The observed limits range from 20 fb to 110 fb, depending on statistical fluctuations and variations in the background modelling configurations. The results are additionally interpreted in terms of constraints on theoretical parameters in both a simplified dark-matter mediator model and a dark-photon model.

Acknowledgments

We thank CERN for the very successful operation of the LHC and its injectors, as well as the support staff at CERN and at our institutions worldwide without whom ATLAS could not be operated efficiently.

The crucial computing support from all WLCG partners is acknowledged gratefully, in particular from CERN, the ATLAS Tier-1 facilities at TRIUMF/SFU (Canada), NDGF (Denmark, Norway, Sweden), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy), NL-T1 (Netherlands), PIC (Spain), RAL (U.K.) and BNL (U.S.A.), the Tier-2 facilities worldwide and large non-WLCG resource providers. Major contributors of computing resources are listed in ref. [68].

We gratefully acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; ANID, Chile; CAS, MOST and NSFC, China; Minciencias, Colombia; MEYS CR, Czech Republic; DNRf and DNSRC, Denmark; IN2P3-CNRS and CEA-DRF/IRFU, France; SRNSFG, Georgia; BMTFR, HGF and MPG, Germany; GSRI, Greece; RGC and Hong Kong SAR, China; ICHEP and Academy of Sciences and Humanities, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco; NWO, Netherlands; RCN, Norway; MNiSW, Poland; FCT, Portugal; MNE/IFA, Romania; MSTDI, Serbia; MSSR, Slovakia; ARIS and MVZI, Slovenia; DSI/NRF, South Africa; MICIU/AEI, Spain; SRC and Wallenberg Foundation, Sweden; SERI, SNSF and Cantons of Bern and Geneva, Switzerland; NSTC, Taipei; TENMAK, Türkiye; STFC/UKRI, United Kingdom; DOE and NSF, United States of America.

Individual groups and members have received support from BCKDF, CANARIE, CRC and DRAC, Canada; CERN-CZ, FORTE and PRIMUS, Czech Republic; COST, ERC, ERDF, Horizon 2020 and Marie Skłodowska-Curie Actions, European Union; Investissements d’Avenir Labex, Investissements d’Avenir Idex and ANR, France; DFG and AvH Foundation, Germany; Herakleitos, Thales and Aristeia programmes co-financed by EU-ESF and the Greek NSRF, Greece; BSF-NSF and MINERVA, Israel; NCN and NAWA, Poland; La Caixa Banking Foundation, CERCA and AGAUR programs from Generalitat de Catalunya and PROMETEO and GenT Programmes Generalitat Valenciana, Spain; Göran Gustafssons Stiftelse, Sweden; The Royal Society and Leverhulme Trust, United Kingdom; Eric and Wendy Schmidt Fund for Strategic Innovation, United States of America.

In addition, individual members wish to acknowledge support from Chile: Agencia Nacional de Investigación y Desarrollo (ANID FONDECYT reg. 1230987, FONDECYT 1230812, FONDECYT 1240864, Fondecyt 3240661, Fondecyt Regular 1240721); China: Chinese Ministry of Science and Technology (MOST-2023YFA1605700, MOST-2023YFA1609300), National Natural Science Foundation of China (NSFC — 12175119, NSFC 12275265); Czech Republic: Czech Science Foundation (GACR — 24-11373S), Ministry of Education Youth and Sports (ERC-CZ-LL2327, FORTE CZ.02.01.01/00/22_008/0004632), PRIMUS Research Programme (PRIMUS/21/SCI/017); EU: H2020 European Research Council (ERC — 101002463); European Union: European Research Council (BARD No. 101116429, ERC — 948254, ERC 101089007), European Regional Development Fund (HE COFUND GA No.101081355, ERDF), European Union, Future Artificial Intelligence Research

(FAIR-NextGenerationEU PE00000013), Marie Skłodowska-Curie Actions (GAP-101168829); France: Agence Nationale de la Recherche (ANR-21-CE31-0013, ANR-21-CE31-0022, ANR-22-EDIR-0002, ANR-24-CE31-0504-01); Germany: Deutsche Forschungsgemeinschaft (DFG — 469666862); China: Research Grants Council (GRF); Italy: Ministero dell’Università e della Ricerca (NextGenEU 153D23001490006 M4C2.1.1, NextGenEU I53D23000820006 M4C2.1.1, NextGenEU I53D23001490006 M4C2.1.1, SOE2024_0000023); Japan: Japan Society for the Promotion of Science (JSPS KAKENHI JP25H0063, JSPS KAKENHI JP22H01227, JSPS KAKENHI JP22H04944, JSPS KAKENHI JP22KK0227, JSPS KAKENHI JP24K23939, JSPS KAKENHI JP24KK0251, JSPS KAKENHI JP25H00650, JSPS KAKENHI JP25H01291, JSPS KAKENHI JP25K01011, JSPS KAKENHI JP25K01023); Norway: Research Council of Norway (RCN-314472); Poland: Ministry of Science and Higher Education (IDUB AGH, POB8, D4 no 9722), Polish National Science Centre (NCN 2021/42/E/ST2/00350, NCN OPUS 2023/51/B/ST2/02507, NCN OPUS nr 2022/47/B/ST2/03059, NCN UMO-2019/34/E/ST2/00393, UMO-2022/47/O/ST2/00148, UMO-2023/49/B/ST2/04085, UMO-2023/51/B/ST2/00920, UMO-2024/53/N/ST2/00869); Portugal: Foundation for Science and Technology (FCT); Spain: Agència de Gestió d’Ajuts Universitaris i de Recerca. (AGAUR — 2023 BP 00141), Generalitat Valenciana (ASFAE/2022/008), Ministry of Science and Innovation (RYC2019-028510-I, RYC2020-030254-I, RYC2021-031273-I, RYC2022-038164-I), Ministerio de Ciencia, Innovación y Universidades/Agencia Estatal de Investigación (EU NextGenerationEU (PRTR-C17.I1), PID2022-142604OB-C22); Sweden: Carl Trygger Foundation (Carl Trygger Foundation CTS 22:2312), Swedish Research Council (Swedish Research Council 2023-04654, VR 2021-03651, VR 2022-03845, VR 2022-04683, VR 2023-03403, VR 2024-05451), Knut and Alice Wallenberg Foundation (KAW 2018.0458, KAW 2022.0358, KAW 2023.0366); Switzerland: Swiss National Science Foundation (SNSF — PCEFP2_194658); United Kingdom: The Binks Trust, Royal Society (NIF-R1-231091); United States of America: U.S. Department of Energy (ECA DE-AC02-76SF00515), John Templeton Foundation (John Templeton Foundation 63206), Neubauer Family Foundation.

Data Availability Statement. This article has no associated data or the data will not be deposited.

Code Availability Statement. This article has no associated code or the code will not be deposited.

Open Access. This article is distributed under the terms of the Creative Commons Attribution License ([CC-BY4.0](https://creativecommons.org/licenses/by/4.0/)), which permits any use, distribution and reproduction in any medium, provided the original author(s) and source are credited.

References

- [1] G. Bertone, D. Hooper and J. Silk, *Particle dark matter: evidence, candidates and constraints*, *Phys. Rept.* **405** (2005) 279 [[hep-ph/0404175](https://arxiv.org/abs/hep-ph/0404175)] [[INSPIRE](#)].
- [2] J.L. Feng, *Dark matter candidates from particle physics and methods of detection*, *Ann. Rev. Astron. Astrophys.* **48** (2010) 495 [[arXiv:1003.0904](https://arxiv.org/abs/1003.0904)] [[INSPIRE](#)].

- [3] T.A. Porter, R.P. Johnson and P.W. Graham, *Dark matter searches with astroparticle data*, *Ann. Rev. Astron. Astrophys.* **49** (2011) 155 [[arXiv:1104.2836](#)] [[INSPIRE](#)].
- [4] PLANCK collaboration, *Planck 2018 results. I. Overview and the cosmological legacy of Planck*, *Astron. Astrophys.* **641** (2020) A1 [[arXiv:1807.06205](#)] [[INSPIRE](#)].
- [5] ATLAS collaboration, *Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector*, *JHEP* **05** (2019) 142 [[arXiv:1903.01400](#)] [[INSPIRE](#)].
- [6] L. Evans and P. Bryant, *LHC machine*, 2008 *JINST* **3** S08001 [[INSPIRE](#)].
- [7] D. Abercrombie et al., *Dark matter benchmark models for early LHC run-2 searches: report of the ATLAS/CMS dark matter forum*, *Phys. Dark Univ.* **27** (2020) 100371 [[arXiv:1507.00966](#)] [[INSPIRE](#)].
- [8] D. Curtin, R. Essig, S. Gori and J. Shelton, *Illuminating dark photons with high-energy colliders*, *JHEP* **02** (2015) 157 [[arXiv:1412.0018](#)] [[INSPIRE](#)].
- [9] CMS collaboration, *Search for a narrow resonance lighter than 200 GeV decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *Phys. Rev. Lett.* **124** (2020) 131802 [[arXiv:1912.04776](#)] [[INSPIRE](#)].
- [10] CMS collaboration, *Search for direct production of GeV-scale resonances decaying to a pair of muons in proton-proton collisions at $\sqrt{s} = 13$ TeV*, *JHEP* **12** (2023) 070 [[arXiv:2309.16003](#)] [[INSPIRE](#)].
- [11] LHCb collaboration, *Search for $A' \rightarrow \mu^+ \mu^-$ decays*, *Phys. Rev. Lett.* **124** (2020) 041801 [[arXiv:1910.06926](#)] [[INSPIRE](#)].
- [12] ATLAS collaboration, *The ATLAS experiment at the CERN Large Hadron Collider*, 2008 *JINST* **3** S08003 [[INSPIRE](#)].
- [13] C.E. Rasmussen and C.K.I. Williams, *Gaussian processes for machine learning*, MIT Press, Cambridge, MA, U.S.A. (2006).
- [14] M. Frate et al., *Modeling smooth backgrounds and generic localized signals with Gaussian processes*, [arXiv:1709.05681](#) [[INSPIRE](#)].
- [15] A. Gandrakota, A. Lath, A.V. Morozov and S. Murthy, *Model selection and signal extraction using Gaussian process regression*, *JHEP* **02** (2023) 230 [[arXiv:2202.05856](#)] [[INSPIRE](#)].
- [16] ATLAS collaboration, *Search for boosted diphoton resonances in the 10 to 70 GeV mass range using 138 fb^{-1} of 13 TeV pp collisions with the ATLAS detector*, *JHEP* **07** (2023) 155 [[arXiv:2211.04172](#)] [[INSPIRE](#)].
- [17] ATLAS collaboration, *Search for low-mass resonances decaying into two jets and produced in association with a photon or a jet at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Rev. D* **110** (2024) 032002 [[arXiv:2403.08547](#)] [[INSPIRE](#)].
- [18] ATLAS collaboration, *Search for high-mass dilepton resonances using 139 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *Phys. Lett. B* **796** (2019) 68 [[arXiv:1903.06248](#)] [[INSPIRE](#)].
- [19] ATLAS collaboration, *ATLAS Insertable B-Layer technical design report*, CERN-LHCC-2010-013 (2010) [[INSPIRE](#)].
- [20] ATLAS IBL collaboration, *Production and integration of the ATLAS Insertable B-Layer*, 2018 *JINST* **13** T05008 [[arXiv:1803.00844](#)] [[INSPIRE](#)].

- [21] ATLAS collaboration, *Performance of the ATLAS trigger system in 2015*, *Eur. Phys. J. C* **77** (2017) 317 [[arXiv:1611.09661](#)] [[INSPIRE](#)].
- [22] ATLAS collaboration, *Software and computing for run 3 of the ATLAS experiment at the LHC*, *Eur. Phys. J. C* **85** (2025) 234 [[arXiv:2404.06335](#)] [[INSPIRE](#)].
- [23] ATLAS collaboration, *ATLAS data quality operations and performance for 2015–2018 data-taking*, *2020 JINST* **15** P04003 [[arXiv:1911.04632](#)] [[INSPIRE](#)].
- [24] ATLAS collaboration, *Luminosity determination in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector at the LHC*, *Eur. Phys. J. C* **83** (2023) 982 [[arXiv:2212.09379](#)] [[INSPIRE](#)].
- [25] G. Avoni et al., *The new LUCID-2 detector for luminosity measurement and monitoring in ATLAS*, *2018 JINST* **13** P07017 [[INSPIRE](#)].
- [26] ATLAS collaboration, *Performance of the ATLAS muon triggers in run 2*, *2020 JINST* **15** P09015 [[arXiv:2004.13447](#)] [[INSPIRE](#)].
- [27] ATLAS collaboration, *Muon reconstruction and identification efficiency in ATLAS using the full run 2 pp collision data set at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **81** (2021) 578 [[arXiv:2012.00578](#)] [[INSPIRE](#)].
- [28] C. Degrande et al., *UFO — the Universal FeynRules Output*, *Comput. Phys. Commun.* **183** (2012) 1201 [[arXiv:1108.2040](#)] [[INSPIRE](#)].
- [29] A. Alloul et al., *FeynRules 2.0 — a complete toolbox for tree-level phenomenology*, *Comput. Phys. Commun.* **185** (2014) 2250 [[arXiv:1310.1921](#)] [[INSPIRE](#)].
- [30] M. Backović et al., *Higher-order QCD predictions for dark matter production at the LHC in simplified models with s-channel mediators*, *Eur. Phys. J. C* **75** (2015) 482 [[arXiv:1508.05327](#)] [[INSPIRE](#)].
- [31] A. Albert et al., *Recommendations of the LHC dark matter working group: comparing LHC searches for dark matter mediators in visible and invisible decay channels and calculations of the thermal relic density*, *Phys. Dark Univ.* **26** (2019) 100377 [[arXiv:1703.05703](#)] [[INSPIRE](#)].
- [32] ATLAS collaboration, *ATLAS Pythia 8 tunes to 7 TeV data*, ATL-PHYS-PUB-2014-021 (2014) [[INSPIRE](#)].
- [33] G. Watt and R.S. Thorne, *Study of Monte Carlo approach to experimental uncertainty propagation with MSTW 2008 PDFs*, *JHEP* **08** (2012) 052 [[arXiv:1205.4024](#)] [[INSPIRE](#)].
- [34] T. Sjöstrand et al., *An introduction to PYTHIA 8.2*, *Comput. Phys. Commun.* **191** (2015) 159 [[arXiv:1410.3012](#)] [[INSPIRE](#)].
- [35] T. Sjöstrand, S. Mrenna and P.Z. Skands, *A brief introduction to PYTHIA 8.1*, *Comput. Phys. Commun.* **178** (2008) 852 [[arXiv:0710.3820](#)] [[INSPIRE](#)].
- [36] R.D. Ball et al., *Parton distributions with LHC data*, *Nucl. Phys. B* **867** (2013) 244 [[arXiv:1207.1303](#)] [[INSPIRE](#)].
- [37] ATLAS collaboration, *The ATLAS simulation infrastructure*, *Eur. Phys. J. C* **70** (2010) 823 [[arXiv:1005.4568](#)] [[INSPIRE](#)].
- [38] A. A H et al., *Resummed Drell-Yan cross-section at N^3LL* , *JHEP* **10** (2020) 153 [[arXiv:2001.11377](#)] [[INSPIRE](#)].
- [39] ATLAS collaboration, *The Pythia 8 A3 tune description of ATLAS minimum bias and inelastic measurements incorporating the Donnachie-Landshoff diffractive model*, ATL-PHYS-PUB-2016-017 (2016) [[INSPIRE](#)].

- [40] SHERPA collaboration, *Event generation with Sherpa 2.2*, *SciPost Phys.* **7** (2019) 034 [[arXiv:1905.09127](#)] [[INSPIRE](#)].
- [41] T. Gleisberg and S. Höche, *Comix, a new matrix element generator*, *JHEP* **12** (2008) 039 [[arXiv:0808.3674](#)] [[INSPIRE](#)].
- [42] F. Cascioli, P. Maierhöfer and S. Pozzorini, *Scattering amplitudes with OpenLoops*, *Phys. Rev. Lett.* **108** (2012) 111601 [[arXiv:1111.5206](#)] [[INSPIRE](#)].
- [43] A. Denner, S. Dittmaier and L. Hofer, *Collier: a fortran-based Complex One-Loop Library in Extended Regularizations*, *Comput. Phys. Commun.* **212** (2017) 220 [[arXiv:1604.06792](#)] [[INSPIRE](#)].
- [44] NNPDF collaboration, *Parton distributions for the LHC run II*, *JHEP* **04** (2015) 040 [[arXiv:1410.8849](#)] [[INSPIRE](#)].
- [45] S. Schumann and F. Krauss, *A parton shower algorithm based on Catani-Seymour dipole factorisation*, *JHEP* **03** (2008) 038 [[arXiv:0709.1027](#)] [[INSPIRE](#)].
- [46] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *A critical appraisal of NLO+PS matching methods*, *JHEP* **09** (2012) 049 [[arXiv:1111.1220](#)] [[INSPIRE](#)].
- [47] S. Höche, F. Krauss, M. Schönherr and F. Siegert, *QCD matrix elements + parton showers: the NLO case*, *JHEP* **04** (2013) 027 [[arXiv:1207.5030](#)] [[INSPIRE](#)].
- [48] S. Catani, F. Krauss, R. Kuhn and B.R. Webber, *QCD matrix elements + parton showers*, *JHEP* **11** (2001) 063 [[hep-ph/0109231](#)] [[INSPIRE](#)].
- [49] S. Höche, F. Krauss, S. Schumann and F. Siegert, *QCD matrix elements and truncated showers*, *JHEP* **05** (2009) 053 [[arXiv:0903.1219](#)] [[INSPIRE](#)].
- [50] S. Frixione, P. Nason and G. Ridolfi, *A positive-weight next-to-leading-order Monte Carlo for heavy flavour hadroproduction*, *JHEP* **09** (2007) 126 [[arXiv:0707.3088](#)] [[INSPIRE](#)].
- [51] E. Re, *Single-top Wt-channel production matched with parton showers using the POWHEG method*, *Eur. Phys. J. C* **71** (2011) 1547 [[arXiv:1009.2450](#)] [[INSPIRE](#)].
- [52] GEANT4 collaboration, *GEANT4 — a simulation toolkit*, *Nucl. Instrum. Meth. A* **506** (2003) 250 [[INSPIRE](#)].
- [53] ATLAS collaboration, *A search for the dimuon decay of the Standard Model Higgs boson with the ATLAS detector*, *Phys. Lett. B* **812** (2021) 135980 [[arXiv:2007.07830](#)] [[INSPIRE](#)].
- [54] ATLAS collaboration, *Performance of the ATLAS track reconstruction algorithms in dense environments in LHC run 2*, *Eur. Phys. J. C* **77** (2017) 673 [[arXiv:1704.07983](#)] [[INSPIRE](#)].
- [55] ATLAS collaboration, *Studies of the muon momentum calibration and performance of the ATLAS detector with pp collisions at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **83** (2023) 686 [[arXiv:2212.07338](#)] [[INSPIRE](#)].
- [56] ATLAS collaboration, *Jet reconstruction and performance using particle flow with the ATLAS detector*, *Eur. Phys. J. C* **77** (2017) 466 [[arXiv:1703.10485](#)] [[INSPIRE](#)].
- [57] M. Oreglia, *A study of the reactions $\psi' \rightarrow \gamma\gamma\psi$* , SLAC-R-0236 (1980) [[INSPIRE](#)].
- [58] ATLAS collaboration, *Search for scalar diphoton resonances in the mass range 65–600 GeV with the ATLAS detector in pp collision data at $\sqrt{s} = 8$ TeV*, *Phys. Rev. Lett.* **113** (2014) 171801 [[arXiv:1407.6583](#)] [[INSPIRE](#)].
- [59] ATLAS collaboration, *Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector*, *JHEP* **09** (2016) 001 [[arXiv:1606.03833](#)] [[INSPIRE](#)].

- [60] J. Butterworth et al., *PDF4LHC recommendations for LHC run II*, *J. Phys. G* **43** (2016) 023001 [[arXiv:1510.03865](#)] [[INSPIRE](#)].
- [61] ATLAS collaboration, *Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV*, *Eur. Phys. J. C* **76** (2016) 292 [[arXiv:1603.05598](#)] [[INSPIRE](#)].
- [62] S. Remes, M. Heinonen and S. Kaski, *Non-stationary spectral kernels*, [arXiv:1705.08736](#).
- [63] ATLAS collaboration, *Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC*, *Phys. Lett. B* **716** (2012) 1 [[arXiv:1207.7214](#)] [[INSPIRE](#)].
- [64] ATLAS collaboration, *Recommendations for the modeling of smooth backgrounds*, ATL-PHYS-PUB-2020-028 (2020) [[INSPIRE](#)].
- [65] R.W.S. Alan and V. Oppenheim, *Discrete-time signal processing*, third edition, Pearson (2009).
- [66] G. Cowan, K. Cranmer, E. Gross and O. Vitells, *Asymptotic formulae for likelihood-based tests of new physics*, *Eur. Phys. J. C* **71** (2011) 1554 [Erratum *ibid.* **73** (2013) 2501] [[arXiv:1007.1727](#)] [[INSPIRE](#)].
- [67] A.L. Read, *Presentation of search results: the CL_s technique*, *J. Phys. G* **28** (2002) 2693 [[INSPIRE](#)].
- [68] ATLAS collaboration, *ATLAS computing acknowledgements*, ATL-SOFT-PUB-2026-001 (2026).

The ATLAS collaboration

G. Aad ¹⁰³, E. Aakvaag ¹⁷, B. Abbott ¹²², S. Abdelhameed ^{84b}, K. Abeling ⁵⁵,
N.J. Abicht ⁴⁹, S.H. Abidi ³⁰, M. Aboelela ⁴⁵, A. Aboulhorma ^{36e}, H. Abramowicz ¹⁵⁵,
B.S. Acharya ^{69a,69b,a}, A. Ackermann ^{63a}, C. Adam Bourdarios ⁴, L. Adamczyk ^{86a},
S.V. Addepalli ¹⁴⁷, M. J. Addison ¹⁰², J. Adelman ¹¹⁸, A. Adiguzel ^{22c}, T. Adye ¹³⁶,
A.A. Affolder ¹³⁸, Y. Afik ⁴⁰, M.N. Agaras ¹³, A. Aggarwal ¹⁰¹, C. Agheorghiesei ^{28c},
F. Ahmadov ^{39,b}, S. Ahuja ⁹⁶, S. Ahuja ¹⁶⁷, X. Ai ^{114c}, G. Aielli ^{76a,76b}, A. Aikot ¹⁶⁷,
M. Ait Tamlihat ^{36e}, B. Aitbenchikh ^{36a}, T.P.A. Åkesson ⁹⁹, D. Akiyama ¹⁷², N.N. Akolkar ²⁵,
S. Aktas ¹⁷⁰, G.L. Alberghi ^{24b}, J. Albert ¹⁶⁹, U. Alberti ²⁰, P. Albicocco ⁵³, G.L. Albouy ⁶⁰,
S. Alderweireldt ⁵², Z.L. Alegria ¹²³, M. Aleksa ³⁷, I.N. Aleksandrov ³⁹, C. Alexa ^{28b},
T. Alexopoulos ¹⁰, F. Alfonsi ^{24b}, M. Algren ⁵⁶, M. Alhroob ¹⁷¹, B. Ali ¹³⁴, H. M. J. Ali ^{92,c},
S. Ali ³², S.W. Alibocus ⁹³, M. Aliev ^{34c}, G. Alimonti ^{71a}, C. Allaire ⁶⁶,
B.M.M. Allbrooke ¹⁵⁰, D. R. Allen ¹²³, J. S. Allen ¹⁰², J.F. Allen ⁵², C.S. Alley ¹,
A. Aloisio ^{72a,72b}, F. Alonso ⁹¹, C. Alpigiani ¹⁴¹, Z.M.K. Alsolami ⁹², A. Alvarez Fernandez ¹⁰¹,
M. Alves Cardoso ⁵⁶, M.G. Alviggi ^{72a,72b}, M. Aly ¹⁰², Y. Amaral Coutinho ^{82b},
A. Ambler ¹⁰⁵, C. Amelung ³⁷, M. Amerl ¹⁰², T. Amezza ¹²⁹, B. Amini ⁵⁴, K. Amirie ¹⁵⁹,
A. Amirkhanov ³⁹, S.P. Amor Dos Santos ^{132a}, D. Amperiadou ¹⁵⁶, S. An ⁸³,
C. Anastopoulos ¹⁴³, T. Andeen ¹¹, J.K. Anders ⁹³, A. C. Anderson ⁵⁹, A. Andreazza ^{71a,71b},
S. Angelidakis ⁹, A. Angerami ⁴², A.V. Anisenkov ³⁹, A. Annovi ^{74a}, C. Antel ³⁷,
E. Antipov ¹⁴⁹, M. Antonelli ⁵³, F. Anulli ^{75a}, M. Aoki ⁸³, T. Aoki ¹⁵⁷, M.A. Aparo ¹³,
L. Aperio Bella ⁴⁸, M. Apicella ³¹, C. Appelt ¹⁵⁵, A. Apyan ²⁷, M. Arampatzi ¹⁰,
S. J. Arbiol Val ⁸⁷, C. Arcangeletti ⁵³, A.T.H. Arce ⁵¹, J-F. Arguin ¹⁰⁹, S. Argyropoulos ¹⁵⁶,
J.-H. Arling ⁴⁸, O. Arnaez ⁴, H. Arnold ¹⁴⁹, G. Artoni ^{75a,75b}, H. Asada ¹¹², S. Asatryan ¹⁷⁷,
N.A. Asbah ³⁷, R. A. Ashby Pickering ¹⁷¹, A. M. Aslam ⁹⁶, K. Assamagan ³⁰, R. Astalos ^{29a},
K. S. V. Astrand ⁹⁹, S. Atashi ¹⁶³, R.J. Atkin ^{34a}, H. Atmani ^{36f}, P.A. Atmasiddha ¹³⁰,
K. Augsten ¹³⁴, A.D. Aurio ⁴¹, V.A. Austrup ¹⁰², A.S. Avad ⁹⁵, G. Avolio ³⁷, K. Axiotis ⁵⁶,
A. Azzam ¹³, D. Babal ^{29b}, H. Bachacou ¹³⁷, K. Bachas ^{156,d}, A. Bachiu ³⁵, E. Bachmann ⁵⁰,
M. J. Backes ^{63a}, A. Badea ⁴⁰, T.M. Baer ¹⁰⁷, M. Bahmani ¹⁹, D. Bahner ⁵⁴, K. Bai ¹²⁵,
L. Baines ⁹⁵, O.K. Baker ¹⁷⁶, D. Bakshi Gupta ⁸, L.E. Balabram Filho ^{82b},
V. Balakrishnan ¹²², R. Balasubramanian ⁴, E.M. Baldin ³⁸, P. Balek ^{86a}, E. Ballabene ^{24b,24a},
F. Balli ¹³⁷, L.M. Baltes ^{63a}, W.K. Balunas ¹²⁸, J. Balz ¹⁰¹, I. Bamwidhi ^{84c}, E. Banas ⁸⁷,
M. Bandieramonte ¹³¹, A. Bandyopadhyay ²⁵, S. Bansal ²⁵, L. Barak ¹⁵⁵, M. Barakat ⁴⁸,
E.L. Barberio ¹⁰⁶, D. Barberis ^{18b}, M. Barbero ¹⁰³, M. Z. Barel ¹¹⁷, T. Barillari ¹¹¹,
M.-S. Barisits ³⁷, T. Barklow ¹⁴⁷, P. Baron ¹³⁵, D.A. Baron Moreno ¹⁰², A. Baroncelli ⁶²,
A.J. Barr ¹²⁸, J.D. Barr ⁹⁷, F. Barreiro ¹⁰⁰, J. Barreiro Guimarães da Costa ¹⁴,
M.G. Barros Teixeira ^{132a}, S. Barsov ³⁸, F. Bartels ^{63a}, R. Bartoldus ¹⁴⁷, A.E. Barton ⁹²,
P. Bartos ^{29a}, M. Baselga ⁴⁹, S. Bashiri ⁸⁷, A. Bassalat ^{66,e}, M.J. Basso ^{160a}, S. Bataju ⁴⁵,
R. Bate ¹⁶⁸, R.L. Bates ⁵⁹, S. Batlamous ¹⁰⁰, M. Battaglia ¹³⁸, D. Battulga ¹⁹,
M. Bauce ^{75a,75b}, L. Bauckhage ⁴⁸, P. Bauer ²⁵, L. T. Bayer ⁴⁸, L.T. Bazzano Hurrell ³¹,
J.B. Beacham ¹¹¹, T. Beau ¹²⁹, J.Y. Beaucamp ⁹¹, P.H. Beauchemin ¹⁶², P. Bechtel ²⁵,
H.P. Beck ^{20,f}, K. Becker ¹⁷¹, A.J. Beddall ⁸¹, V.A. Bednyakov ³⁹, C.P. Bee ¹⁴⁹,
L.J. Beemster ¹⁶, M. Begalli ^{82d}, M. Begel ³⁰, J.K. Behr ⁴⁸, J.F. Beirer ³⁷, F. Beisiegel ²⁵,
M. Belfkir ^{84c}, G. Bella ¹⁵⁵, L. Bellagamba ^{24b}, A. Bellerive ³⁵, C.D. Bellgraph ⁶⁸,

P. Bellos^{[121](#)}, K. Beloborodov^{[38](#)}, I. Benaoumeur^{[21](#)}, D. Benchekroun^{[36a](#)}, F. Bendebeba^{[36a](#)}, Y. Benhammou^{[155](#)}, K.C. Benkendorfer^{[61](#)}, L. Beresford^{[48](#)}, M. Beretta^{[53](#)}, E. Bergeaas Kuutmann^{[165](#)}, N. Berger^{[4](#)}, B. Bergmann^{[134](#)}, J. Beringer^{[18a](#)}, G. Bernardi^{[5](#)}, C. Bernius^{[147](#)}, F.U. Bernlochner^{[25](#)}, A. Berrocal Guardia^{[13](#)}, T. Berry^{[96](#)}, P. Berta^{[135](#)}, A. Berti^{[132a](#)}, R. Bertrand^{[103](#)}, S. Bethke^{[111](#)}, A. Betti^{[75a,75b](#)}, A.J. Bevan^{[95](#)}, L. Bezio^{[56](#)}, N.K. Bhalla^{[54](#)}, S. Bharthuar^{[111](#)}, S. Bhatta^{[149](#)}, P. Bhattarai^{[147](#)}, Z.M. Bhatti^{[119](#)}, K. D. Bhide^{[54](#)}, V.S. Bhopatkar^{[123](#)}, R.M. Bianchi^{[131](#)}, G. Bianco^{[24b,24a](#)}, O. Biebel^{[110](#)}, M. Biglietti^{[77a](#)}, P. Bijl^{[54](#)}, C. S. Billingsley^{[45](#)}, Y. Bimgdi^{[36f](#)}, M. Bindi^{[55](#)}, A. Bingham^{[175](#)}, A. Bingul^{[22b](#)}, C. Bini^{[75a,75b](#)}, G.A. Bird^{[33](#)}, M. Birman^{[173](#)}, M. Biro^{[135](#)}, S. Biryukov^{[150](#)}, T. Bisanz^{[49](#)}, E. Bisceglie^{[24b,24a](#)}, J.P. Biswal^{[136](#)}, D. Biswas^{[145](#)}, I. Bloch^{[48](#)}, A. Blue^{[59](#)}, U. Blumenschein^{[95](#)}, V.S. Bobrovnikov^{[39](#)}, L. Boccardo^{[57b,57a](#)}, M. Boehler^{[54](#)}, B. Boehm^{[170](#)}, D. Bogavac^{[13](#)}, A.G. Bogdanchikov^{[38](#)}, L. S. Boggia^{[129](#)}, V. Boisvert^{[96](#)}, P. Bokan^{[165](#)}, T. Bold^{[86a](#)}, M. Bomben^{[5](#)}, M. Bona^{[95](#)}, M. Boonekamp^{[137](#)}, A.G. Borbély^{[59](#)}, I.S. Bordulev^{[38](#)}, G. Borissov^{[92](#)}, D. Bortoletto^{[128](#)}, D. Boscherini^{[24b](#)}, M. Bosman^{[13](#)}, K. Bouaouda^{[36a](#)}, L. Boudet^{[4](#)}, J. Boudreau^{[131](#)}, E.V. Bouhova-Thacker^{[92](#)}, D. Boumediene^{[41](#)}, R. Bouquet^{[57b,57a](#)}, A. Boveia^{[121](#)}, J. Boyd^{[37](#)}, D. Boye^{[30](#)}, I.R. Boyko^{[39](#)}, L. Bozianu^{[56](#)}, J. Bracnik^{[21](#)}, N. Brahimi^{[4](#)}, G. Brandt^{[175](#)}, O. Brandt^{[33](#)}, B. Brau^{[104](#)}, R. Brenner^{[173](#)}, L. Brenner^{[117](#)}, R. Brenner^{[165](#)}, S. Bressler^{[173](#)}, G. Brianti^{[117](#)}, D. Britton^{[59](#)}, D. Britzger^{[111](#)}, I. Brock^{[25](#)}, R. Brock^{[108](#)}, H. Bronson^{[130](#)}, G. Brooijmans^{[42](#)}, A.J. Brooks^{[68](#)}, E. M. Brooks^{[160b](#)}, E. Brost^{[30](#)}, L.M. Brown^{[169,160a](#)}, L.E. Bruce^{[61](#)}, T.L. Bruckler^{[128](#)}, P.A. Bruckman de Renstrom^{[87](#)}, B. Brüers^{[48](#)}, A. Bruni^{[24b](#)}, G. Bruni^{[24b](#)}, D. Brunner^{[47a,47b](#)}, M. Bruschi^{[24b](#)}, N. Bruscino^{[75a,75b](#)}, T. Buanes^{[17](#)}, Q. Buat^{[141](#)}, D. Buchin^{[111](#)}, A.G. Buckley^{[59](#)}, J. Bucko^{[135](#)}, M. Buhring^{[50](#)}, O. Bulekov^{[81](#)}, B.A. Bullard^{[147](#)}, T. O. Buratovich^{[91](#)}, S. Burdin^{[93](#)}, C.D. Burgard^{[49](#)}, A.M. Burger^{[90](#)}, B. Burghgrave^{[8](#)}, O. Burlayenko^{[54](#)}, J. Burleson^{[166](#)}, J.C. Burzynski^{[146](#)}, V. Büscher^{[101](#)}, P.J. Bussey^{[59](#)}, O. But^{[25](#)}, J.M. Butler^{[26](#)}, C.M. Buttar^{[59](#)}, J.M. Butterworth^{[97](#)}, P. Butti^{[37](#)}, W. Buttinger^{[136](#)}, C.J. Buxo Vazquez^{[108](#)}, A.R. Buzykaev^{[39](#)}, S. Cabrera Urbán^{[167](#)}, L. Cadamuro^{[66](#)}, H. Cai^{[37](#)}, Y. Cai^{[24b,113c,24a](#)}, Y. Cai^{[113a](#)}, V.M.M. Cairo^{[37](#)}, O. Cakir^{[3a](#)}, N. Calace^{[37](#)}, P. Calafiura^{[18a](#)}, G. Calderini^{[129](#)}, P. Calfayan^{[35](#)}, L. Calic^{[99](#)}, G. Callea^{[59](#)}, L.P. Caloba^{[82b](#)}, D. Calvet^{[41](#)}, S. Calvet^{[41](#)}, R. Camacho Toro^{[129](#)}, S. Camarda^{[37](#)}, D. Camarero Munoz^{[27](#)}, P. Camarri^{[76a,76b](#)}, C. Camincher^{[37](#)}, M. Campanelli^{[97](#)}, A. Camplani^{[43](#)}, V. Canale^{[72a,72b](#)}, A.C. Canbay^{[3a](#)}, E. Canonero^{[96](#)}, J. Cantero^{[167](#)}, Y. Cao^{[166](#)}, F. Capocasa^{[27](#)}, M. Capua^{[44b,44a](#)}, A. Carbone^{[71a,71b](#)}, R. Cardarelli^{[76a](#)}, J.C.J. Cardenas^{[8](#)}, M. P. Cardiff^{[27](#)}, G. Carducci^{[44b,44a](#)}, T. Carli^{[37](#)}, G. Carlino^{[72a](#)}, J.I. Carlotta^{[13](#)}, B.T. Carlson^{[131,g](#)}, E.M. Carlson^{[169](#)}, L. Carminati^{[71a,71b](#)}, A. Carnelli^{[4](#)}, M. Carnesale^{[37](#)}, S. Caron^{[116](#)}, E. Carquin^{[139g](#)}, I.B. Carr^{[106](#)}, S. Carrá^{[73a,73b](#)}, G. Carratta^{[24b,24a](#)}, C. Carrion Martinez^{[167](#)}, A.M. Carroll^{[125](#)}, M.P. Casado^{[13,h](#)}, P. Casolaro^{[72a,72b](#)}, M. Caspar^{[48](#)}, W.R. Castiglioni^{[40](#)}, F.L. Castillo^{[4](#)}, L. Castillo Garcia^{[13](#)}, V. Castillo Gimenez^{[167](#)}, N.F. Castro^{[132a,132e](#)}, A. Catinaccio^{[37](#)}, J.R. Catmore^{[127](#)}, T. Cavaliere^{[4](#)}, V. Cavaliere^{[30](#)}, L.J. Caviedes Betancourt^{[23b](#)}, E. Celebi^{[81](#)}, S. Cella^{[155](#)}, V. Cepaitis^{[56](#)}, K. Cerny^{[124](#)}, A.S. Cerqueira^{[82a](#)}, A. Cerri^{[74a,i](#)}, L. Cerrito^{[76a,76b](#)}, F. Cerutti^{[18a](#)}, B. Cervato^{[71a,71b](#)}, A. Cervelli^{[24b](#)}, G. Cesarini^{[53](#)}, S.A. Cetin^{[81](#)}, P.M. Chabrilat^{[129](#)}, R. Chakkappai^{[66](#)}, S. Chakraborty^{[171](#)}, A. Chambers^{[61](#)}, J. Chan^{[18a](#)}, W.Y. Chan^{[157](#)}, J.D. Chapman^{[33](#)}, E. Chapon^{[137](#)}, B. Chargeishvili^{[153b](#)},

D.G. Charlton [ID](#)²¹, C. Chauhan [ID](#)¹³³, Y. Che [ID](#)^{113a}, S. Chekanov [ID](#)⁶, G.A. Chelkov [ID](#)^{39,j},
 B. Chen [ID](#)¹⁶⁹, H. Chen [ID](#)³⁰, J. Chen [ID](#)^{142a}, J. Chen [ID](#)¹⁴⁶, M. Chen [ID](#)¹²⁸, S. Chen [ID](#)⁸⁸,
 S.J. Chen [ID](#)^{113a}, X. Chen [ID](#)^{142a}, X. Chen [ID](#)^{15,k}, Z. Chen [ID](#)⁶², C.L. Cheng [ID](#)¹⁷⁴, H.C. Cheng [ID](#)^{64a},
 S. Cheong [ID](#)¹⁴⁷, A. Cheplakov [ID](#)³⁹, E. Cherepanova [ID](#)¹¹⁷, E. Cheu [ID](#)⁷, K. Cheung [ID](#)⁶⁵,
 L. Chevalier [ID](#)¹³⁷, G. Chiarelli [ID](#)^{74a}, G. Chiodini [ID](#)^{70a}, A.S. Chisholm [ID](#)²¹, A. Chitan [ID](#)^{28b},
 M. Chitishvili [ID](#)¹⁶⁷, M.V. Chizhov [ID](#)^{39,l}, K. Choi [ID](#)¹¹, Y. Chou [ID](#)¹⁴¹, E.Y.S. Chow [ID](#)¹¹⁶,
 K.L. Chu [ID](#)¹⁷³, M.C. Chu [ID](#)^{64a}, Z. Chubinidze [ID](#)⁵³, J. Chudoba [ID](#)¹³³, J.J. Chwastowski [ID](#)⁸⁷,
 D. Cieri [ID](#)¹¹¹, K.M. Ciesla [ID](#)^{86a}, V. Cindro [ID](#)⁹⁴, A. Ciochio [ID](#)^{18a}, F. Ciotto [ID](#)^{72a,72b}, Z.H. Citron [ID](#)¹⁷³,
 M. Citterio [ID](#)^{71a}, D.A. Ciubotaru [ID](#)^{28b}, A. Clark [ID](#)⁵⁶, P.J. Clark [ID](#)⁵², N. Clarke Hall [ID](#)⁹⁷,
 C. Clarry [ID](#)¹⁵⁹, S.E. Clawson [ID](#)⁴⁸, C. Clement [ID](#)^{47a,47b}, L. Clissa [ID](#)^{24b,24a}, Y. Coadou [ID](#)¹⁰³,
 M. Cobal [ID](#)^{69a,69c}, A. Coccaro [ID](#)^{57b}, M. G. Cochran Branson [ID](#)¹⁴¹, R.F. Coelho Barrue [ID](#)^{132a},
 R. Coelho Lopes De Sa [ID](#)¹⁰⁴, S. Coelli [ID](#)^{71a}, M.M. Cohen [ID](#)¹³⁰, L. S. Colangeli [ID](#)¹⁵⁹, B. Cole [ID](#)⁴²,
 P. Collado Soto [ID](#)¹⁰⁰, J. Collot [ID](#)⁶⁰, M.R. Coluccia [ID](#)^{70a}, P. Conde Muiño [ID](#)^{132a,132g},
 M.P. Connell [ID](#)^{34c}, S.H. Connell [ID](#)^{34c}, E.I. Conroy [ID](#)¹²⁸, M. Contreras Cossio [ID](#)¹¹, F. Conventi [ID](#)^{72a,m},
 A.M. Cooper-Sarkar [ID](#)¹²⁸, L. Corazzina [ID](#)^{75a,75b}, F. A. Corchia [ID](#)^{24b,24a}, A. Cordeiro Oudot Choi [ID](#)¹⁴¹,
 L.D. Corpe [ID](#)⁴¹, M. Corradi [ID](#)^{75a,75b}, F. Corriveau [ID](#)^{105,n}, A. Cortes-Gonzalez [ID](#)¹⁵⁷, M.J. Costa [ID](#)¹⁶⁷,
 F. Costanza [ID](#)⁴, D. Costanzo [ID](#)¹⁴³, J. Couthures [ID](#)⁴, G. Cowan [ID](#)⁹⁶, K. Cranmer [ID](#)¹⁷⁴, L. Cremer [ID](#)⁴⁹,
 D. Cremonini [ID](#)^{24b,24a}, S. Crépé-Renaudin [ID](#)⁶⁰, F. Crescioli [ID](#)¹²⁹, T. Cresta [ID](#)^{73a,73b},
 M. Cristinziani [ID](#)¹⁴⁵, M. Cristoforetti [ID](#)^{78a,78b}, E. Critelli [ID](#)⁹⁷, A. Cueto [ID](#)¹⁰⁰, H. Cui [ID](#)⁹⁷, Z. Cui [ID](#)⁷,
 B.M. Cunnett [ID](#)¹⁵⁰, W.R. Cunningham [ID](#)⁵⁹, F. Curcio [ID](#)¹⁶⁷, J. R. Curran [ID](#)⁵², G. D’amen [ID](#)³⁰,
 V. D’Amico [ID](#)¹¹⁰, M. D’Andrea [ID](#)^{57b,57a}, G. D’anniballe [ID](#)^{74a,74b}, S. D’Auria [ID](#)^{71a,71b},
 A. D’Avanzo [ID](#)^{72a,72b}, L. D’Eramo [ID](#)⁴¹, A. D’Onofrio [ID](#)^{72a,72b}, M. D’Onofrio [ID](#)⁹³, M. D’uffizi [ID](#)¹⁰²,
 M.J. Da Cunha Sargedas De Sousa [ID](#)^{57b,57a}, J.V. Da Fonseca Pinto [ID](#)^{82b}, C. Da Via [ID](#)¹⁰²,
 W. Dabrowski [ID](#)^{86a}, T. Dado [ID](#)³⁷, S. Dahbi [ID](#)¹⁵², T. Dai [ID](#)¹⁰⁷, D. Dal Santo [ID](#)²⁰, C. Dallapiccola [ID](#)¹⁰⁴,
 M. Dam [ID](#)⁴³, J.R. Dandoy [ID](#)³⁵, D. Dannheim [ID](#)³⁷, M. Danninger [ID](#)¹⁴⁶, V. Dao [ID](#)¹⁴⁹, G. Darbo [ID](#)^{57b},
 S.J. Das [ID](#)³⁰, F. Dattola [ID](#)⁴⁸, T. Davidek [ID](#)¹³⁵, J. Davidson [ID](#)¹⁷¹, I. Dawson [ID](#)⁹⁵, K. De [ID](#)⁸,
 C. De Almeida Rossi [ID](#)¹⁵⁹, R. De Asmundis [ID](#)^{72a}, N. De Biase [ID](#)⁴⁸, S. De Castro [ID](#)^{24b,24a},
 N. De Groot [ID](#)¹¹⁶, P. de Jong [ID](#)¹¹⁷, H. De la Torre [ID](#)¹¹⁸, A. De Maria [ID](#)^{113a}, A. De Salvo [ID](#)^{75a},
 U. De Sanctis [ID](#)^{76a,76b}, F. De Santis [ID](#)^{70a,70b}, A. De Santo [ID](#)¹⁵⁰, J.B. De Vivie De Regie [ID](#)⁶⁰,
 J. Debevc [ID](#)⁹⁴, D.V. Dedovich [ID](#)³⁹, J. Degens [ID](#)⁹³, A.M. Deiana [ID](#)⁴⁵, J. Del Peso [ID](#)¹⁰⁰,
 L. Delagrangé [ID](#)²⁷, F. Deliot [ID](#)¹³⁷, C.M. Delitzsch [ID](#)⁴⁹, A. Dell’Acqua [ID](#)³⁷, L. Dell’Asta [ID](#)^{71a,71b},
 M. Della Pietra [ID](#)^{72a,72b}, D. Della Volpe [ID](#)⁵⁶, M. Delmastro [ID](#)⁴, C.C. Delogu [ID](#)^{57b,57a},
 P.A. Delsart [ID](#)⁶⁰, S. Demers [ID](#)¹⁷⁶, M. Demichev [ID](#)³⁹, S.P. Denisov [ID](#)³⁸, H. Denizli [ID](#)^{22a,o},
 M.G. Depala [ID](#)⁹³, D. Derendarz [ID](#)⁸⁷, L. Derin [ID](#)^{57b,57a}, F. Derue [ID](#)¹²⁹, P. Dervan [ID](#)^{93,†},
 A. M. Desai [ID](#)¹, K. Desch [ID](#)²⁵, F.A. Di Bello [ID](#)^{74a,74b}, A. Di Ciaccio [ID](#)^{76a,76b}, L. Di Ciaccio [ID](#)⁴,
 C. Di Donato [ID](#)^{72a,72b}, A. Di Girolamo [ID](#)³⁷, G. Di Gregorio [ID](#)⁶⁶, A. Di Luca [ID](#)^{78a,78b},
 B. Di Micco [ID](#)^{77a,77b}, R. Di Nardo [ID](#)^{77a,77b}, K.F. Di Petrillo [ID](#)⁴⁰, M. Diamantopoulou [ID](#)³⁵,
 F.A. Dias [ID](#)¹¹⁷, M.A. Diaz [ID](#)^{139a,139b}, A. R. Didenko [ID](#)³⁹, M. Didenko [ID](#)¹⁶⁷, S.D. Diefenbacher [ID](#)^{18a},
 E.B. Diehl [ID](#)¹⁰⁷, S. Díez Cornell [ID](#)⁴⁸, C. Díez Pardos [ID](#)¹⁴⁵, C. Dimitriadi [ID](#)¹⁴⁸, A. Dimitrievska [ID](#)²¹,
 A. Dimri [ID](#)¹⁴⁹, Y. Ding [ID](#)⁶², J. Dingfelder [ID](#)²⁵, T. Dingley [ID](#)¹²⁸, I-M. Dinu [ID](#)^{28b}, S.J. Dittmeier [ID](#)^{63b},
 F. Dittus [ID](#)³⁷, M. Divisek [ID](#)¹³⁵, B. Dixit [ID](#)⁹³, F. Djama [ID](#)¹⁰³, T. Djobava [ID](#)^{153b}, C. Doglioni [ID](#)^{102,99},
 A. Dohnalova [ID](#)^{29a}, Z. Dolezal [ID](#)¹³⁵, K. Domijan [ID](#)^{86a}, K.M. Dona [ID](#)⁴⁰, M. Donadelli [ID](#)^{82d},
 B. Dong [ID](#)¹⁰⁸, J. Donini [ID](#)⁴¹, J. Dopke [ID](#)¹³⁶, A. Doria [ID](#)^{72a}, N. Dos Santos Fernandes [ID](#)^{132a},

I.A. Dos Santos Luz ^{82e}, P. Dougan ⁴⁵, M.T. Dova ⁹¹, A.T. Doyle ⁵⁹, M.P. Drescher ⁵⁵, E. Dreyer ¹⁷³, I. Drivas-koulouris ¹⁰, M. Drnevich ¹¹⁹, D. Du ⁶², T.A. du Pree ¹¹⁷, Z. Duan ^{113a}, M. Dubau ⁴, F. Dubinin ³⁹, M. Dubovsky ^{29a}, E. Duchovni ¹⁷³, G. Duckeck ¹¹⁰, P. K. Duckett ⁹⁷, O.A. Ducu ^{28b}, D. Duda ⁵², A. Dudarev ³⁷, M.M. Dudek ⁸⁷, E. R. Duden ²⁷, L. Duflot ⁶⁶, M. Dührssen ³⁷, I. Duminica ^{28g}, A.E. Dumitriu ^{28b}, M. Dunford ^{63a}, A. Duperrin ¹⁰³, H. Duran Yildiz ^{3a}, A. Durglishvili ^{153b}, G.I. Dyckes ^{18a}, M. Dyndal ^{86a}, B.S. Dziedzic ³⁷, Z.O. Earnshaw ¹⁵⁰, G.H. Eberwein ¹²⁸, B. Eckerova ^{29a}, S. Eggebrecht ⁵⁵, E. Egidio Purcino De Souza ^{82e}, G. Eigen ¹⁷, K. Einsweiler ^{18a}, T. Ekelof ¹⁶⁵, P.A. Ekman ⁹⁹, S. El Farkh ^{36b}, Y. El Ghazali ⁶², H. El Jarrari ¹⁰⁵, A. El Moussaouy ^{36a}, I. Elbaz ¹⁵⁵, D. Elitez ³⁷, M. Ellert ¹⁶⁵, F. Ellinghaus ¹⁷⁵, T.A. Elliot ⁹⁶, J. Elmsheuser ³⁰, M. Elsayy ^{84b}, M. Elsing ³⁷, D. Emelianov ¹³⁶, Y. Enari ⁸³, S. Epari ¹⁰⁹, D. Ernani Martins Neto ⁸⁷, F. Ernst ³⁷, M. Escalier ⁶⁶, C. Escobar ¹⁶⁷, R. Estevam De Paula ^{82c}, E. Etzion ¹⁵⁵, G. Evans ^{132a,132b}, H. Evans ⁶⁸, L.S. Evans ⁴⁸, A. Ezhilov ³⁸, S. Ezzarqtouni ^{36a}, F. Fabbri ^{24b,24a}, L. Fabbri ^{24b,24a}, G. Facini ⁹⁷, V. Fadeyev ¹³⁸, R.M. Fakhrtudinov ³⁸, D. Fakoudis ¹⁰¹, S. Falciano ^{75a}, L.F. Falda Ulhoa Coelho ²⁷, F. Fallavollita ¹¹¹, G. Falsetti ^{44b,44a}, J. Faltova ¹³⁵, C. Fan ¹⁶⁶, K. Y. Fan ^{64b}, Y. Fan ¹⁴, Y. Fang ^{14,113c}, M. Fanti ^{71a,71b}, M. Faraj ^{69a,69c}, Z. Farazpay ⁹⁸, A. Farbin ⁸, A. Farilla ^{77a}, K. Farman ¹⁵², J. N. Farr ¹⁷⁶, M. S. Farrington ⁶¹, S.M. Farrington ^{136,52}, F. Fassi ^{36e}, D. Fassouliotis ⁹, L. Fayard ⁶⁶, P. Federic ¹³⁵, P. Federicova ¹³³, O.L. Fedin ^{38,j}, M. Feickert ¹⁷⁴, L. Feligioni ¹⁰³, D.E. Fellers ^{18a}, C. Feng ^{114b}, Y. Feng ¹⁴, Z. Feng ⁶⁶, B. Fernandez Barbadillo ⁹², P. Fernandez Martinez ⁶⁷, M.J.V. Fernoux ¹⁰³, J. Ferrando ⁹², A. Ferrari ¹⁶⁵, P. Ferrari ^{117,116}, R. Ferrari ^{73a}, D. Ferrere ⁵⁶, C. Ferretti ¹⁰⁷, M. P. Fewell ¹, D. Fiacco ^{75a,75b}, F. Fiedler ¹⁰¹, P. Fiedler ¹³⁴, S. Filimonov ³⁹, M.S. Filip ^{28b,p}, A. Filipčič ⁹⁴, E.K. Filmer ^{160a}, F. Filthaut ¹¹⁶, M.C.N. Fiolhais ^{132a,132c,q}, L. Fiorini ¹⁶⁷, W.C. Fisher ¹⁰⁸, T. Fitschen ¹⁰², I. Fleck ¹⁴⁵, P. Fleischmann ¹⁰⁷, T. Flick ¹⁷⁵, M. Flores ^{34d,r}, L.R. Flores Castillo ^{64a}, M. Foll ¹²⁷, F.M. Follega ^{78a,78b}, N. Fomin ³³, J.H. Foo ¹⁵⁹, A. Formica ¹³⁷, A.C. Forti ¹⁰², E. Fortin ¹⁴⁹, A.W. Fortman ^{18a}, L. Foster ^{18a}, L. Fountas ⁹, H. Fox ⁹², P. Francavilla ^{74a,74b}, S. Francescato ⁶¹, S. Franchellucci ⁵⁶, M. Franchini ^{24b,24a}, S. Franchino ^{63a}, D. Francis ³⁷, L. Franco ⁴⁸, L. Franconi ⁴⁸, M. Franklin ⁶¹, G. Frattari ²⁷, Y.Y. Frid ¹⁵⁵, J. Friend ⁵⁹, N. Fritzsche ³⁷, A. Froch ⁵⁶, D. Froidevaux ³⁷, J.A. Frost ¹³⁶, Y. Fu ¹⁰⁸, S. Fuenzalida Garrido ^{139g}, M. Fujimoto ¹⁴⁹, K. Y. Fung ^{64a}, E. Furtado De Simas Filho ^{82e}, M. Furukawa ¹⁵⁷, M. Fuste Costa ⁴⁸, J. Fuster ¹⁶⁷, A. Gaa ⁵⁵, A. Gabrielli ^{24b,24a}, A. Gabrielli ¹⁵⁹, P. Gadow ³⁷, G. Gagliardi ^{57b,57a}, L.G. Gagnon ^{18a}, S. Gaid ^{84d}, S. Galantzan ¹⁵⁵, J. Gallagher ¹, E.J. Gallas ¹²⁸, A.L. Gallen ¹⁶⁵, B.J. Gallop ¹³⁶, K.K. Gan ¹²¹, Y. Gao ⁵², Z. Gao ^{113a}, A. Garabaglu ¹⁴¹, F.M. Garay Walls ^{139a,139b}, C. García ¹⁶⁷, A. Garcia Alonso ¹¹⁷, A.G. Garcia Caffaro ¹⁷⁶, J.E. García Navarro ¹⁶⁷, M. A. Garcia Ruiz ^{23b}, M. Garcia-Sciveres ^{18a}, G.L. Gardner ¹³⁰, R.W. Gardner ⁴⁰, N. Garelli ¹⁶², R.B. Garg ¹⁴⁷, J.M. Gargan ³³, C.A. Garner ¹⁵⁹, C.M. Garvey ^{34a}, V. K. Gassmann ¹⁶², G. Gaudio ^{73a}, V. Gautam ¹³, J. Gavranovic ⁹⁴, I.L. Gavrilenko ^{132a}, A. Gavriluk ³⁸, C. Gay ¹⁶⁸, G. Gaycken ¹²⁵, A. Gekow ¹²¹, C. Gemme ^{57b}, M.H. Genest ⁶⁰, A. D. Gentry ¹¹⁵, S. George ⁹⁶, T. Geralis ⁴⁶, A. A. Gerwin ¹²², P. Gessinger-Befurt ³⁷, M. Ghani ¹⁷¹, K. Ghorbanian ⁹⁵, A. Ghosal ¹⁴⁵, A. Ghosh ¹⁶³, A. Ghosh ⁷, B. Giacobbe ^{24b}, S. Giagu ^{75a,75b}, A. Giannini ⁶², S.M. Gibson ⁹⁶,

D.T. Gil ^{86b}, A.K. Gilbert ^{86a}, B.J. Gilbert ⁴², D. Gillberg ³⁵, G. Gilles ¹¹⁷,
D.M. Gingrich ^{2,s}, M.P. Giordani ^{69a,69c}, P.F. Giraud ¹³⁷, G. Giudliarelli ^{69a,69c}, D. Giugni ^{71a},
F. Giuli ^{76a,76b}, I. Gkialas ^{9,t}, L.K. Gladilin ³⁸, C. Glasman ¹⁰⁰, M. Glazewska ²⁰,
R. M. Gleason ¹⁶³, G. Glemža ⁴⁸, M. Glisic ¹²⁵, I. Gnesi ^{44b}, Y. Go ³⁰, M. Goblirsch-Kolb ³⁷,
B. Gocke ⁴⁹, D. Godin ¹⁰⁹, B. Gokturk ^{22a}, S. Goldfarb ¹⁰⁶, T. Golling ⁵⁶, M.G.D. Gololo ^{34c},
A. Golub ¹⁴¹, D. Golubkov ³⁸, J.P. Gombas ¹⁰⁸, A. Gomes ^{132a,132b}, G. Gomes Da Silva ¹⁴⁵,
A.J. Gomez Delegido ³⁷, R. Gonçalves ^{132a}, A. Gongadze ^{153c}, F. Gonnella ²¹, J.L. Gonski ¹⁴⁷,
R.Y. González Andana ⁵², S. González de la Hoz ¹⁶⁷, M. V. Gonzalez Rodrigues ⁴⁸,
R. Gonzalez Suarez ¹⁶⁵, S. Gonzalez-Sevilla ⁵⁶, L. Goossens ³⁷, B. Gorini ³⁷, E. Gorini ^{70a,70b},
A. Gorišek ⁹⁴, T.C. Gosart ¹³⁰, A.T. Goshaw ⁵¹, M.I. Gostkin ³⁹, S. Goswami ¹²³,
C.A. Gottardo ³⁷, S. A. Gotz ¹¹⁰, M. Goughri ^{36b}, A.G. Goussiou ¹⁴¹, N. Govender ^{34c},
R. P. Grabarczyk ¹²⁸, I. Grabowska-Bold ^{86a}, K. Graham ³⁵, E. Gramstad ¹²⁷,
S. Grancagnolo ^{70a,70b}, C.M. Grant ¹, P.M. Gravila ^{28f}, F.G. Gravili ^{70a,70b}, H.M. Gray ^{18a},
M. Greco ¹¹¹, M. J. Green ¹, C. Grefe ²⁵, A. S. Grefsrud ¹⁷, I.M. Gregor ⁴⁸, K.T. Greif ¹⁶³,
P. Grenier ¹⁴⁷, S.G. Grewe ¹¹¹, K. Grimm ³², S. Grinstein ^{13,u}, E. Gross ¹⁷³,
J. Grosse-Knetter ⁵⁵, L.H. Grossman ^{18b}, L. Guan ¹⁰⁷, G. Guerrieri ³⁷, R. Guevara ¹²⁷,
R. Gugel ¹⁰¹, J.A.M. Guhit ¹⁰⁷, A. Guida ¹⁹, E. Guillon ¹⁷¹, S. Guindon ³⁷, F. Guo ^{14,113c},
J. Guo ^{142a}, L. Guo ⁴⁸, L. Guo ^{113b,v}, Y. Guo ¹⁰⁷, Y. Guo ⁴², A. Gupta ⁴⁹, R. Gupta ¹³¹,
S. Gupta ²⁷, S. Gurbuz ²⁵, S.S. Gurdasani ⁴⁸, G. Gustavino ^{75a,75b}, P. Gutierrez ¹²²,
L.F. Gutierrez Zagazeta ¹³⁰, M. Gutsche ⁵⁰, C. Gutschow ⁹⁷, C. Gwenlan ¹²⁸,
C.B. Gwilliam ⁹³, E.S. Haaland ¹²⁷, A. Haas ¹¹⁹, M. Habedank ⁵⁹, C. Haber ^{18a},
H.K. Hadavand ⁸, A. Haddad ⁴¹, A. Hadeef ⁵⁰, A.I. Hagan ⁹², J. J. Hahn ¹⁴⁵, M. Haleem ¹⁷⁰,
J. Haley ¹²³, G.D. Hallowell ¹⁰³, J.A. Hallford ⁴⁸, K. Hamano ¹⁶⁹, H. Hamdaoui ¹⁶⁵,
M. Hamer ²⁵, S. E. D. Hammoud ⁶⁶, E.J. Hampshire ⁹⁶, L. Han ^{113a}, L. Han ⁶², S. Han ¹⁴,
K. Hanagaki ⁸³, M. Hance ¹³⁸, D.A. Hangal ⁴², H. Hanif ¹⁴⁶, M.D. Hank ¹³⁰, J.B. Hansen ⁴³,
P.H. Hansen ⁴³, T. Harenberg ¹⁷⁵, S. Harkusha ¹⁷⁷, M.L. Harris ¹⁰⁴, Y.T. Harris ²⁵,
J. Harrison ¹³, P.F. Harrison ¹⁷¹, M. L. E. Hart ⁹⁷, N.M. Hartman ¹¹¹, N.M. Hartmann ¹¹⁰,
R. Z. Hasan ^{96,136}, Y. Hasegawa ¹⁴⁴, D. Hashimoto ¹¹², F. Haslbeck ³⁷, S. Hassan ¹⁷,
R. Hauser ¹⁰⁸, M. Haviernik ¹³⁵, C.M. Hawkes ²¹, R.J. Hawkings ³⁷, Y. Hayashi ¹⁵⁷,
D. Hayden ¹⁰⁸, R.L. Hayes ¹¹⁷, C.P. Hays ¹²⁸, J.M. Hays ⁹⁵, H.S. Hayward ⁹³, M. He ^{14,113c},
Y. He ⁴⁸, Y. He ⁹⁷, N.B. Heatley ⁹⁵, V. Hedberg ⁹⁹, J. Heilman ³⁵, S. Heim ⁴⁸, T. Heim ^{18a},
J.J. Heinrich ¹²⁵, L. Heinrich ¹¹¹, J. Hejbal ¹³³, M. Helbig ⁵⁰, A. Held ¹⁷⁴, S. Hellesund ¹⁷,
C.M. Helling ¹⁶⁸, H. Herde ⁹⁹, Y. Hernández Jiménez ¹⁴⁹, L.M. Herrmann ²⁵, G. Herten ⁵⁴,
R. Hertenberger ¹¹⁰, L. Hervas ³⁷, M.E. Hespings ¹⁰¹, N.P. Hessey ^{160a}, J. Hessler ¹¹¹,
R. Hicks ¹³⁰, M. Hidaoui ^{36b}, N. Hidic ¹³⁵, E. Hill ¹⁵⁹, T. S. Hillersoy ¹⁷, S.J. Hillier ²¹,
J.R. Hinds ¹⁰⁸, F. Hinterkeuser ²⁵, M. Hirose ¹²⁶, S. Hirose ¹⁶¹, D. Hirschbuehl ¹⁷⁵,
T.G. Hitchings ¹⁰², B. Hiti ⁹⁴, J. Hobbs ¹⁴⁹, R. Hobincu ^{28e}, N. Hod ¹⁷³, A.M. Hodges ¹⁶⁶,
M.C. Hodgkinson ¹⁴³, B.H. Hodgkinson ¹²⁸, A. Hoecker ³⁷, D. D. Hofer ¹⁰⁷, J. Hofer ¹⁶⁷,
J. Hofner ¹⁰¹, M. Holzbock ³⁷, L.B.A.H. Hommels ³³, V. Homsak ¹²⁸, J. J. Hong ⁶⁸,
T.M. Hong ¹³¹, B.H. Hooberman ¹⁶⁶, W.H. Hopkins ⁶, M. C. Hoppesch ¹⁶⁶, Y. Horii ¹¹²,
M. E. Horstmann ¹¹¹, S. Hou ¹⁵², M. R. Housenga ¹⁶⁶, J. Howarth ⁵⁹, J. Hoya ⁶,
M. Hrabovsky ¹²⁴, T. Hryn'ova ⁴, P.J. Hsu ⁶⁵, S.-C. Hsu ¹⁴¹, T. Hsu ⁶⁶, M. Hu ^{18a},
Q. Hu ⁶², S. Huang ³³, X. Huang ^{14,113c}, Y. Huang ¹³⁵, Y. Huang ^{113b}, Y. Huang ¹⁴,

Z. Huang⁶⁶, Z. Hubacek¹³⁴, F. Huegging²⁵, T.B. Huffman¹²⁸,
M. Hufnagel Maranha De Faria^{82a}, C. A. Hugli⁴⁸, M. Huhtinen³⁷, S.K. Huiberts¹²⁷,
R. Hulsken¹⁰⁵, C. E. Hultquist^{18a}, D.L. Humphreys¹⁰⁴, N. Huseynov¹², J. Huston¹⁰⁸,
B. Huth³⁷, J. Huth⁶¹, L. Huth⁴⁸, R. Hyneman⁷, G. Iacobucci⁵⁶, G. Iakovidis³⁰,
L. Iconomidou-Fayard⁶⁶, J. P. Iddon³⁷, P. Iengo^{72a,72b}, Y. Iiyama¹⁵⁷, T. Iizawa¹⁵⁷,
Y. Ikegami⁸³, D. Iliadis¹⁵⁶, N. Ilic¹⁵⁹, H. Imam^{36a}, G. Inacio Goncalves^{82d},
S. A. Infante Cabanas^{139c}, T. Ingebretsen Carlson^{47a,47b}, J. M. Inglis⁹⁵, G. Introzzi^{73a,73b},
M. Iodice^{77a}, V. Ippolito^{75a,75b}, R. K. Irwin⁹³, M. Ishino¹⁵⁷, W. Islam¹⁷⁴, C. Issever¹⁹,
S. Istin^{22a,w}, K. Itabashi¹²⁶, H. Ito¹⁷², R. Iuppa^{78a,78b}, A. Ivina¹⁷³, S. Izumiyama¹¹²,
V. Izzo^{72a}, P. Jacka¹³⁴, P. Jackson¹, P. R. Jacobson⁵¹, P. Jain⁴⁸, K. Jakobs⁵⁴,
T. Jakoubek¹⁷³, J. Jamieson⁵⁹, W. Jang¹⁵⁷, S. Jankovych¹¹⁷, M. Javurkova¹⁰⁴,
P. Jawahar¹⁰², L. Jeanty¹²⁵, J. Jejelava^{153a,x}, P. Jenni^{54,y}, L. Jerala⁹⁴, C.E. Jessiman³⁵,
H. Jia¹⁶⁸, J. Jia¹⁴⁹, X. Jia^{111,113c}, Z. Jia^{113a}, C. Jiang⁵², Q. Jiang^{64b}, S. Jiggins⁴⁸,
M. Jimenez Ortega¹⁶⁷, J. Jimenez Pena¹³, S. Jin^{113a}, A. Jinaru^{28b}, O. Jinnouchi¹⁴⁰,
P. Johansson¹⁴³, K.A. Johns⁷, J.W. Johnson¹³⁸, F. A. Jolly⁴⁸, D.M. Jones¹⁵⁰,
E. Jones⁴⁸, K.S. Jones⁸, P. Jones³³, R.W.L. Jones⁹², T.J. Jones⁹³, H.L. Joos⁵⁵,
R. Joshi¹²¹, J. Jovicevic¹⁶, X. Ju^{18a}, J.J. Junggeburth³⁷, T. Junkermann^{63a},
A. Juste Rozas^{13,u}, M.K. Juzek⁸⁷, S. Kabana^{139f}, A. Kaczmarzka⁸⁷, S. A. Kadir¹⁴⁷,
M. Kado¹¹¹, H. Kagan¹²¹, M. Kagan¹⁴⁷, A. Kahn¹³⁰, C. Kahra¹⁰¹, T. Kaji¹⁵⁷,
E. Kajomovitz¹⁵⁴, N. Kakati¹⁷³, N. Kakoty¹³, S. Kandel⁸, N. Kanellos¹⁰, N.J. Kang¹³⁸,
D. Kar^{34j,†}, E. Karentzos²⁵, K. Karki⁸, O. Karkout¹¹⁷, S.N. Karpov³⁹, Z.M. Karpova³⁹,
V. Kartvelishvili^{92,153b}, A.N. Karyukhin³⁸, E. Kasimi¹⁵⁶, J. Katzy⁴⁸, S. Kaur³⁵,
K. Kawade¹⁴⁴, M.P. Kawale¹²², C. Kawamoto⁸⁸, E.F. Kay³⁷, S. Kazakos¹⁰⁸,
K. Kazakova¹⁰³, V.F. Kazanin³⁸, J.M. Keaveney^{34a}, R. Keeler¹⁶⁹, G.V. Kehris⁶¹,
J.S. Keller³⁵, J. M. Kelly¹⁶⁹, J.J. Kempster¹⁵⁰, O. Kepka¹³³, J. Kerr^{160b},
B.P. Kerridge¹³⁶, B.P. Kerševan⁹⁴, L. Keszeghova^{29a}, R. A. Khan¹³¹, A. Khanov¹²³,
A.G. Kharlamov³⁸, T. Kharlamova³⁸, M. Kholodenko^{132a}, T.J. Khoo¹⁹, G. Khorauli¹⁷⁰,
Y. Khoulaki^{36a}, Y.A.R. Khwaira¹²⁹, D. Kim⁶, D.W. Kim^{18b}, Y.K. Kim⁴⁰, N. Kimura⁹⁷,
M.K. Kingston⁵⁵, C. Kirfel²⁵, F. Kirfel²⁵, J. Kirk¹³⁶, A.E. Kiryunin¹¹¹, S. Kita¹⁶¹,
O. Kivernyk²⁵, M. Klassen¹⁶², C. Klein³⁵, L. Klein¹⁷⁰, M.H. Klein⁴⁵, S.B. Klein⁵⁶,
U. Klein⁹³, A. Klimentov³⁰, P. Kluit¹¹⁷, S. Kluth¹¹¹, E. Kneringer⁷⁹, T.M. Knight¹⁵⁹,
A. Knue⁴⁹, M. Kobel⁵⁰, D. Kobylanskii¹⁷³, S.F. Koch³⁷, M. Kocian¹⁴⁷, P. Kodyš¹³⁵,
D.M. Koeck¹²⁵, T. Koffas³⁵, K. Kojima⁸³, O. Kolay⁵⁰, I. Koletsou⁴, T. Komarek⁸⁷,
K. Köneke⁵⁵, A.X.Y. Kong¹, T. Kono¹²⁰, N. Konstantinidis⁹⁷, P. Kontaxakis⁵⁶,
B. Konya⁹⁹, R. Kopeliansky⁴², S. Koperny^{86a}, R. Koppenhofer⁵⁴, K. Korcyl⁸⁷,
K. Kordas^{156,z}, A. Korn⁹⁷, S. Korn⁵⁵, I. Korolkov¹³, N. Korotkova³⁸, B. Kortman¹¹⁷,
O. Kortner¹¹¹, S. Kortner¹¹¹, W.H. Kostecka¹¹⁸, M. Kostov^{29a}, V.V. Kostyukhin¹⁴⁵,
A. Kotskechagia³⁷, A. Kotwal⁵¹, A. Koulouris³⁷, A. Kourkouveli-Charalampidi^{73a,73b},
E. Kourlitis¹¹¹, O. Kovanda¹²⁵, R. Kowalewski¹⁶⁹, W. Kozanecki¹²⁵, A.S. Kozhin³⁸,
V.A. Kramarenko³⁸, G. Kramberger⁹⁴, P. Kramer²⁵, A. Krasznahorkay¹⁰⁴, A. C. Kraus¹¹⁸,
J.W. Kraus¹⁷⁵, J.A. Kremer⁴⁸, N. B. Krenzel¹⁴⁵, T. Kresse⁵⁰, L. Kretschmann¹⁷⁵,
J. Kretzschmar⁹³, P. Krieger¹⁵⁹, K. Krizka²¹, K. Kroeninger⁴⁹, H. Kroha¹¹¹, J. Kroll¹³³,
J. Kroll¹³⁰, K.S. Krowpman¹⁰⁸, U. Kruchonak³⁹, H. Krüger²⁵, N. Krumnack⁸⁰,

M.C. Kruse ^{[151](#)}, O. Kuchinskaia ^{[139](#)}, S. Kuday ^{[13a](#)}, S. Kuehn ^{[137](#)}, R. Kuesters ^{[154](#)}, T. Kuhl ^{[148](#)}, V. Kukhtin ^{[139](#)}, Y. Kulchitsky ^{[139](#)}, S. Kuleshov ^{[139d,139b](#)}, J. Kull ^{[1](#)}, E. V. Kumar ^{[110](#)}, M. Kumar ^{[134j](#)}, N. Kumari ^{[148](#)}, P. Kumari ^{[160b](#)}, A. Kupco ^{[133](#)}, A. Kupich ^{[138](#)}, O. Kuprash ^{[154](#)}, H. Kurashige ^{[185](#)}, L.L. Kurchaninov ^{[160a](#)}, O. Kurdyshev ^{[14](#)}, A. Kurova ^{[138](#)}, M. Kuze ^{[140](#)}, A.K. Kvam ^{[104](#)}, J. Kvita ^{[124](#)}, N.G. Kyriacou ^{[141](#)}, M. Laassiri ^{[130](#)}, C. Lacasta ^{[167](#)}, H. Lacker ^{[19](#)}, D. Lacour ^{[129](#)}, E. Ladygin ^{[139](#)}, A. Lafarge ^{[141](#)}, B. Laforge ^{[129](#)}, T. Lagouri ^{[176](#)}, F.Z. Lahbabi ^{[136a](#)}, S. Lai ^{[155](#)}, W. S. Lai ^{[197](#)}, I.K. Lakomic ^{[155](#)}, J.E. Lambert ^{[169](#)}, S. Lammers ^{[168](#)}, W. Lampl ^{[7](#)}, C. Lampoudis ^{[156](#)}, G. Lamprinoudis ^{[170](#)}, A.N. Lancaster ^{[118](#)}, U. Landgraf ^{[154](#)}, M.P.J. Landon ^{[195](#)}, V.S. Lang ^{[154](#)}, A.J. Lankford ^{[163](#)}, F. Lanni ^{[137](#)}, C. S. Lantz ^{[166](#)}, K. Lantzsche ^{[125](#)}, A. Lanza ^{[173a](#)}, M. Lanzac Berrocal ^{[167](#)}, T. Lari ^{[171a](#)}, D. Larsen ^{[17](#)}, L. Larson ^{[11](#)}, F. Lasagni Manghi ^{[124b](#)}, M. Lassnig ^{[137](#)}, S.D. Lawlor ^{[143](#)}, R. Lazaridou ^{[163](#)}, M. Lazzaroni ^{[171a,171b](#)}, E. T. T. Le ^{[163](#)}, H. D. M. Le ^{[108](#)}, E.M. Le Boulicaut ^{[176](#)}, L.T. Le Pottier ^{[18a](#)}, B. Leban ^{[124b,24a](#)}, F. Ledroit-Guillon ^{[160](#)}, T.F. Lee ^{[160b](#)}, L.L. Leeuw ^{[134h](#)}, M. Lefebvre ^{[169](#)}, C. Leggett ^{[18a](#)}, G. Lehmann Miotto ^{[137](#)}, M. Leigh ^{[156](#)}, W.A. Leight ^{[104](#)}, W. Leinonen ^{[116](#)}, A. Leisos ^{[156,aa](#)}, M.A.L. Leite ^{[182c](#)}, C.E. Leitgeb ^{[19](#)}, R. Leitner ^{[135](#)}, K.J.C. Leney ^{[145](#)}, T. Lenz ^{[125](#)}, S. Leone ^{[174a](#)}, C. Leonidopoulos ^{[152](#)}, A. Leopold ^{[148](#)}, J. LePage-Bourbonnais ^{[135](#)}, R. Les ^{[108](#)}, C.G. Lester ^{[133](#)}, M. Levchenko ^{[138](#)}, J. Levêque ^{[14](#)}, L.J. Levinson ^{[173](#)}, G. Levrini ^{[124b,24a](#)}, M.P. Lewicki ^{[187](#)}, C. Lewis ^{[141](#)}, D.J. Lewis ^{[14](#)}, L. Lewitt ^{[143](#)}, A. Li ^{[130](#)}, B. Li ^{[114b](#)}, C-Q. Li ^{[111](#)}, C. Li ^{[107](#)}, H. Li ^{[114b](#)}, H. Li ^{[102](#)}, H. Li ^{[15](#)}, H. Li ^{[62](#)}, H. Li ^{[114b](#)}, J. Li ^{[142a](#)}, L. Li ^{[142a](#)}, R. Li ^{[176](#)}, S. Li ^{[142b,142a](#)}, T. Li ^{[15](#)}, Y. Li ^{[14](#)}, Z. Li ^{[14,113c](#)}, Z. Li ^{[162](#)}, S. Liang ^{[14,113c](#)}, Z. Liang ^{[14](#)}, M. Liberatore ^{[137](#)}, B. Liberti ^{[176a](#)}, G. B. Libotte ^{[182d](#)}, K. Lie ^{[164c](#)}, J. Lieber Marin ^{[182e](#)}, H. Lien ^{[168](#)}, H. Lin ^{[107](#)}, S. F. Lin ^{[149](#)}, L. Linden ^{[110](#)}, R.E. Lindley ^{[7](#)}, J.H. Lindon ^{[137](#)}, J. Ling ^{[161](#)}, E. Lipeles ^{[130](#)}, A. Lipniacka ^{[17](#)}, A. Lister ^{[168](#)}, J.D. Little ^{[168](#)}, B. Liu ^{[14](#)}, B.X. Liu ^{[113b](#)}, D. Liu ^{[154](#)}, D. Liu ^{[138](#)}, E. H. L. Liu ^{[121](#)}, H. Liu ^{[113b](#)}, J.K.K. Liu ^{[119](#)}, K. Liu ^{[142b](#)}, K. Liu ^{[142b](#)}, M. Liu ^{[162](#)}, M.Y. Liu ^{[162](#)}, P. Liu ^{[114b](#)}, Q. Liu ^{[147](#)}, S. Liu ^{[149](#)}, X. Liu ^{[114b](#)}, Y. Liu ^{[113b,113c](#)}, Y. Liu ^{[166](#)}, Y.L. Liu ^{[114b](#)}, Y.W. Liu ^{[162](#)}, Z. Liu ^{[166,ab](#)}, S.L. Lloyd ^{[95](#)}, E.M. Lobodzinska ^{[148](#)}, P. Loch ^{[7](#)}, E. Lodhi ^{[159](#)}, K. Lohwasser ^{[143](#)}, E. Loiacono ^{[148](#)}, J. D. Lomas ^{[121](#)}, I. Longarini ^{[163](#)}, R. Longo ^{[124b,24a,ac](#)}, A. Lopez Solis ^{[13](#)}, N.A. Lopez-canelas ^{[7](#)}, N. Lorenzo Martinez ^{[14](#)}, A.M. Lory ^{[110](#)}, M. Losada ^{[184b](#)}, G. Lösckce Centeno ^{[14](#)}, X. Lou ^{[14,113c](#)}, P.A. Love ^{[92](#)}, M. Lu ^{[166](#)}, S. Lu ^{[130](#)}, Y.J. Lu ^{[152](#)}, H.J. Lubatti ^{[141](#)}, C. Luci ^{[175a,175b](#)}, F.L. Lucio Alves ^{[113a](#)}, F. Luehring ^{[168](#)}, B. S. Lunday ^{[130](#)}, O. Lundberg ^{[148](#)}, J. Lunde ^{[137](#)}, N.A. Luongo ^{[16](#)}, M.S. Lutz ^{[169](#)}, A.B. Lux ^{[126](#)}, D. Lynn ^{[130](#)}, R. Lysak ^{[133](#)}, V. Lysenko ^{[134](#)}, E. Lytken ^{[99](#)}, V. Lyubushkin ^{[139](#)}, T. Lyubushkina ^{[139](#)}, M.M. Lyukova ^{[149](#)}, H. Ma ^{[130](#)}, K. Ma ^{[162](#)}, L.L. Ma ^{[114b](#)}, W. Ma ^{[162](#)}, Y. Ma ^{[123](#)}, J.C. MacDonald ^{[101](#)}, B. Maček ^{[94](#)}, P.C. Machado De Abreu Farias ^{[182e](#)}, D. Macina ^{[137](#)}, R. Madar ^{[141](#)}, T. Madula ^{[97](#)}, J. Maeda ^{[185](#)}, T. Maeno ^{[130](#)}, P.T. Mafa ^{[134f](#)}, H. Maguire ^{[143](#)}, M. Maheshwari ^{[133](#)}, V. Maiboroda ^{[166](#)}, A. Maio ^{[132a,132b,132d](#)}, K. Maj ^{[186a](#)}, O. Majersky ^{[148](#)}, S. Majewski ^{[125](#)}, R. Makhmanazarov ^{[138](#)}, N. Makovec ^{[166](#)}, V. Maksimovic ^{[16](#)}, B. Malaescu ^{[129](#)}, J. Malamant ^{[127](#)}, Pa. Malecki ^{[187](#)}, V.P. Maleev ^{[138](#)}, F. Malek ^{[160,ad](#)}, M. Mali ^{[194](#)}, D. Malito ^{[196](#)}, A. Maloizel ^{[15](#)}, A. Malvezzi Lopes ^{[182d](#)}, S. Malyukov ^{[139](#)}, J. Mamuzic ^{[194](#)}, G. Mancini ^{[153](#)}, M. N. Mancini ^{[127](#)}, G. Manco ^{[173a,173b](#)}, S.S. Mandarriy ^{[150](#)}, I. Mandić ^{[194](#)}, L. Manhaes de Andrade Filho ^{[182a](#)}, I.M. Maniatis ^{[173](#)}, J. Manjarres Ramos ^{[190](#)}, D.C. Mankad ^{[173](#)}, A. Mann ^{[110](#)}, T. Manoussos ^{[137](#)}, M.N. Mantinan ^{[140](#)}, S. Manzoni ^{[137](#)}, L. Mao ^{[142a](#)},

X. Mapekula ^{134c}, A. Marantis ¹⁵⁶, R.R. Marcelo Gregorio ¹, G. Marchiori ⁵, C. Marcon ^{71a}, E. Maricic ¹⁶, M. Marinescu ⁴⁸, S. Marium ⁴⁸, M. Marjanovic ¹²², A. Markhoos ⁵⁴, M. Markovitch ⁶⁶, M. K. Maroun ¹⁰⁴, M. C. Marr ¹⁴⁶, G. T. Marsden ¹⁰², E.J. Marshall ⁹², Z. Marshall ^{18a}, S. Marti-Garcia ¹⁶⁷, J. Martin ⁹⁷, T.A. Martin ¹³⁶, V.J. Martin ⁵², B. Martin dit Latour ¹⁷, S. Martin-Haugh ¹³⁶, L. Martinelli ^{75a,75b}, P. Martinez Agullo ¹⁶⁷, V.I. Martinez Outschoorn ¹⁰⁴, P. Martinez Suarez ³⁷, G. Martinovicova ¹³⁵, V.S. Martoiu ^{28b}, A.C. Martyniuk ⁹⁷, A. Marzin ³⁷, D. Mascione ^{78a,78b}, L. Masetti ¹⁰¹, J. Masik ¹⁰², A.L. Maslennikov ³⁹, S.L. Mason ⁴², P. Massarotti ^{72a,72b}, P. Mastrandrea ^{74a,74b}, A. Mastroberardino ^{44b,44a}, T. Masubuchi ¹²⁶, T.T. Mathew ¹²⁵, J. Matousek ¹³⁵, D.M. Mattern ⁴⁹, K. Mauer ⁴⁸, J. Maurer ^{28b}, T. Maurin ⁵⁹, A.J. Maury ⁶⁶, C. Mavungu Tsava ¹⁰³, D.A. Maximov ³⁸, A. E. May ¹⁰², E. Mayer ⁴¹, R. Mazini ^{34j}, S.M. Mazza ¹³⁸, E. Mazzeo ³⁷, J.P. Mc Gowan ¹⁶⁹, S.P. Mc Kee ¹⁰⁷, C.A. Mc Lean ⁶, C.C. McCracken ¹⁶⁸, E.F. McDonald ¹⁰⁶, L. F. Mcelhinney ⁹², J.A. Mcfayden ¹⁵⁰, R.P. McGovern ¹³⁰, R.P. Mckenzie ^{34j}, D.J. Mclaughlin ⁹⁷, S.J. McMahon ¹³⁶, C.M. Mcpartland ⁹³, R.A. McPherson ^{169,n}, S. Mehlhase ¹¹⁰, A. Mehta ⁹³, D. Melini ¹⁶⁷, B.R. Mellado Garcia ^{34j}, A.H. Melo ⁵⁵, F. Meloni ⁴⁸, A.M. Mendes Jacques Da Costa ¹⁰², L. Meng ⁹², S. Menke ¹¹¹, M. Mentink ³⁷, E. Meoni ^{44b,44a}, G. Mercado ¹¹⁸, S. Merianos ¹⁵⁶, C. Merlassino ^{69a,69c}, C. Meroni ^{71a,71b}, J. Metcalfe ⁶, A.S. Mete ⁶, E. Meuser ¹⁰¹, C. Meyer ⁶⁸, J-P. Meyer ¹³⁷, Y. Miao ^{113a}, R.P. Middleton ¹³⁶, M. Mihovilovic ⁶⁶, L. Mijović ⁵², G. Mikenberg ¹⁷³, M. Mikestikova ¹³³, M. Mikuž ⁹⁴, H. Mildner ¹⁰¹, A. Milic ³⁷, D.W. Miller ⁴⁰, E. H. Miller ¹⁴⁷, A. Milov ¹⁷³, D.A. Milstead ^{47a,47b}, T. Min ^{113a}, A.A. Minaenko ³⁸, I.A. Minashvili ^{153b}, A.I. Mincer ¹¹⁹, B. Mindur ^{86a}, M. Mineev ³⁹, Y. Mino ⁸⁸, L.M. Mir ¹³, M. Miralles Lopez ⁵⁹, M. Mironova ^{18a}, M. Missio ⁴¹, A. Mitra ¹⁷¹, V.A. Mitsou ¹⁶⁷, Y. Mitsumori ¹¹², P.S. Miyagawa ⁹⁵, T. Mkrtchyan ³⁷, M. Mlinarevic ⁹⁷, T. Mlinarevic ⁹⁷, M. Mlynarikova ¹³⁵, L. Mlynarska ^{86a}, C. Mo ^{142a}, S. Mobius ²⁰, M. H. Mohamed Farook ¹¹⁵, S. Mohapatra ⁴², M.F. Mohd Soberi ⁵², S. Mohiuddin ¹²³, G. Mokgatitswane ^{34j}, L. Moleri ¹⁷³, U. Molinatti ¹²⁸, L.G. Mollier ²⁰, B. Mondal ¹³³, S. Mondal ¹³⁵, K. Mönig ⁴⁸, E. Monnier ¹⁰³, L. Monsonis Romero ¹⁶⁷, A. Montella ^{47a,47b}, M. Montella ¹²¹, F. Montekali ^{77a,77b}, F. Monticelli ⁹¹, S. Monzani ^{69a,69c}, A. Morancho Tarda ⁴³, N. Morange ⁶⁶, M. Moreno Llácer ¹⁶⁷, C. Moreno Martinez ⁵⁶, J.M. Moreno Perez ^{23b}, P. Morettini ^{57b}, S. Morgenstern ^{63a}, M. Morii ⁶¹, M. Morinaga ¹⁵⁷, F. Morodei ^{75a,75b}, P. Moschovakos ³⁷, B. Moser ⁵⁴, M. Mosidze ^{153b}, T. Moskalets ⁴⁵, P. Moskvitina ¹¹⁶, J. Moss ³², T. Motta Quirino ^{82d}, A. Moussa ^{36d}, Y. Moyal ^{173,ae}, H. Moyano Gomez ¹³, E.J.W. Moyse ¹⁰⁴, T.G. Mroz ⁸⁷, S. Muanza ¹⁰³, M. Mucha ²⁵, J. Mueller ¹³¹, G.A. Mullier ¹⁶⁵, A.J. Mullin ³³, J.J. Mullin ⁵¹, A.C. Mullins ⁴⁵, A.E. Mulski ⁶¹, D.P. Mungo ¹⁵⁹, D. Munoz Perez ¹⁶⁷, F.J. Munoz Sanchez ¹⁰², W.J. Murray ^{171,136}, E. Musajan ⁶², M. Muškinja ⁹⁴, C. Mwewa ⁴⁸, A.G. Myagkov ^{38,j}, A.J. Myers ⁸, G. Myers ¹⁰⁷, M. Myska ¹³⁴, B.P. Nachman ¹⁴⁷, K. Nagai ¹²⁸, K. Nagano ⁸³, R. Nagasaka ¹⁵⁷, J.L. Nagle ^{30,af}, E. Nagy ¹⁰³, A.M. Nairz ³⁷, Y. Nakahama ⁸³, K. Nakamura ⁸³, K. Nakkalil ⁵, A. Nandi ^{63b}, H. Nanjo ¹²⁶, E.A. Narayanan ⁴⁵, Y. Narukawa ¹⁵⁷, I. Naryshkin ³⁸, L. Nasella ^{71a,71b}, S. Nasri ^{84c}, C. Nass ²⁵, G. Navarro ^{23a}, A. Nayaz ¹⁹, P.Y. Nechaeva ³⁸, S. Nechaeva ^{24b,24a}, F. Nechansky ¹³³, L. Nedic ¹²⁸, A. Negri ^{73a,73b}, M. Negrini ^{24b}, C. Nellist ¹¹⁷, C. Nelson ¹⁰⁵, K. Nelson ¹⁰⁷, S. Nemecek ¹³³, M. Nessi ^{37,ag},

M.S. Neubauer ¹⁶⁶, J. Newell ⁹³, P.R. Newman ²¹, Y.W.Y. Ng ¹⁶⁶, B. Ngair ^{84b},
H.D.N. Nguyen ¹⁰⁹, J.D. Nichols ¹²², R. Nicolaidou ¹³⁷, J. Nielsen ¹³⁸, M. Niemeyer ⁵⁵,
J. Niermann ³⁷, N. Nikiforou ³⁷, V. Nikolaenko ^{38,j}, I. Nikolic-Audit ¹²⁹, P. Nilsson ³⁰,
G. Ninio ¹⁵⁵, A. Nisati ^{75a}, R. Nisius ¹¹¹, N. Nitika ¹⁷³, E.K. Nkadameng ^{34b}, T. Nobe ¹⁵⁷,
D. Noll ¹⁴⁷, T. Nommensen ¹⁵¹, M.B. Norfolk ¹⁴³, B.J. Norman ³⁵, L.C. Nosler ^{18a},
M. Noury ^{36a}, J. Novak ⁹⁴, T. Novak ⁹⁴, P. Novotny ¹⁷³, R. Novotny ¹³⁴, L. Nozka ¹²⁴,
K. Ntekas ³⁷, D. Ntounis ¹⁴⁷, N.M.J. Nunes De Moura Junior ^{82b}, A.P. O'Neill ²⁰,
J. Ocariz ¹²⁹, I. Ochoa ^{132a}, A. Odella Rodriguez ¹³, S. Oerdek ⁴⁸, J.T. Offermann ⁴⁰,
A. Ogrodnik ⁸⁷, A. Oh ¹⁰², C.C. Ohm ¹⁴⁸, H. Oide ⁸³, M.L. Ojeda ³⁷, Y. Okumura ¹⁵⁷,
L.F. Oleiro Seabra ^{132a}, I. Oleksiyuk ⁵⁶, G. Oliveira Correa ¹³, D. Oliveira Damazio ³⁰,
J.L. Oliver ¹, R. Omar ⁶⁸, Y. Onoda ¹⁴⁰, A. Onofre ^{132a,132e,ah}, P.U.E. Onyisi ¹¹,
M.J. Oreglia ⁴⁰, D. Orestano ^{77a,77b}, R. Orlandini ^{77a,77b}, R.S. Orr ¹⁵⁹, L.M. Osojnak ⁴²,
Y. Osumi ¹¹², G. Otero y Garzón ³¹, H. Otono ⁸⁹, M. Ouchrif ^{36d}, F. Ould-Saada ¹²⁷,
T. Ovsiannikova ¹⁴¹, M. Owen ⁵⁹, R.E. Owen ¹³⁶, V.E. Ozcan ^{22a}, F. Ozturk ⁸⁷, N. Ozturk ⁸,
S. Ozturk ⁸¹, H.A. Pacey ¹²⁸, K. Pachal ^{160a}, A. Pacheco Pages ¹³, C. Padilla Aranda ¹³,
G. Padovano ^{75a,75b}, S. Pagan Griso ^{18a}, L. Pagani ^{76a,76b}, J. Pampel ²⁵, J. Pan ¹⁷⁶,
D.K. Panchal ¹¹, C.E. Pandini ⁶⁰, J.G. Panduro Vazquez ¹³⁶, H.D. Pandya ¹, H. Pang ¹³⁷,
P. Pani ⁴⁸, G. Panizzo ^{69a,69c}, L. Panwar ^{129,ai}, L. Paolozzi ⁵⁶, S. Parajuli ¹⁶⁶,
A. Paramonov ⁶, C. Paraskevopoulos ⁵³, D. Paredes Hernandez ^{64b}, S.R. Paredes Saenz ⁵²,
A. Pareti ^{73a,73b}, K.R. Park ⁴², T.H. Park ¹¹¹, F. Parodi ^{57b,57a}, J.A. Parsons ⁴²,
U. Parzefall ⁵⁴, B. Pascual Dias ⁴¹, L. Pascual Dominguez ¹⁰⁰, E. Pasqualucci ^{75a},
S. Passaggio ^{57b}, F. Pastore ⁹⁶, P. Patel ⁸⁷, U.M. Patel ⁵¹, J.R. Pater ¹⁰², T. Pauly ³⁷,
F. Pauwels ¹³⁵, C.I. Pazos ¹⁶², M. Pedersen ¹²⁷, R. Pedro ^{132a}, S.V. Peleganchuk ³⁸,
O. Penc ¹³³, S. Peng ¹⁵, G. D. Penn ¹⁷⁶, K.E. Penski ¹¹⁰, M. Penzin ³⁸, B.S. Peralva ^{82d},
A.P. Pereira Peixoto ¹⁴¹, L. Pereira Sanchez ¹⁴⁷, D.V. Perepelitsa ^{30,af}, G. Perera ¹⁰⁴,
E. Perez Codina ³⁷, M. Perganti ¹⁰, H. Pernegger ³⁷, S. Perrella ^{75a,75b}, K. Peters ⁴⁸,
R.F.Y. Peters ¹⁰², B.A. Petersen ³⁷, T.C. Petersen ⁴³, E. Petit ¹⁰³, V. Petousis ¹³⁴,
A. R. Petri ^{71a,71b}, T. Petru ¹³⁵, M. Pettee ^{18a}, A. Petukhov ⁸¹, K. Petukhova ³⁷,
R. Pezoa ^{139g}, L. Pezzotti ^{24b,24a}, G. Pezzullo ¹⁷⁶, L. Pfaffenbichler ³⁷, A. J. Pflieger ⁷⁹,
T. Pham ¹⁰⁶, T.M. Pham ¹⁷⁴, P.W. Phillips ¹³⁶, G. Piacquadio ¹⁴⁹, E. Pianori ^{18a},
F. Piazza ¹²⁵, R. Piegai ³¹, D. Pietreanu ^{28b}, A.D. Pilkington ¹⁰², M. Pinamonti ^{69a,69c},
J.L. Pinfold ², G. Pinheiro Matos ⁴², B.C. Pinheiro Pereira ^{132a}, J. Pinol Bel ¹³,
A. E. Pinto Pinoargote ¹²⁹, L. Pintucci ^{69a,69c}, A. Pirttikoski ⁵⁶, D.A. Pizzi ³⁵,
L. Pizzimento ^{64b}, A. Plebani ³³, M.-A. Pleier ³⁰, V. Pleskot ¹³⁵, E. Plotnikova ³⁹,
G. Poddar ⁹⁵, R. Poettgen ⁹⁹, L. Poggioli ¹²⁹, S. Polacek ¹³⁵, G. Polesello ^{73a}, A. Poley ¹⁴⁶,
A. Polini ^{24b}, C.S. Pollard ¹⁷¹, Z.B. Pollock ¹²¹, E. Pompa Pacchi ¹²², N. I. Pond ⁹⁷,
D. Ponomarenko ⁶⁸, L. Pontecorvo ³⁷, S. Popa ^{28a}, G.A. Popeneciu ^{28d}, A. Poreba ^{63a},
D.M. Portillo Quintero ^{160a}, S. Pospisil ¹³⁴, M. A. Postill ¹⁴³, P. Postolache ^{28c},
K. Potamianos ¹⁷¹, P.A. Potepa ^{86a}, I.N. Potrap ³⁹, C.J. Potter ³³, H. Potti ¹⁵¹,
J. Poveda ¹⁶⁷, M.E. Pozo Astigarraga ³⁷, R. Pozzi ³⁷, A. Prades Ibanez ^{76a,76b},
S.R. Pradhan ¹⁴³, J. Pretel ¹⁶⁹, D. Price ¹⁰², M. Primavera ^{70a}, L. Primomo ^{69a,69c},
M.A. Principe Martin ¹⁰⁰, R. Privara ¹²⁴, T. Procter ^{86b}, M.L. Proffitt ¹⁴¹, N. Proklova ¹³⁰,
K. Prokofiev ^{64c}, G. Proto ¹¹¹, J. Proudfoot ⁶, M. Przybycien ^{86a}, W.W. Przygoda ^{86b},

A. Psallidas [ID](#)⁴⁶, J.E. Puddefoot [ID](#)¹⁴³, D. Pudzha [ID](#)⁵³, P. Puhl [ID](#)⁵⁸, H. I. Purnell [ID](#)¹,
 D. Pyatiizbyantseva [ID](#)¹¹⁶, J. Qian [ID](#)¹⁰⁷, R. Qian [ID](#)¹⁰⁸, D. Qichen [ID](#)¹²⁸, Y. Qin [ID](#)¹³, T. Qiu [ID](#)⁵²,
 A. Quadt [ID](#)⁵⁵, M. Queitsch-Maitland [ID](#)¹⁰², G. Quetant [ID](#)⁵⁶, R.P. Quinn [ID](#)¹⁶⁸,
 G. Rabanal Bolanos [ID](#)⁶¹, D. Rafanoharana [ID](#)¹¹¹, F. Raffaeli [ID](#)^{76a,76b}, J.L. Rainbolt [ID](#)⁴⁰,
 S. Rajagopalan [ID](#)³⁰, E. Ramakoti [ID](#)³⁹, L. Rambelli [ID](#)^{57b,57a}, I.A. Ramirez-Berend [ID](#)³⁵,
 K. Ran [ID](#)^{107,113c}, D. S. Rankin [ID](#)¹³⁰, N.P. Rapheeha [ID](#)^{34j}, H. Rasheed [ID](#)^{28b}, A. Rastogi [ID](#)^{18a},
 S. Rave [ID](#)¹⁰¹, S. Ravera [ID](#)^{57b,57a}, B. Ravina [ID](#)³⁷, I. Ravinovich [ID](#)¹⁷³, M. Raymond [ID](#)³⁷,
 A.L. Read [ID](#)¹²⁷, N.P. Readioff [ID](#)¹⁴³, D.M. Rebuzzi [ID](#)^{73a,73b}, A. S. Reed [ID](#)⁵⁹, K. Reeves [ID](#)²⁷,
 D. Reikher [ID](#)³⁷, A. Rej [ID](#)⁴⁹, C. Rembser [ID](#)³⁷, H. Ren [ID](#)⁶², M. Renda [ID](#)^{28b}, F. Renner [ID](#)⁴⁸,
 A.G. Rennie [ID](#)⁵⁹, M. Repik [ID](#)⁵⁶, A.L. Rescia [ID](#)^{57b,57a}, S. Resconi [ID](#)^{71a}, M. Ressegotti [ID](#)^{57b},
 S. Rettie [ID](#)¹¹⁷, W.F. Rettie [ID](#)³⁵, M. M. Revering [ID](#)³³, O.L. Rezanova [ID](#)³⁹, P. Reznicek [ID](#)¹³⁵,
 H. Riani [ID](#)^{36d}, N. Ribaric [ID](#)⁵¹, B. Ricci [ID](#)^{69a,69c}, E. Ricci [ID](#)^{78a,78b}, R. Richter [ID](#)¹¹¹,
 E. Richter-Was [ID](#)^{86b}, M. Ridel [ID](#)¹²⁹, S. Ridouani [ID](#)^{36d}, P. Rieck [ID](#)¹¹⁹, P. Riedler [ID](#)³⁷,
 E.M. Riefel [ID](#)^{47a,47b}, J. O. Rieger [ID](#)¹¹⁷, M. Rimoldi [ID](#)^{34c}, L. Rinaldi [ID](#)^{24b,24a}, P. Rincke [ID](#)^{165,55},
 G. Ripellino [ID](#)¹⁶⁵, I. Riu [ID](#)¹³, J.C. Rivera Vergara [ID](#)¹⁶⁹, F. Rizatdinova [ID](#)¹²³, E. Rizvi [ID](#)⁹⁵,
 B.R. Roberts [ID](#)⁴⁰, S.S. Roberts [ID](#)¹³⁸, D. Robinson [ID](#)³³, A. Robson [ID](#)⁵⁹, A. Rocchi [ID](#)^{76a,76b},
 C. Roda [ID](#)^{74a,74b}, F.A. Rodriguez [ID](#)¹¹⁸, S. Rodriguez Bosca [ID](#)³⁷, Y. Rodriguez Garcia [ID](#)^{23a},
 A.M. Rodríguez Vera [ID](#)¹¹⁸, S. Roe [ID](#)³⁷, J.T. Roemer [ID](#)³⁷, O. Röhne [ID](#)¹²⁷, R.A. Rojas [ID](#)³⁷,
 C.P.A. Roland [ID](#)¹²⁹, A. Romaniouk [ID](#)⁷⁹, E. Romano [ID](#)^{73a,73b}, M. Romano [ID](#)^{24b}, N. Rompotis [ID](#)⁹³,
 L. Roos [ID](#)¹²⁹, S. Rosati [ID](#)^{75a}, B.J. Rosser [ID](#)⁴⁰, E. Rossi [ID](#)¹²⁸, E. Rossi [ID](#)^{72a,72b}, L.P. Rossi [ID](#)⁶¹,
 L. Rossini [ID](#)⁵⁴, R. Rosten [ID](#)¹²¹, M. Rotaru [ID](#)^{28b}, R. Roth [ID](#)³⁷, D. Rousseau [ID](#)⁶⁶, D. Rousso [ID](#)⁴⁸,
 S. Roy-Garand [ID](#)¹⁵⁹, A. Rozanov [ID](#)¹⁰³, Z. M. A. Rozario [ID](#)⁵⁹, Y. Rozen [ID](#)¹⁵⁴, A. Rubio Jimenez [ID](#)¹⁶⁷,
 V.H. Ruelas Rivera [ID](#)¹⁹, T.A. Ruggeri [ID](#)¹, A. Ruggiero [ID](#)¹²⁸, A. Ruiz-Martinez [ID](#)¹⁶⁷, A. Rummeler [ID](#)³⁷,
 G.B. Rupnik Boero [ID](#)³⁷, Z. Rurikova [ID](#)⁵⁴, N.A. Rusakovich [ID](#)³⁹, S. Ruscelli [ID](#)⁴⁹, H.L. Russell [ID](#)¹⁶⁹,
 G. Russo [ID](#)¹³⁸, J.P. Rutherford [ID](#)⁷, S. Rutherford Colmenares [ID](#)¹¹⁹, M. Rybar [ID](#)¹³⁵,
 P. Rybczynski [ID](#)^{86a}, A. Ryzhov [ID](#)⁴⁵, F. Safai Tehrani [ID](#)^{75a}, S. Saha [ID](#)¹, B. Sahoo [ID](#)¹⁷³, A. Saibel [ID](#)¹⁶⁷,
 B. T. Saifuddin [ID](#)¹²², M. Saimpert [ID](#)¹³⁷, G.T. Saito [ID](#)^{82c}, M. Saito [ID](#)¹⁵⁷, T. Saito [ID](#)¹⁵⁷,
 A. Sala [ID](#)^{71a,71b}, O. T. Salin [ID](#)⁶⁶, A. Salnikov [ID](#)¹⁴⁷, J. Salt [ID](#)¹⁶⁷, A. Salvador Salas [ID](#)¹⁵⁵,
 F. Salvatore [ID](#)¹⁵⁰, A. Salzburger [ID](#)³⁷, D. Sammel [ID](#)⁵⁴, E. Sampson [ID](#)⁹², D. Sampsonidis [ID](#)^{156,z},
 D. Sampsonidou [ID](#)¹²⁵, M.A.A. Samy [ID](#)⁵⁹, J. Sánchez [ID](#)¹⁶⁷, V. Sanchez Sebastian [ID](#)¹⁶⁷,
 H. Sandaker [ID](#)¹²⁷, C.O. Sander [ID](#)⁴⁸, J.A. Sandesara [ID](#)¹⁷⁴, M. Sandhoff [ID](#)¹⁷⁵, C. Sandoval [ID](#)^{23b},
 L. Sanfilippo [ID](#)^{63a}, D.P.C. Sankey [ID](#)¹³⁶, T. Sano [ID](#)⁸⁸, A. Sansoni [ID](#)⁵³, M. Santana Queiroz [ID](#)^{18b},
 L. Santi [ID](#)³⁷, C. Santoni [ID](#)⁴¹, H. Santos [ID](#)^{132a,132b}, L. Santos Pereira Trigo [ID](#)⁴⁸, E. Sanzani [ID](#)^{24b,24a},
 K.A. Saoucha [ID](#)^{84d}, J.G. Saraiva [ID](#)^{132a,132d}, J. Sardain [ID](#)⁷, O. Sasaki [ID](#)⁸³, K. Sato [ID](#)¹⁶¹, C. Sauer [ID](#)³⁷,
 E. Sauvan [ID](#)⁴, P. Savard [ID](#)^{159,s}, R. Sawada [ID](#)¹⁵⁷, C. Sawyer [ID](#)¹³⁶, L. Sawyer [ID](#)⁹⁸, A. M. Sayed [ID](#)²⁷,
 C. Sbarra [ID](#)^{24b}, A. Sbrizzi [ID](#)^{24b,24a}, T. Scanlon [ID](#)⁹⁷, J. Schaarschmidt [ID](#)¹⁴¹, U. Schäfer [ID](#)¹⁰¹,
 A.C. Schaffer [ID](#)^{66,45}, D. Schaile [ID](#)¹¹⁰, R.D. Schamberger [ID](#)¹⁴⁹, C. Scharf [ID](#)¹⁹, M.M. Schefer [ID](#)²⁰,
 V.A. Schegelsky [ID](#)³⁸, D. Scheirich [ID](#)¹³⁵, M. Schernau [ID](#)^{139f}, C. Scheulen [ID](#)⁵⁶, C. Schiavi [ID](#)^{57b,57a},
 M. Schioppa [ID](#)^{44b,44a}, S. Schlenker [ID](#)³⁷, J. Schmeing [ID](#)¹⁷⁵, E. Schmidt [ID](#)¹¹¹, M. A. Schmidt [ID](#)¹⁷⁵,
 K. Schmieden [ID](#)²⁵, C. Schmitt [ID](#)¹⁰¹, N. Schmitt [ID](#)¹⁰¹, S. Schmitt [ID](#)⁴⁸, N.A. Schneider [ID](#)¹¹⁰,
 L. Schoeffel [ID](#)¹³⁷, A. Schoening [ID](#)^{63b}, P.G. Scholer [ID](#)³⁵, E. Schopf [ID](#)¹⁴⁵, M. Schott [ID](#)²⁵,
 S. Schramm [ID](#)⁵⁶, T. Schroer [ID](#)⁵⁶, H-C. Schultz-Coulon [ID](#)^{63a}, M. Schumacher [ID](#)⁵⁴, B.A. Schumm [ID](#)¹³⁸,
 Ph. Schune [ID](#)¹³⁷, H.R. Schwartz [ID](#)⁷, A. Schwartzman [ID](#)¹⁴⁷, T.A. Schwarz [ID](#)¹⁰⁷, Ph. Schwemling [ID](#)¹³⁷,

R. Schwienhorst ¹⁰⁸, F.G. Sciacca ²⁰, A. Sciandra ³⁰, G. Sciolla ²⁷, S. A. Scoville ¹³¹,
F. Scuri ^{74a}, C.D. Sebastiani ³⁷, K. Sedlaczek ¹¹⁸, S.C. Seidel ¹¹⁵, B.D. Seidlitz ⁴²,
C. Seitz ⁴⁸, J.M. Seixas ^{82b}, G. Sekhniaidze ^{72a}, L. Selem ¹²⁹, N. Semprini-Cesari ^{24b,24a},
A. Semushin ¹⁷⁷, D. Sengupta ⁵⁶, V. Senthilkumar ¹¹⁷, L. Serin ⁶⁶, M. Sessa ^{72a,72b},
H. Severini ¹²², F. Sforza ^{57b,57a}, A. Sfyrta ⁵⁶, Q. Sha ¹⁴, H. Shaddix ¹¹⁸, A.H. Shah ³³,
R. Shaheen ¹⁴⁸, J.D. Shahinian ¹³⁰, M. Shamim ³⁷, L.Y. Shan ¹⁴, M. Shapiro ^{18a},
A. Sharma ³⁷, A.S. Sharma ¹⁶⁸, P. Sharma ³⁰, P.B. Shatalov ³⁸, K. Shaw ¹⁵⁰, S.M. Shaw ¹⁰²,
Q. Shen ¹⁴, D.J. Sheppard ¹⁴⁶, P. Sherwood ⁹⁷, L. Shi ^{113b}, X. Shi ¹⁴, S. Shimizu ⁸³,
S. Shirabe ⁸⁹, M. Shiyakova ^{39,aj}, M.J. Shochet ⁴⁰, D.R. Shope ¹²⁷, B. Shrestha ¹²²,
S. Shrestha ^{121,ak}, I. Shreyber ³⁹, M.J. Shroff ¹⁰⁵, P. Sicho ¹³³, A.M. Sickles ¹⁶⁶,
E. Sideras Haddad ^{34j,164}, A. C. Sidley ¹¹⁷, A. Sidoti ^{24b}, F. Siegert ⁵⁰, Dj. Sijacki ¹⁶,
F. Sili ⁶², J.M. Silva ⁵², I. Silva Ferreira ^{82b}, M.V. Silva Oliveira ³⁰, S.B. Silverstein ^{47a},
S. Simion ⁶⁶, R. Simoniello ³⁷, E.L. Simpson ¹⁰², H. Simpson ¹⁵⁰, L.R. Simpson ⁶, S. Simsek ⁸¹,
S. Sindhu ⁵⁵, S. Singh ³⁰, S. N. Singh ²⁷, S. Sinha ⁴⁸, S. Sinha ¹⁰², M. Sioli ^{24b,24a},
K. Sioulas ⁹, I. Siral ³⁷, E. Sitnikova ⁴⁸, J. Sjölin ^{47a,47b}, A. Skaf ⁵⁵, E. Skorda ²¹,
P. Skubic ¹²², M. Slawinska ⁸⁷, I. Slazyk ¹⁷, I. Sliusar ¹²⁷, V. Smakhtin ¹⁷³, B.H. Smart ¹³⁶,
S.Yu. Smirnov ^{139b}, Y. Smirnov ^{34c}, L.N. Smirnova ^{38,j}, O. Smirnova ⁹⁹, A.C. Smith ⁴²,
J.L. Smith ¹⁰², M. B. Smith ³⁵, R. Smith ¹⁴⁷, H. Smitmanns ¹⁰¹, M. Smizanska ⁹²,
K. Smolek ¹³⁴, P. Smolyanskiy ¹³⁴, A.A. Snesarev ³⁹, H.L. Snoek ¹¹⁷, R. M. Snyder ⁵¹,
S. Snyder ³⁰, R. Sobie ^{169,n}, A. Soffer ¹⁵⁵, C.A. Solans Sanchez ³⁷, E.Yu. Soldatov ³⁹,
U. Soldevila ¹⁶⁷, A.A. Solodkov ^{34j}, S. Solomon ²⁷, A. Soloshenko ³⁹, K. Solovieva ⁵⁴,
O.V. Solovyanov ⁴¹, P. Sommer ⁵⁰, A. Sonay ¹³, A. Sopczak ¹³⁴, A.L. Sopio ⁵²,
F. Sopkova ^{29b}, J. D. Sorenson ¹¹⁵, I.R. Sotarriva Alvarez ¹⁴⁰, V. Sothilingam ^{63a},
O. J. Soto Sandoval ^{139c,139b}, S. Sottocornola ⁶⁸, R. Soualah ^{84a}, Z. Soumami ^{36e}, D. South ⁴⁸,
N. Soybelman ¹⁷³, S. Spagnolo ^{70a,70b}, A.S. Spellman ¹²⁵, D. Sperlich ⁵⁴, B. Spisso ^{72a,72b},
L. Splendori ¹⁰³, M. Spousta ¹³⁵, E.J. Staats ³⁵, R. Stamen ^{63a}, E. Stanecka ⁸⁷,
W. Stanek-Maslouska ⁴⁸, M.V. Stange ⁵⁰, B. Stanislaus ^{18a}, M.M. Stanitzki ⁴⁸,
E.A. Starchenko ³⁸, G.H. Stark ¹³⁸, J. Stark ⁹⁰, P. Staroba ¹³³, P. Starovoitov ^{84d},
R. Staszewski ⁸⁷, C. Stauch ¹¹⁰, G. Stavropoulos ⁴⁶, A. Steff ³⁷, A. Stein ¹⁰¹, P. Steinberg ³⁰,
B. Stelzer ^{146,160a}, H.J. Stelzer ¹³¹, O. Stelzer ^{160a}, H. Stenzel ⁵⁸, T.J. Stevenson ¹⁵⁰,
G.A. Stewart ⁴⁸, G. Stoicea ^{28b}, M. Stolarski ^{132a}, S. Stonjek ¹¹¹, A. Straessner ⁵⁰,
J. Strandberg ¹⁴⁸, S. Strandberg ^{47a,47b}, M. Stratmann ¹⁷⁵, M. Strauss ¹²², T. Strebler ¹⁰³,
P. Strizenec ^{29b}, R. Ströhmer ¹⁷⁰, D.M. Strom ¹²⁵, R. Stroynowski ⁴⁵, A. Strubig ^{47a,47b},
S.A. Stucci ³⁰, B. Stugu ¹⁷, J. Stupak ¹²², N.A. Styles ⁴⁸, D. Su ¹⁴⁷, S. Su ⁶², X. Su ⁶²,
D. Suchy ^{29a}, A. D. Sudhakar Ponnuru ⁵⁵, L. Sudit ¹⁷³, Y. Sue ⁸³, K. Sugizaki ¹³⁰,
V.V. Sulin ³⁸, D.M.S. Sultan ¹²⁸, L. Sultanaliev ²⁵, S. Sultansoy ^{3b}, S. Sun ¹⁷⁴, W. Sun ¹⁴,
S. Sundar Raman ¹⁶⁸, N. Sur ⁹⁹, J.P. Surdutovich ¹²¹, N. Suri Jr ¹⁷⁶, M.R. Sutton ¹⁵⁰,
M. Svatos ¹³³, P. N. Swallow ³³, M. Swiatlowski ^{160a}, A. Swoboda ³⁷, I. Sykora ^{29a},
M. Sykora ¹³⁵, T. Sykora ¹³⁵, D. Ta ¹⁰¹, K. Tackmann ^{48,al}, A. Taffard ¹⁶³, R. Tafirout ^{160a},
Y. Takubo ⁸³, M. Talby ¹⁰³, A.A. Talyshchev ³⁸, N.M. Tamir ¹⁵⁵, A. Tanaka ¹⁵⁷, J. Tanaka ¹⁵⁷,
R. Tanaka ⁶⁶, M. Tanasini ¹⁴⁹, Z. Tao ¹⁶⁸, S. Tapia Araya ^{139g}, S. Tapprogge ¹⁰¹,
A. Tarek Abouelfadl Mohamed ³⁷, S. Tarem ¹⁵⁴, K. Tariq ¹⁴, G. Tarna ³⁷, G.F. Tartarelli ^{71a},
M. J. Tartarin ⁹⁰, P. Tas ¹³⁵, M. Tasevsky ¹³³, E. Tassi ^{44b,44a}, A.C. Tate ¹⁶⁶,

Y. Tayalati ^{[36e,am](#)}, G.N. Taylor ^{[106](#)}, W. Taylor ^{[160b](#)}, R.J. Taylor Vara ^{[167](#)}, A.S. Tegetmeier ^{[90](#)}, P. Teixeira-Dias ^{[96](#)}, J.J. Teoh ^{[159](#)}, K. Terashi ^{[157](#)}, J. Terron ^{[100](#)}, S. Terzo ^{[13](#)}, M. Testa ^{[53](#)}, R.J. Teuscher ^{[159,n](#)}, A. Thaler ^{[79](#)}, O. Theiner ^{[56](#)}, T. Thevenaux-Pelzer ^{[103](#)}, J.P. Thomas ^{[21](#)}, E.A. Thompson ^{[18a](#)}, P.D. Thompson ^{[21](#)}, E. Thomson ^{[130](#)}, R. E. Thornberry ^{[45](#)}, T.M. Thory-Rao ^{[21](#)}, C. Tian ^{[62](#)}, Y. Tian ^{[56](#)}, V. Tikhomirov ^{[81](#)}, Yu.A. Tikhonov ^{[39](#)}, S. Timoshenko ^{[38](#)}, D. Timoshyn ^{[135](#)}, E.X.L. Ting ^{[1](#)}, P. Tipton ^{[176](#)}, A. Tishelman-Charny ^{[30](#)}, K. Todome ^{[140](#)}, S. Todorova-Nova ^{[135](#)}, L. Toffolin ^{[69a,69c](#)}, M. Togawa ^{[83](#)}, J. Tojo ^{[89](#)}, S. Tokár ^{[29a](#)}, O. Toldaiev ^{[68](#)}, G. Tolkachev ^{[103](#)}, M. Tomoto ^{[83](#)}, L. Tompkins ^{[147](#)}, E. Torrence ^{[125](#)}, H. Torres ^{[90](#)}, D. I. Torres Arza ^{[139g](#)}, E. Torró Pastor ^{[167](#)}, M. Toscani ^{[31](#)}, C. Toscirì ^{[40](#)}, M. Tost ^{[11](#)}, D.R. Tovey ^{[143](#)}, T. Trefzger ^{[170](#)}, P.M. Tricarico ^{[13](#)}, A. Tricoli ^{[30](#)}, I.M. Trigger ^{[160a](#)}, S. Trincaz-Duvoid ^{[129](#)}, D.A. Trischuk ^{[169](#)}, A. Tropina ^{[39](#)}, D. Truncali ^{[76a,76b](#)}, L. Truong ^{[34c](#)}, M. Trzebinski ^{[87](#)}, A. Trzupek ^{[87](#)}, F. Tsai ^{[149](#)}, M. Tsai ^{[107](#)}, A. Tsiamis ^{[156](#)}, P.V. Tsiareshka ^{[39](#)}, S. Tsigaridas ^{[160a](#)}, A. Tsirigotis ^{[156,aa](#)}, V. Tsiskaridze ^{[153a](#)}, E.G. Tskhadadze ^{[153a](#)}, Y. Tsujikawa ^{[88](#)}, I.I. Tsukerman ^{[38](#)}, V. Tsulaia ^{[18a](#)}, K. Tsurii ^{[120](#)}, D. Tsybychev ^{[149](#)}, Y. Tu ^{[64b](#)}, A. Tudorache ^{[28b](#)}, V. Tudorache ^{[28b](#)}, S. B. Tuncay ^{[128](#)}, S. Turchikhin ^{[57b,57a](#)}, I. Turk Cakir ^{[3a](#)}, R. Turra ^{[71a](#)}, T. Turtuvshin ^{[39,an](#)}, P.M. Tuts ^{[42](#)}, Y. Uematsu ^{[83](#)}, F. Ukegawa ^{[161](#)}, P.A. Ulloa Poblete ^{[139c,139b](#)}, G. Unal ^{[37](#)}, A. Undrus ^{[30](#)}, J. Urban ^{[29b](#)}, P. Urrejola ^{[139e](#)}, G. Usai ^{[8](#)}, R. Ushioda ^{[158](#)}, M. Usman ^{[109](#)}, F. Ustuner ^{[52](#)}, Z. Uysal ^{[81](#)}, V. Vacek ^{[134](#)}, B. Vachon ^{[105](#)}, T. Vafeiadis ^{[37](#)}, A. Vaitkus ^{[97](#)}, C. Valderanis ^{[110](#)}, E. Valdes Santurio ^{[47a,47b](#)}, M. Valente ^{[37](#)}, S. Valentineti ^{[24b,24a](#)}, A. Valero ^{[167](#)}, E. Valiente Moreno ^{[167](#)}, A. Vallier ^{[90](#)}, J.A. Valls Ferrer ^{[167](#)}, D. R. Van Arneeman ^{[117](#)}, R. Van Den Broucke ^{[129](#)}, A. Van Der Graaf ^{[49](#)}, H. Z. Van Der Schyf ^{[34j](#)}, P. Van Gemmeren ^{[6](#)}, M. Van Rijnbach ^{[37](#)}, S. Van Stroud ^{[97](#)}, I. Van Vulpen ^{[117](#)}, P. Vana ^{[135](#)}, M. Vanadia ^{[76a,76b](#)}, U. M. Vande Voorde ^{[148](#)}, W. Vandelli ^{[37](#)}, E.R. Vandewall ^{[147](#)}, D. Vannicola ^{[155](#)}, L. Vannoli ^{[53](#)}, R. Vari ^{[75a](#)}, M. Varma ^{[176](#)}, E.W. Varnes ^{[7](#)}, C. Varni ^{[79](#)}, D. Varouchas ^{[66](#)}, L. Varriale ^{[167](#)}, K.E. Varvell ^{[151](#)}, M.E. Vasile ^{[28b](#)}, L. Vaslin ^{[83](#)}, M. D. Vassilev ^{[147](#)}, A. Vasyukov ^{[39](#)}, L. M. Vaughan ^{[123](#)}, R. Vavricka ^{[135](#)}, T. Vazquez Schroeder ^{[13](#)}, J. Veatch ^{[32](#)}, V. Vecchio ^{[102](#)}, M.J. Veen ^{[104](#)}, I. Veliscek ^{[30](#)}, I. Velkovska ^{[94](#)}, L.M. Veloce ^{[159](#)}, F. Veloso ^{[132a,132c](#)}, A.G. Veltman ^{[52](#)}, S.H. Venetianer ^{[162](#)}, S. Veneziano ^{[75a](#)}, A. Ventura ^{[70a,70b](#)}, A. Verbytskyi ^{[111](#)}, M. Verducci ^{[74a,74b](#)}, C. Vergis ^{[95](#)}, M. Verissimo De Araujo ^{[82b](#)}, W. Verkerke ^{[117](#)}, J.C. Vermeulen ^{[117](#)}, C. Vernieri ^{[147](#)}, M. Vessella ^{[163](#)}, M.C. Vetterli ^{[146,s](#)}, A. Vgenopoulos ^{[101](#)}, N. Viaux Maira ^{[139g,ao](#)}, T. Vickey ^{[143](#)}, O.E. Vickey Boeriu ^{[143](#)}, G.H.A. Viehhauser ^{[128](#)}, L. Vigani ^{[63b](#)}, M. Vigl ^{[111](#)}, M. Villa ^{[24b,24a](#)}, M. Villaplana Perez ^{[167](#)}, E.M. Villhauer ^{[40](#)}, E. Vilucchi ^{[53](#)}, M. Vincent ^{[167](#)}, M.G. Vinciter ^{[35](#)}, A. Visibile ^{[117](#)}, A. Visive ^{[117](#)}, C. Vittori ^{[37](#)}, I. Vivarelli ^{[24b,24a](#)}, M.I. Vivas Albornoz ^{[48](#)}, E. Voevodina ^{[111](#)}, F. Vogel ^{[110](#)}, J.C. Voigt ^{[50](#)}, P. Vokac ^{[134](#)}, Yu. Volkotrub ^{[86b](#)}, L. Vomberg ^{[25](#)}, E. Von Toerne ^{[25](#)}, B. Vormwald ^{[37](#)}, K. Vorobev ^{[51](#)}, M. Vos ^{[167](#)}, K. Voss ^{[145](#)}, M. Vozak ^{[37](#)}, L. Vozdecky ^{[122](#)}, N. Vranjes ^{[16](#)}, M. Vranjes Milosavljevic ^{[16](#)}, M. Vreeswijk ^{[117](#)}, N.K. Vu ^{[142b,142a](#)}, R. Vuillermet ^{[37](#)}, O. Vujinovic ^{[101](#)}, I. Vukotic ^{[40](#)}, I. K. Vyas ^{[35](#)}, J.F. Wack ^{[33](#)}, A. Wada ^{[112](#)}, S. Wada ^{[161](#)}, C. Wagner ^{[147](#)}, J.M. Wagner ^{[18a](#)}, W. Wagner ^{[175](#)}, S. Wahdan ^{[175](#)}, H. Wahlberg ^{[91](#)}, C. H. Waits ^{[122](#)}, J. Walder ^{[136](#)}, R. Walker ^{[110](#)}, K. Walkingshaw Pass ^{[59](#)}, W. Walkowiak ^{[145](#)}, A. Wall ^{[130](#)}, E.J. Wallin ^{[99](#)}, T. Wamorkar ^{[147](#)}, K. Wandall-Christensen ^{[167](#)}, A. Wang ^{[62](#)}, A.Z. Wang ^{[138](#)}, C. Wang ^{[48](#)}, C. Wang ^{[11](#)}, H. Wang ^{[18a](#)}, J. Wang ^{[64c](#)}, P. Wang ^{[102](#)},

P. Wang^{[1](#)}, R. Wang^{[61](#)}, R. Wang^{[107](#)}, R. Wang^{[6](#)}, S. Wang^{[14](#)}, S.M. Wang^{[152](#)}, T. Wang^{[116](#)},
T. Wang^{[62](#)}, W.T. Wang^{[128](#)}, X. Wang^{[166](#)}, X. Wang^{[142a](#)}, X. Wang^{[48](#)}, Y. Wang^{[149](#)},
Y. Wang^{[115](#)}, Z. Wang^{[107](#)}, Z. Wang^{[142b](#)}, Z. Wang^{[107](#)}, Z. Wang^{[64b](#)}, C. Wanotayaroj^{[83](#)},
A. Warburton^{[105](#)}, A.L. Warnerbring^{[145](#)}, S. Waterhouse^{[96](#)}, A.T. Watson^{[21](#)}, H. Watson^{[52](#)},
M.F. Watson^{[21](#)}, E. Watton^{[37](#)}, G. Watts^{[141](#)}, B.M. Waugh^{[97](#)}, J. M. Webb^{[54](#)}, C. Weber^{[30](#)},
M.S. Weber^{[20](#)}, C. Wei^{[62](#)}, Y. Wei^{[54](#)}, A.R. Weidberg^{[128](#)}, E.J. Weik^{[119](#)}, J. Weingarten^{[49](#)},
C. Weiser^{[54](#)}, C.J. Wells^{[48](#)}, T. Wenaus^{[30](#)}, T. Wengler^{[37](#)}, N.S. Wenke^{[111](#)}, N. Vermes^{[25](#)},
M. Wessels^{[63a](#)}, A.M. Wharton^{[92](#)}, A. White^{[8](#)}, A.S. White^{[37](#)}, M.J. White^{[1](#)},
D. Whiteson^{[163](#)}, L. Wickremasinghe^{[126](#)}, W. Wiedenmann^{[174](#)}, M. Wielers^{[136](#)}, R. Wierda^{[148](#)},
C. Wiglesworth^{[43](#)}, H.G. Wilkens^{[37](#)}, J. J. H. Wilkinson^{[33](#)}, S. Williams^{[33](#)}, S. Willocq^{[104](#)},
D.J. Wilson^{[102](#)}, P.J. Windischhofer^{[40](#)}, F.I. Winkel^{[31](#)}, F. Winklmeier^{[125](#)}, B.T. Winter^{[54](#)},
M. Wittgen^{[147](#)}, M. Wobisch^{[98](#)}, T. Wojtkowski^{[60](#)}, Z. Wolffs^{[117](#)}, J. Wollrath^{[37](#)}, M.W. Wolter^{[87](#)},
H. Wolters^{[132a,132c](#)}, M.C. Wong^{[138](#)}, E.L. Woodward^{[42](#)}, S.D. Worm^{[48](#)}, B.K. Wosiek^{[87](#)},
K.W. Woźniak^{[87](#)}, S. Wozniowski^{[55](#)}, K. Wraight^{[59](#)}, C. Wu^{[159](#)}, C. Wu^{[21](#)}, J. Wu^{[157](#)},
M. Wu^{[113b](#)}, M. Wu^{[116](#)}, S. Wu^{[14,ap](#)}, S.L. Wu^{[174](#)}, X. Wu^{[62](#)}, Y. Wu^{[62](#)}, Y.Q. Wu^{[159](#)},
Z. Wu^{[4](#)}, Z. Wu^{[113a](#)}, J. Wuerzinger^{[111](#)}, T.R. Wyatt^{[102](#)}, B.M. Wynne^{[52](#)}, S. Xella^{[43](#)},
L. Xia^{[113a](#)}, M. Xie^{[62](#)}, A. Xiong^{[125](#)}, D. Xu^{[14](#)}, H. Xu^{[62](#)}, L. Xu^{[62](#)}, R. Xu^{[130](#)}, T. Xu^{[107](#)},
W. Xu^{[113a](#)}, Y. Xu^{[141](#)}, Z. Xu^{[52](#)}, R. Xue^{[131](#)}, B. Yabsley^{[151](#)}, S. Yacoob^{[11](#)}, Y. Yamaguchi^{[83](#)},
E. Yamashita^{[157](#)}, H. Yamauchi^{[161](#)}, T. Yamazaki^{[18a](#)}, Y. Yamazaki^{[85](#)}, S. Yan^{[59](#)}, Z. Yan^{[104](#)},
H.J. Yang^{[142a](#)}, H.T. Yang^{[62](#)}, S. Yang^{[62](#)}, X. Yang^{[37](#)}, X. Yang^{[14](#)}, Y. Yang^{[157](#)}, Y. Yang^{[62](#)},
W-M. Yao^{[18a](#)}, C. L. Yardley^{[150](#)}, J. Ye^{[14](#)}, S. Ye^{[30](#)}, X. Ye^{[62](#)}, Y. Yeh^{[97](#)}, I. Yeletskikh^{[39](#)},
B. Yeo^{[18b](#)}, M.R. Yexley^{[97](#)}, T. P. Yildirim^{[128](#)}, K. Yorita^{[172](#)}, C. Young^{[147](#)}, C.J.S. Young^{[37](#)},
I.N.L. Young^{[59](#)}, N.D. Young^{[125](#)}, Y. Yu^{[62](#)}, J. Yuan^{[14,113c,ap](#)}, M. Yuan^{[107](#)}, R. Yuan^{[142b](#)},
L. Yue^{[97](#)}, M. Zaazoua^{[62](#)}, B. Zabinski^{[87](#)}, I. Zahir^{[36a](#)}, A. Zaid^{[57b,57a](#)}, Z.K. Zak^{[87](#)},
T. Zakareishvili^{[167](#)}, S. Zambito^{[56](#)}, J.A. Zamora Saa^{[139d](#)}, J. Zang^{[157](#)}, R. Zanzottera^{[71a,71b](#)},
O. Zaplatilek^{[134](#)}, C. Zeitnitz^{[175](#)}, H. Zeng^{[14](#)}, D.T. Zenger Jr^{[27](#)}, O. Zenin^{[38](#)}, T. Ženiš^{[29a](#)},
S. Zenz^{[95](#)}, D. Zerwas^{[66](#)}, B. Zhang^{[171](#)}, D.F. Zhang^{[143](#)}, G. Zhang^{[14,ap](#)}, J. Zhang^{[114b](#)},
J. Zhang^{[6](#)}, L. Zhang^{[62](#)}, L. Zhang^{[113a](#)}, P. Zhang^{[14,113c](#)}, R. Zhang^{[113a](#)}, S. Zhang^{[90](#)},
Y. Zhang^{[141](#)}, Y. Zhang^{[97](#)}, Y. Zhang^{[62](#)}, Y. Zhang^{[113a](#)}, Z. Zhang^{[18a](#)}, Z. Zhang^{[114b](#)},
Z. Zhang^{[66](#)}, H. Zhao^{[141](#)}, T. Zhao^{[114b](#)}, Y. Zhao^{[35](#)}, Z. Zhao^{[62](#)}, Z. Zhao^{[62](#)},
A. Zhemchugov^{[39](#)}, J. Zheng^{[113a](#)}, K. Zheng^{[166](#)}, L. Zheng^{[114b](#)}, X. Zheng^{[62](#)}, Z. Zheng^{[147](#)},
D. Zhong^{[166](#)}, B. Zhou^{[107](#)}, B. Zhou^{[142b,142a](#)}, H. Zhou^{[7](#)}, N. Zhou^{[142a](#)}, Y. Zhou^{[15](#)},
Y. Zhou^{[113a](#)}, Y. Zhou^{[7](#)}, J. Zhu^{[107](#)}, X. Zhu^{[142b](#)}, Y. Zhu^{[142a](#)}, X. Zhuang^{[14](#)}, K. Zhukov^{[68](#)},
N.I. Zimine^{[39](#)}, J. Zinsser^{[63b](#)}, M. Ziolkowski^{[145](#)}, L. Živković^{[16](#)}, A. Zoccoli^{[24b,24a](#)},
K. Zoch^{[61](#)}, A. Zografos^{[37](#)}, T.G. Zorbas^{[143](#)}, O. Zormpa^{[46](#)}, L. Zwalinski^{[37](#)}

¹ Department of Physics, University of Adelaide, Adelaide, Australia

² Department of Physics, University of Alberta, Edmonton AB, Canada

^{3a} Department of Physics, Ankara University, Ankara, Turkey

^{3b} Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey

⁴ LAPP, Université Savoie Mont Blanc, CNRS/IN2P3, Annecy, France

⁵ APC, Université Paris Cité, CNRS/IN2P3, Paris, France

⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States of America

⁷ Department of Physics, University of Arizona, Tucson AZ, United States of America

⁸ Department of Physics, University of Texas at Arlington, Arlington TX, United States of America

- ⁹ *Physics Department, National and Kapodistrian University of Athens, Athens, Greece*
- ¹⁰ *Physics Department, National Technical University of Athens, Zografou, Greece*
- ¹¹ *Department of Physics, University of Texas at Austin, Austin TX, United States of America*
- ¹² *Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan*
- ¹³ *Institut de Física d'Altes Energies (IFAE), Barcelona Institute of Science and Technology, Barcelona, Spain*
- ¹⁴ *Institute of High Energy Physics, Chinese Academy of Sciences, Beijing, China*
- ¹⁵ *Physics Department, Tsinghua University, Beijing, China*
- ¹⁶ *Institute of Physics, University of Belgrade, Belgrade, Serbia*
- ¹⁷ *Department for Physics and Technology, University of Bergen, Bergen, Norway*
- ^{18a} *Physics Division, Lawrence Berkeley National Laboratory, Berkeley CA, United States of America*
- ^{18b} *University of California, Berkeley CA, United States of America*
- ¹⁹ *Institut für Physik, Humboldt Universität zu Berlin, Berlin, Germany*
- ²⁰ *Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland*
- ²¹ *School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom*
- ^{22a} *Department of Physics, Bogazici University, Istanbul, Turkey*
- ^{22b} *Department of Physics Engineering, Gaziantep University, Gaziantep, Turkey*
- ^{22c} *Department of Physics, Istanbul University, Istanbul, Turkey*
- ^{23a} *Facultad de Ciencias y Centro de Investigaciones, Universidad Antonio Nariño, Bogotá, Colombia*
- ^{23b} *Departamento de Física, Universidad Nacional de Colombia, Bogotá, Colombia*
- ^{24a} *Dipartimento di Fisica e Astronomia A. Righi, Università di Bologna, Bologna, Italy*
- ^{24b} *INFN Sezione di Bologna, Italy*
- ²⁵ *Physikalisches Institut, Universität Bonn, Bonn, Germany*
- ²⁶ *Department of Physics, Boston University, Boston MA, United States of America*
- ²⁷ *Department of Physics, Brandeis University, Waltham MA, United States of America*
- ^{28a} *Transilvania University of Brasov, Brasov, Romania*
- ^{28b} *Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania*
- ^{28c} *Department of Physics, Alexandru Ioan Cuza University of Iasi, Iasi, Romania*
- ^{28d} *National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj-Napoca, Romania*
- ^{28e} *National University of Science and Technology Politehnica, Bucharest, Romania*
- ^{28f} *West University in Timisoara, Timisoara, Romania*
- ^{28g} *Faculty of Physics, University of Bucharest, Bucharest, Romania*
- ^{29a} *Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava, Slovak Republic*
- ^{29b} *Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of Sciences, Kosice, Slovak Republic*
- ³⁰ *Physics Department, Brookhaven National Laboratory, Upton NY, United States of America*
- ³¹ *Universidad de Buenos Aires, Facultad de Ciencias Exactas y Naturales, Departamento de Física, y CONICET, Instituto de Física de Buenos Aires (IFIBA), Buenos Aires, Argentina*
- ³² *California State University, CA, United States of America*
- ³³ *Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom*
- ^{34a} *Department of Physics, University of Cape Town, Cape Town, South Africa*
- ^{34b} *iThemba Labs, Western Cape, South Africa*
- ^{34c} *Department of Mechanical Engineering Science, University of Johannesburg, Johannesburg, South Africa*
- ^{34d} *National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines*
- ^{34e} *Department of Physics, Stellenbosch University, Matieland, South Africa*
- ^{34f} *University of KwaZulu-Natal, School of Agriculture and Science, Mathematics, Westville, South Africa*
- ^{34g} *University of South Africa, Department of Physics, Pretoria, South Africa*
- ^{34h} *University of Pretoria, Department of Mechanical and Aeronautical Engineering, Pretoria, South Africa*
- ³⁴ⁱ *University of Zululand, KwaDlangezwa, South Africa*
- ^{34j} *School of Physics, University of the Witwatersrand, Johannesburg, South Africa*
- ³⁵ *Department of Physics, Carleton University, Ottawa ON, Canada*

- ^{36a} *Faculté des Sciences Ain Chock, Université Hassan II de Casablanca, Morocco*
- ^{36b} *Faculté des Sciences, Université Ibn-Tofail, Kénitra, Morocco*
- ^{36c} *Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech, Morocco*
- ^{36d} *LPMR, Faculté des Sciences, Université Mohamed Premier, Oujda, Morocco*
- ^{36e} *Faculté des sciences, Université Mohammed V, Rabat, Morocco*
- ^{36f} *Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco*
- ³⁷ *CERN, Geneva, Switzerland*
- ³⁸ *Affiliated with an institute formerly covered by a cooperation agreement with CERN*
- ³⁹ *Affiliated with an international laboratory covered by a cooperation agreement with CERN*
- ⁴⁰ *Enrico Fermi Institute, University of Chicago, Chicago IL, United States of America*
- ⁴¹ *LPC, Université Clermont Auvergne, CNRS/IN2P3, Clermont-Ferrand, France*
- ⁴² *Nevis Laboratory, Columbia University, Irvington NY, United States of America*
- ⁴³ *Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark*
- ^{44a} *Dipartimento di Fisica, Università della Calabria, Rende, Italy*
- ^{44b} *INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati, Italy*
- ⁴⁵ *Physics Department, Southern Methodist University, Dallas TX, United States of America*
- ⁴⁶ *National Centre for Scientific Research “Demokritos”, Agia Paraskevi, Greece*
- ^{47a} *Department of Physics, Stockholm University, Sweden*
- ^{47b} *Oskar Klein Centre, Stockholm, Sweden*
- ⁴⁸ *Deutsches Elektronen-Synchrotron DESY, Hamburg and Zeuthen, Germany*
- ⁴⁹ *Fakultät Physik, Technische Universität Dortmund, Dortmund, Germany*
- ⁵⁰ *Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany*
- ⁵¹ *Department of Physics, Duke University, Durham NC, United States of America*
- ⁵² *SUPA — School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom*
- ⁵³ *INFN e Laboratori Nazionali di Frascati, Frascati, Italy*
- ⁵⁴ *Physikalisches Institut, Albert-Ludwigs-Universität Freiburg, Freiburg, Germany*
- ⁵⁵ *II. Physikalisches Institut, Georg-August-Universität Göttingen, Göttingen, Germany*
- ⁵⁶ *Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland*
- ^{57a} *Dipartimento di Fisica, Università di Genova, Genova, Italy*
- ^{57b} *INFN Sezione di Genova, Italy*
- ⁵⁸ *II. Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany*
- ⁵⁹ *SUPA — School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom*
- ⁶⁰ *LPSC, Université Grenoble Alpes, CNRS/IN2P3, Grenoble INP, Grenoble, France*
- ⁶¹ *Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States of America*
- ⁶² *Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China*
- ^{63a} *Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany*
- ^{63b} *Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany*
- ^{64a} *Department of Physics, Chinese University of Hong Kong, Shatin, N.T., Hong Kong, China*
- ^{64b} *Department of Physics, University of Hong Kong, Hong Kong, China*
- ^{64c} *Department of Physics and Institute for Advanced Study, Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China*
- ⁶⁵ *Department of Physics, National Tsing Hua University, Hsinchu, Taiwan*
- ⁶⁶ *IJCLab, Université Paris-Saclay, CNRS/IN2P3, 91405, Orsay, France*
- ⁶⁷ *Centro Nacional de Microelectrónica (IMB-CNM-CSIC), Barcelona, Spain*
- ⁶⁸ *Department of Physics, Indiana University, Bloomington IN, United States of America*
- ^{69a} *INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine, Italy*
- ^{69b} *ICTP, Trieste, Italy*
- ^{69c} *Dipartimento Politecnico di Ingegneria e Architettura, Università di Udine, Udine, Italy*
- ^{70a} *INFN Sezione di Lecce, Italy*
- ^{70b} *Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy*
- ^{71a} *INFN Sezione di Milano, Italy*

- ^{71b} *Dipartimento di Fisica, Università di Milano, Milano, Italy*
- ^{72a} *INFN Sezione di Napoli, Italy*
- ^{72b} *Dipartimento di Fisica, Università di Napoli, Napoli, Italy*
- ^{73a} *INFN Sezione di Pavia, Italy*
- ^{73b} *Dipartimento di Fisica, Università di Pavia, Pavia, Italy*
- ^{74a} *INFN Sezione di Pisa, Italy*
- ^{74b} *Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy*
- ^{75a} *INFN Sezione di Roma, Italy*
- ^{75b} *Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy*
- ^{76a} *INFN Sezione di Roma Tor Vergata, Italy*
- ^{76b} *Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy*
- ^{77a} *INFN Sezione di Roma Tre, Italy*
- ^{77b} *Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy*
- ^{78a} *INFN-TIFPA, Italy*
- ^{78b} *Università degli Studi di Trento, Trento, Italy*
- ⁷⁹ *Universität Innsbruck, Department of Astro and Particle Physics, Innsbruck, Austria*
- ⁸⁰ *Department of Physics and Astronomy, Iowa State University, Ames IA, United States of America*
- ⁸¹ *Istinye University, Sariyer, Istanbul, Turkey*
- ^{82a} *Departamento de Engenharia Elétrica, Universidade Federal de Juiz de Fora (UFJF), Juiz de Fora, Brazil*
- ^{82b} *Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro, Brazil*
- ^{82c} *Instituto de Física, Universidade de São Paulo, São Paulo, Brazil*
- ^{82d} *Rio de Janeiro State University, Rio de Janeiro, Brazil*
- ^{82e} *Federal University of Bahia, Bahia, Brazil*
- ⁸³ *KEK, High Energy Accelerator Research Organization, Tsukuba, Japan*
- ^{84a} *Khalifa University of Science and Technology, Abu Dhabi, United Arab Emirates*
- ^{84b} *New York University Abu Dhabi, Abu Dhabi, United Arab Emirates*
- ^{84c} *United Arab Emirates University, Al Ain, United Arab Emirates*
- ^{84d} *University of Sharjah, Sharjah, United Arab Emirates*
- ⁸⁵ *Graduate School of Science, Kobe University, Kobe, Japan*
- ^{86a} *AGH University of Krakow, Faculty of Physics and Applied Computer Science, Krakow, Poland*
- ^{86b} *Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, Poland*
- ⁸⁷ *Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland*
- ⁸⁸ *Faculty of Science, Kyoto University, Kyoto, Japan*
- ⁸⁹ *Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan*
- ⁹⁰ *L2IT, Université de Toulouse, CNRS/IN2P3, UPS, Toulouse, France*
- ⁹¹ *Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina*
- ⁹² *Physics Department, Lancaster University, Lancaster, United Kingdom*
- ⁹³ *Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom*
- ⁹⁴ *Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia*
- ⁹⁵ *Department of Physics and Astronomy, Queen Mary University of London, London, United Kingdom*
- ⁹⁶ *Department of Physics, Royal Holloway University of London, Egham, United Kingdom*
- ⁹⁷ *Department of Physics and Astronomy, University College London, London, United Kingdom*
- ⁹⁸ *Louisiana Tech University, Ruston LA, United States of America*
- ⁹⁹ *Fysiska institutionen, Lunds universitet, Lund, Sweden*
- ¹⁰⁰ *Departamento de Física Teórica C-15 and CIAFF, Universidad Autónoma de Madrid, Madrid, Spain*
- ¹⁰¹ *Institut für Physik, Universität Mainz, Mainz, Germany*
- ¹⁰² *School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom*
- ¹⁰³ *CPPM, Aix-Marseille Université, CNRS/IN2P3, Marseille, France*
- ¹⁰⁴ *Department of Physics, University of Massachusetts, Amherst MA, United States of America*
- ¹⁰⁵ *Department of Physics, McGill University, Montreal QC, Canada*
- ¹⁰⁶ *School of Physics, University of Melbourne, Victoria, Australia*

- ¹⁰⁷ *Department of Physics, University of Michigan, Ann Arbor MI, United States of America*
- ¹⁰⁸ *Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States of America*
- ¹⁰⁹ *Group of Particle Physics, University of Montreal, Montreal QC, Canada*
- ¹¹⁰ *Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany*
- ¹¹¹ *Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany*
- ¹¹² *Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan*
- ^{113a} *Department of Physics, Nanjing University, Nanjing, China*
- ^{113b} *School of Science, Shenzhen Campus of Sun Yat-sen University, China*
- ^{113c} *University of Chinese Academy of Science (UCAS), Beijing, China*
- ^{114a} *School of Physics, Nankai University, Tianjin, China*
- ^{114b} *Institute of Frontier and Interdisciplinary Science and Key Laboratory of Particle Physics and Particle Irradiation (MOE), Shandong University, Qingdao, China*
- ^{114c} *School of Physics, Zhengzhou University, China*
- ¹¹⁵ *Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States of America*
- ¹¹⁶ *Institute for Mathematics, Astrophysics and Particle Physics, Radboud University/Nikhef, Nijmegen, Netherlands*
- ¹¹⁷ *Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands*
- ¹¹⁸ *Department of Physics, Northern Illinois University, DeKalb IL, United States of America*
- ¹¹⁹ *Department of Physics, New York University, New York NY, United States of America*
- ¹²⁰ *Ochanomizu University, Otsuka, Bunkyo-ku, Tokyo, Japan*
- ¹²¹ *Ohio State University, Columbus OH, United States of America*
- ¹²² *Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States of America*
- ¹²³ *Department of Physics, Oklahoma State University, Stillwater OK, United States of America*
- ¹²⁴ *Palacký University, Joint Laboratory of Optics, Olomouc, Czech Republic*
- ¹²⁵ *Institute for Fundamental Science, University of Oregon, Eugene, OR, United States of America*
- ¹²⁶ *Graduate School of Science, University of Osaka, Osaka, Japan*
- ¹²⁷ *Department of Physics, University of Oslo, Oslo, Norway*
- ¹²⁸ *Department of Physics, Oxford University, Oxford, United Kingdom*
- ¹²⁹ *LPNHE, Sorbonne Université, Université Paris Cité, CNRS/IN2P3, Paris, France*
- ¹³⁰ *Department of Physics, University of Pennsylvania, Philadelphia PA, United States of America*
- ¹³¹ *Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States of America*
- ^{132a} *Laboratório de Instrumentação e Física Experimental de Partículas — LIP, Lisboa, Portugal*
- ^{132b} *Departamento de Física, Faculdade de Ciências, Universidade de Lisboa, Lisboa, Portugal*
- ^{132c} *Departamento de Física, Universidade de Coimbra, Coimbra, Portugal*
- ^{132d} *Centro de Física Nuclear da Universidade de Lisboa, Lisboa, Portugal*
- ^{132e} *Departamento de Física, Escola de Ciências, Universidade do Minho, Braga, Portugal*
- ^{132f} *Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada (Spain), Spain*
- ^{132g} *Departamento de Física, Instituto Superior Técnico, Universidade de Lisboa, Lisboa, Portugal*
- ¹³³ *Institute of Physics of the Czech Academy of Sciences, Prague, Czech Republic*
- ¹³⁴ *Czech Technical University in Prague, Prague, Czech Republic*
- ¹³⁵ *Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic*
- ¹³⁶ *Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom*
- ¹³⁷ *IRFU, CEA, Université Paris-Saclay, Gif-sur-Yvette, France*
- ¹³⁸ *Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States of America*
- ^{139a} *Departamento de Física, Pontificia Universidad Católica de Chile, Santiago, Chile*
- ^{139b} *Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile*
- ^{139c} *Instituto de Investigación Multidisciplinario en Ciencia y Tecnología, y Departamento de Física, Universidad de La Serena, Chile*
- ^{139d} *Universidad Andres Bello, Department of Physics, Santiago, Chile*

- ^{139e} *Universidad San Sebastian, Recoleta, Chile*
- ^{139f} *Instituto de Alta Investigación, Universidad de Tarapacá, Arica, Chile*
- ^{139g} *Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile*
- ¹⁴⁰ *Department of Physics, Institute of Science, Tokyo, Japan*
- ¹⁴¹ *Department of Physics, University of Washington, Seattle WA, United States of America*
- ^{142a} *State Key Laboratory of Dark Matter Physics, School of Physics and Astronomy, Shanghai Jiao Tong University, Key Laboratory for Particle Astrophysics and Cosmology (MOE), SKLPPC, Shanghai, China*
- ^{142b} *State Key Laboratory of Dark Matter Physics, Tsung-Dao Lee Institute, Shanghai Jiao Tong University, Shanghai, China*
- ¹⁴³ *Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom*
- ¹⁴⁴ *Department of Physics, Shinshu University, Nagano, Japan*
- ¹⁴⁵ *Department Physik, Universität Siegen, Siegen, Germany*
- ¹⁴⁶ *Department of Physics, Simon Fraser University, Burnaby BC, Canada*
- ¹⁴⁷ *SLAC National Accelerator Laboratory, Stanford CA, United States of America*
- ¹⁴⁸ *Department of Physics, Royal Institute of Technology, Stockholm, Sweden*
- ¹⁴⁹ *Departments of Physics and Astronomy, Stony Brook University, Stony Brook NY, United States of America*
- ¹⁵⁰ *Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom*
- ¹⁵¹ *School of Physics, University of Sydney, Sydney, Australia*
- ¹⁵² *Institute of Physics, Academia Sinica, Taipei, Taiwan*
- ^{153a} *E. Andronikashvili Institute of Physics, Iv. Javakishvili Tbilisi State University, Tbilisi, Georgia*
- ^{153b} *High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia*
- ^{153c} *University of Georgia, Tbilisi, Georgia*
- ¹⁵⁴ *Department of Physics, Technion, Israel Institute of Technology, Haifa, Israel*
- ¹⁵⁵ *Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel*
- ¹⁵⁶ *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece*
- ¹⁵⁷ *International Center for Elementary Particle Physics and Department of Physics, University of Tokyo, Tokyo, Japan*
- ¹⁵⁸ *Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan*
- ¹⁵⁹ *Department of Physics, University of Toronto, Toronto ON, Canada*
- ^{160a} *TRIUMF, Vancouver BC, Canada*
- ^{160b} *Department of Physics and Astronomy, York University, Toronto ON, Canada*
- ¹⁶¹ *Division of Physics and Tomonaga Center for the History of the Universe, Faculty of Pure and Applied Sciences, University of Tsukuba, Tsukuba, Japan*
- ¹⁶² *Department of Physics and Astronomy, Tufts University, Medford MA, United States of America*
- ¹⁶³ *Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States of America*
- ¹⁶⁴ *University of West Attica, Athens, Greece*
- ¹⁶⁵ *Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden*
- ¹⁶⁶ *Department of Physics, University of Illinois, Urbana IL, United States of America*
- ¹⁶⁷ *Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia — CSIC, Valencia, Spain*
- ¹⁶⁸ *Department of Physics, University of British Columbia, Vancouver BC, Canada*
- ¹⁶⁹ *Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada*
- ¹⁷⁰ *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität Würzburg, Würzburg, Germany*
- ¹⁷¹ *Department of Physics, University of Warwick, Coventry, United Kingdom*
- ¹⁷² *Waseda University, Tokyo, Japan*
- ¹⁷³ *Department of Particle Physics and Astrophysics, Weizmann Institute of Science, Rehovot, Israel*
- ¹⁷⁴ *Department of Physics, University of Wisconsin, Madison WI, United States of America*
- ¹⁷⁵ *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany*
- ¹⁷⁶ *Department of Physics, Yale University, New Haven CT, United States of America*
- ¹⁷⁷ *Yerevan Physics Institute, Yerevan, Armenia*

- ^a Also at Department of Physics, King's College London, London, United Kingdom
- ^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan
- ^c Also at Imam Mohammad Ibn Saud Islamic University, Saudi Arabia
- ^d Also at Department of Physics, University of Thessaly, Greece
- ^e Also at An-Najah National University, Nablus, Palestine
- ^f Also at Department of Physics, University of Fribourg, Fribourg, Switzerland
- ^g Also at Department of Physics, Westmont College, Santa Barbara, United States of America
- ^h Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain
- ⁱ Also at University of Siena, Italy
- ^j Also at Affiliated with an institute formerly covered by a cooperation agreement with CERN
- ^k Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China
- ^l Also at Faculty of Physics, Sofia University, 'St. Kliment Ohridski', Sofia, Bulgaria
- ^m Also at Università di Napoli Parthenope, Napoli, Italy
- ⁿ Also at Institute of Particle Physics (IPP), Canada
- ^o Also at Department of Physics, Bolu Abant İzzet Baysal University, Bolu, Turkey
- ^p Also at Faculty of Physics, University of Bucharest, Romania
- ^q Also at Borough of Manhattan Community College, City University of New York, New York NY, United States of America
- ^r Also at National Institute of Physics, University of the Philippines Diliman (Philippines), Philippines
- ^s Also at TRIUMF, Vancouver BC, Canada
- ^t Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece
- ^u Also at Institució Catalana de Recerca i Estudis Avançats, ICREA, Barcelona, Spain
- ^v Also at Henan University, China
- ^w Also at Yeditepe University, Physics Department, Istanbul, Turkey
- ^x Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia
- ^y Also at CERN, Geneva, Switzerland
- ^z Also at Center for Interdisciplinary Research and Innovation (CIRI-AUTH), Thessaloniki, Greece
- ^{aa} Also at Hellenic Open University, Patras, Greece
- ^{ab} Also at Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Hefei, China
- ^{ac} Also at University and INFN Torino, Torino, Italy
- ^{ad} Also at Department of Physics, Stellenbosch University, South Africa
- ^{ae} Also at Department of Physics, Ben Gurion University of the Negev, Beer Sheva, Israel
- ^{af} Also at University of Colorado Boulder, Department of Physics, Colorado, United States of America
- ^{ag} Also at Département de Physique Nucléaire et Corpusculaire, Université de Genève, Genève, Switzerland
- ^{ah} Also at Centre of Physics of the Universities of Minho and Porto (CF-UM-UP), Portugal
- ^{ai} Also at Indian Institute of Technology (IIT), Jodhpur, India
- ^{aj} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria
- ^{ak} Also at Washington College, Chestertown, MD, United States of America
- ^{al} Also at Institut für Experimentalphysik, Universität Hamburg, Hamburg, Germany
- ^{am} Also at Institute of Applied Physics, Mohammed VI Polytechnic University, Ben Guerir, Morocco
- ^{an} Also at Institute of Physics and Technology, Mongolian Academy of Sciences, Ulaanbaatar, Mongolia
- ^{ao} Also at Millennium Institute for Subatomic physics at high energy frontier (SAPHIR), Santiago, Chile
- ^{ap} Also at University of Chinese Academy of Sciences (UCAS), Beijing, China
- [†] Deceased