

Editorial

Aging, Natural Bioactive Compounds and Non-Communicable Chronic Degenerative Diseases

Annalisa Noce ^{1,2,*}  and Nicola Di Daniele ^{1,3} 

¹ Department of Systems Medicine, University of Rome Tor Vergata, 00133 Rome, Italy; didaniele@med.uniroma2.it

² UOSD Nephrology and Dialysis, Policlinico Tor Vergata, 00133 Rome, Italy

³ Fondazione Leonardo per le Scienze Mediche Onlus, Policlinico Abano, 35031 Abano Terme, Italy

* Correspondence: annalisa.noce@uniroma2.it; Tel.: +39-0620902194

In recent decades, the world has witnessed a major demographic change characterized by an aging of the general population. Across the globe, the number of people aged 65 and over is increasing enormously; between 1990 and 2017, the percentage of elderly people increased globally from 6.1% to 8.8%, and it is estimated that their number will reach approximately 1.5 billion (i.e., 16% of the world population) by 2050 [1,2]. The aging of the world's population could have enormous repercussions on Health Systems due to the numerous age-related chronic diseases [3–6]. Although aging is a physiological process, it is closely related to the increased risk of non-communicable chronic degenerative disease (NCCDD) onset, such as diabetes mellitus, arterial hypertension, chronic kidney disease (CKD), neurodegenerative diseases, cancers, chronic respiratory diseases, and cardiovascular diseases [7,8]. There are multiple biological mechanisms underlying the predisposition for these ailments, including increases in oxidative stress and the chronic inflammatory state [9,10].

Numerous recent studies have aimed at investigating new possible strategies to counteract the aging and the onset of NCCDDs. Many have focused on the use of adjuvant treatments, free of side effects, based on natural bioactive compound (NBC) consumption. NBCs are molecules of various nature and origin, mainly contained in plant-based foods, capable of exerting several beneficial effects on human health [11–13]. Specifically, they can perform important anti-aging actions; for example, they are able to delay the aging and reduce the risk of aging-related diseases, prolonging lifespan and promoting the well-being of the individual through the regulation of various physiological processes [14–20].

In our Special Issue, we explore, through reviews and original articles, this interesting field.

Di Lauro et al. (contribution 1) examined the close bidirectional correlation between the gut microbiota alterations and the migraine onset, involving the gut–brain axis, and how this axis can influence the NCCDDs risk. The Authors highlighted the importance of proper nutrition, the consumption of specific NBCs, and lifestyle in order to combat migraines in NCCDDs patients. In the same context, Derkaczew et al. (contribution 2) studied new possible adjuvant treatments for neurodegenerative diseases (such as Alzheimer's disease, Parkinson's disease, and Huntington's disease) based on myo-inositol and its derivatives. The Authors concluded that dietary supplementation with myo-inositol exhibited a promising effect in the treatment of these neurodegenerative disorders and could be a valid support for alleviating the depressive symptoms associated with them. Furthermore, the neuroprotective and anti-neuroinflammatory effect of the metabolites of the plant *Allium hookeri*, a member of the genus *Allium*, was also demonstrated by the study



Received: 28 March 2025

Accepted: 22 April 2025

Published: 25 April 2025

Citation: Noce, A.; Di Daniele, N. Aging, Natural Bioactive Compounds and Non-Communicable Chronic Degenerative Diseases. *Nutrients* **2025**, *17*, 1442. <https://doi.org/10.3390/nu17091442>

Copyright: © 2025 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (<https://creativecommons.org/licenses/by/4.0/>).

conducted by Doan et al. (contribution 3). Specifically, the Authors used a non-targeted metabolomics approach to comprehensively profile the chemical composition of metabolites in *A. hookeri*. The Authors emphasized N-trans-feruloyltyramine as the most potent neuroprotective compound of the studied plant, able to mitigate senescence-associated neurological diseases. In addition, Yoon et al. (contribution 4) examined the potential therapeutic properties of fermented ginseng berry extract as adjuvant treatment for Alzheimer's disease. The Authors highlighted how high levels of active ginsenosides in fermented ginseng exert neuroprotective effects and improve cognitive functions through antioxidant properties and acetylcholinesterase inhibitory activities. Moreover, Zhou et al. (contribution 5) evaluated the mechanism of the anti-hypoxic neuroprotective effect of chebulic acid, isolated from *Terminalia chebula*, both in vitro and in vivo. In vitro results showed that chebulic acid seems to protect against oxygen–glucose deprivation/reoxygenation-induced neurotoxicity in SH-SY5Y cells, through an important indirect antioxidant action; in vivo results showed, instead, that treatment with chebulic acid determines a significant decrease in ischemic infarct volume and an improvement in motor performance in mice at 24 h after stroke. The study, therefore, lays the foundation for a possible new chebulic acid-based drug for the control of ischemic stroke in humans.

With regard to cardiovascular risk, Marrone et al. (contribution 6) investigated the cardioprotective effects of minor polar compounds (such as oleocanthal, oleacin, tyrosol, and hydroxytyrosol) in extra virgin olive oil (EVOO) on CKD patients. Specifically, the Authors revealed, for the first time, important anti-inflammatory effects and significant improvements in lipid and purine metabolism, atherogenic indices, and body composition, exerted by the minor polar compounds of EVOO in nephropathic patients.

Ranogajec et al. (contribution 7) explored the effects of NBCs consumption, contained in plant-based foods, on the improvement of lung function in patients with chronic obstructive pulmonary disease (COPD). In particular, the Authors estimated the dietary phytochemical index (DPI) and revealed the DPI's association with the improvement of lung function, strength, and function of inspiratory muscles and peripheral muscles in COPD patients. The Authors concluded that a higher intake of phytochemicals could be useful as dietary intervention in COPD treatment.

Finally, Wu et al. (contribution 8) focused their study on the role of the Mediterranean diet, which encourages a high consumption of plant-based foods, in promoting healthy aging. In particular, the Authors analyzed dietary data from over 7000 subjects, highlighting how a higher adherence to the Mediterranean diet showed a positive correlation with levels of soluble Klotho, a marker related to aging. A lower odds ratio for aging was, thus, observed in subjects who had a higher adherence to the Mediterranean diet.

In light of the conclusions of all the Authors who brilliantly contributed to our Special Issue, it is possible to affirm that the use of NBCs, mainly contained in plant-based foods, represents an important adjuvant strategy to counteract the onset of age-related NCCDDs and to slow down their progression.

Conflicts of Interest: The authors declare no conflicts of interest.

List of Contributions

1. Di Lauro, M.; Guerriero, C.; Cornali, K.; Albanese, M.; Costacurta, M.; Mercuri, N.B.; Di Daniele, N.; Noce, A. Linking Migraine to Gut Dysbiosis and Chronic Non-Communicable Diseases. *Nutrients* **2023**, *15*, 4327. <https://doi.org/10.3390/nu15204327>.
2. Derkaczew, M.; Martyniuk, P.; Osowski, A.; Wojtkiewicz, J. Cyclitols: From Basic Understanding to Their Association with Neurodegeneration. *Nutrients* **2023**, *15*, 2029. <https://doi.org/10.3390/nu15092029>.

3. Doan, T.P.; Zhang, M.; An, J.P.; Ponce-Zea, J.E.; Mai, V.H.; Ryu, B.; Park, E.J.; Oh, W.K. Metabolite Profiling of *Allium hookeri* Leaves Using UHPLC-qTOF-MS/MS and the Senomorphic Activity of Phenolamides. *Nutrients* **2023**, *15*, 5109. <https://doi.org/10.3390/nu15245109>.
4. Yoon, E.J.; Ahn, J.W.; Kim, H.S.; Choi, Y.; Jeong, J.; Joo, S.S.; Park, D. Improvement of Cognitive Function by Fermented *Panax ginseng* C.A. Meyer Berries Extracts in an AF64A-Induced Memory Deficit Model. *Nutrients* **2023**, *15*, 3389. <https://doi.org/10.3390/nu15153389>.
5. Zhou, R.; Lin, K.; Leng, C.; Zhou, M.; Zhang, J.; Li, Y.; Liu, Y.; Ye, X.; Xu, X.; Sun, B.; et al. Chebulic Acid Prevents Hypoxia Insult via Nrf2/ARE Pathway in Ischemic Stroke. *Nutrients* **2022**, *14*, 5390. <https://doi.org/10.3390/nu14245390>.
6. Marrone, G.; Urciuoli, S.; Di Lauro, M.; Ruzzolini, J.; Ieri, F.; Vignolini, P.; Di Daniele, F.; Guerriero, C.; Nediani, C.; Di Daniele, N.; et al. Extra Virgin Olive Oil and Cardiovascular Protection in Chronic Kidney Disease. *Nutrients* **2022**, *14*, 4265. <https://doi.org/10.3390/nu14204265>.
7. Ranogajec, A.; Ilic, A.; Benko Mestrovic, S.; Rumbak, I. Effect of Phytochemical-Rich Food Intake on Respiratory and Muscle Function in Middle-Aged Patients with COPD: A Cross-Sectional Study. *Nutrients* **2024**, *16*, 3962. <https://doi.org/10.3390/nu16223962>.
8. Wu, S.E.; Chen, Y.J.; Chen, W.L. Adherence to Mediterranean Diet and Soluble Klotho Level: The Value of Food Synergy in Aging. *Nutrients* **2022**, *14*, 3910. <https://doi.org/10.3390/nu14193910>.

References

1. Cheng, X.; Yang, Y.; Schwebel, D.C.; Liu, Z.; Li, L.; Cheng, P.; Ning, P.; Hu, G. Population ageing and mortality during 1990–2017: A global decomposition analysis. *PLoS Med.* **2020**, *17*, e1003138. [[CrossRef](#)] [[PubMed](#)]
2. Lutz, W.; Sanderson, W.; Scherbov, S. The coming acceleration of global population ageing. *Nature* **2008**, *451*, 716–719. [[CrossRef](#)] [[PubMed](#)]
3. Mitchell, E.; Walker, R. Global ageing: Successes, challenges and opportunities. *Br. J. Hosp. Med.* **2020**, *81*, 1–9. [[CrossRef](#)] [[PubMed](#)]
4. Ismail, Z.; Ahmad, W.I.W.; Hamjah, S.H.; Astina, I.K. The Impact of Population Ageing: A Review. *Iran J. Public Health* **2021**, *50*, 2451–2460. [[CrossRef](#)] [[PubMed](#)]
5. Sander, M.; Oxlund, B.; Jespersen, A.; Krasnik, A.; Mortensen, E.L.; Westendorp, R.G.; Rasmussen, L.J. The challenges of human population ageing. *Age Ageing* **2015**, *44*, 185–187. [[CrossRef](#)] [[PubMed](#)]
6. Atella, V.; Piano Mortari, A.; Kopinska, J.; Belotti, F.; Lapi, F.; Cricelli, C.; Fontana, L. Trends in age-related disease burden and healthcare utilization. *Aging Cell* **2019**, *18*, e12861. [[CrossRef](#)] [[PubMed](#)]
7. Jaul, E.; Barron, J. Age-Related Diseases and Clinical and Public Health Implications for the 85 Years Old and Over Population. *Front. Public Health* **2017**, *5*, 335. [[CrossRef](#)] [[PubMed](#)]
8. Kennedy, B.K.; Berger, S.L.; Brunet, A.; Campisi, J.; Cuervo, A.M.; Epel, E.S.; Franceschi, C.; Lithgow, G.J.; Morimoto, R.I.; Pessin, J.E.; et al. Geroscience: Linking aging to chronic disease. *Cell* **2014**, *159*, 709–713. [[CrossRef](#)] [[PubMed](#)]
9. Li, Z.; Zhang, Z.; Ren, Y.; Wang, Y.; Fang, J.; Yue, H.; Ma, S.; Guan, F. Aging and age-related diseases: From mechanisms to therapeutic strategies. *Biogerontology* **2021**, *22*, 165–187. [[CrossRef](#)] [[PubMed](#)]
10. Serrano, A.; Ros, G.; Nieto, G. Bioactive Compounds and Extracts from Traditional Herbs and Their Potential Anti-Inflammatory Health Effects. *Medicines* **2018**, *5*, 76. [[CrossRef](#)] [[PubMed](#)]
11. Noce, A.; Di Lauro, M.; Di Daniele, F.; Pietroboni Zaitseva, A.; Marrone, G.; Borboni, P.; Di Daniele, N. Natural Bioactive Compounds Useful in Clinical Management of Metabolic Syndrome. *Nutrients* **2021**, *13*, 630. [[CrossRef](#)] [[PubMed](#)]
12. Lianou, A.D.; Lianos, G.D.; Schizas, D.; Machairas, N.; Mitsis, M.; Alexiou, G.A. Natural Compounds and Cancer: Current Evidences. *Maedica* **2024**, *19*, 621–628. [[CrossRef](#)] [[PubMed](#)]
13. Narayanankutty, A.; Famurewa, A.C.; Oprea, E. Natural Bioactive Compounds and Human Health. *Molecules* **2024**, *29*, 3372. [[CrossRef](#)] [[PubMed](#)]
14. Song, L.; Zhang, S. Anti-Aging Activity and Modes of Action of Compounds from Natural Food Sources. *Biomolecules* **2023**, *13*, 1600. [[CrossRef](#)] [[PubMed](#)]
15. Owona, B.A.; Abia, W.A.; Moundipa, P.F. Natural compounds flavonoids as modulators of inflammasomes in chronic diseases. *Int. Immunopharmacol.* **2020**, *84*, 106498. [[CrossRef](#)] [[PubMed](#)]
16. Du, B.; Xu, B. Natural Bioactive Compounds Exerting Health-Promoting Effects by Ameliorating Oxidative Stress. *Antioxidants* **2025**, *14*, 85. [[CrossRef](#)] [[PubMed](#)]
17. Balsano, C.; Alisi, A. Antioxidant effects of natural bioactive compounds. *Curr. Pharm. Des.* **2009**, *15*, 3063–3073. [[CrossRef](#)] [[PubMed](#)]

18. Cuffaro, D.; Digiaco, M.; Macchia, M. Dietary Bioactive Compounds: Implications for Oxidative Stress and Inflammation. *Nutrients* **2023**, *15*, 4966. [[CrossRef](#)] [[PubMed](#)]
19. Noce, A.; Marrone, G.; Urciuoli, S.; Di Daniele, F.; Di Lauro, M.; Pietroboni Zaitseva, A.; Di Daniele, N.; Romani, A. Usefulness of Extra Virgin Olive Oil Minor Polar Compounds in the Management of Chronic Kidney Disease Patients. *Nutrients* **2021**, *13*, 581. [[CrossRef](#)] [[PubMed](#)]
20. Romani, A.; Bernini, R.; Noce, A.; Urciuoli, S.; Di Lauro, M.; Pietroboni Zaitseva, A.; Marrone, G.; Di Daniele, N. Potential Beneficial Effects of Extra Virgin Olive Oils Characterized by High Content in Minor Polar Compounds in Nephropathic Patients: A Pilot Study. *Molecules* **2020**, *25*, 4757. [[CrossRef](#)] [[PubMed](#)]

Disclaimer/Publisher's Note: The statements, opinions and data contained in all publications are solely those of the individual author(s) and contributor(s) and not of MDPI and/or the editor(s). MDPI and/or the editor(s) disclaim responsibility for any injury to people or property resulting from any ideas, methods, instructions or products referred to in the content.