

## Riferimenti bibliografici

- [1] Alblas, J.B., *Continuum mechanics of media with internal structure*, Symposia Mathematica. Inst. Naz. di Alta Mat., Academic Press, New York, (1968), 229-251.
- [2] Allik, H., and Hughes, T.J.R., *Finite element method for piezoelectric vibration*, Inter. J. Num. Methods in Engineering, **2**, (1970), 151-157.
- [3] Arnold, V.I., *Metodi matematici della meccanica classica*, Edizioni Mir, Mosca, Editori Riuniti, Roma, (1979).
- [4] Batra, R.C., and Yang, J.S., *Saint-Venant's principle in linear piezoelectricity*, J. Elasticity, **38**, (1995), 165-173.
- [5] Batra, R.C., Liang, X.Q., and Yang, J.S., *The vibration of a simply supported rectangular elastic plate due to piezoelectric actuators*, Int. J. Solids Structures, **33**, (1996), 1597-1618.
- [6] Berlincourt, D.A., *Piezoelectric ceramics: Characteristics and applications*, J.

- Acoust. Soc. Amer., **70**, (1981), 1506-1595.
- [7] Berlincourt, D.A., Curran, D.R., and Jaffe, H., *Piezoelectric and piezomagnetic materials and their functions as trasducers*, in Physical Acoustics, Vol. IA, ed. W.P. Mason, Academic Press, New York.(1964), 170-267.
- [8] Bisegna, P., *Una teoria di piastra laminata piezoelettrica*, Rend. Mat. Acc. Lincei, s.9, v.8, (1997), 137-165.
- [9] Bisegna, P., Chiappini, D., and Maceri, F., *Dinamic behaviour of laminated piezoelectric plates*, XXV AIAS National Conference, **7**, (1996).
- [10] Bisegna, P., and Maceri, F., *A consistent theory of thin piezoelectric plates*, on J. Intell. Mat. Syst. Struct., **7**, (1996), 372-389.
- [11] Bisegna, P., and Maceri, F., *An exact three-dimensional solution for piezoelectric plates*, on J. Applied Mechanics, **63**, (1996), 628-638.
- [12] Böttcher, C.J.F., *Theory of Electric Polarization*, Elsevier, New York, (1952).
- [13] Brancaleoni, F., Cavini, L., and Gavarini, C., *I metodi evolutivi nella dinamica delle strutture: una rivista critica. Parte I - Fondamenti teorici*, on Ratio Math., **2**, (1991), 57-81.
- [14] Brancaleoni, F., Cavini, L., and Gavarini, C., *I metodi evolutivi nella dinamica delle strutture: una rivista critica. Parte II - Caratteristiche algoritmiche*, on Ratio Math., **3**, (1992), 1-33.
- [15] Brebbia, C.A., and Connor, J.J., *Fondamenti del metodo degli elementi finiti*, CLUP, Milano, (1978).
- [16] Brown, C.S., Kell, R.C., Taylor, R., and Thomas, L.A., *Piezoelectric materials*, Proc. Inst. Elect. Engrs. (London), **109**, (1962), P.E.B. No. 43, 99-114.
- [17] Cady, W.G., *Piezoelectricity*, McGraw-Hill, New York, (1946).
- [18] Campanella, A., Podio-Guidugli, P., and Virga, E.G., *Restrizioni costitutive per*

- materiali elastici lineari trasversalmente isotropi*, Atti VIII Congr. AIMETA, Torino, (1986), 465-470.
- [19] Cauchy, A.L., *Sur l'équilibre et le mouvement d'une plaque solide*, Exercices de mathématique, **3**, (1828), 328-355.
- [20] Ciarlet, G., *A justification of the von Kármán equations*, Arch. Rational Mech. Anal., **73**, (1980), 349-389.
- [21] Ciarlet, G., and Destuynder, P., *A justification of the two-dimensional linear plate model*, J. Mécanique, **18**, (1979), 315-344.
- [22] Clough, R.W., and Penzien, J. *Dynamics of structures*, McGraw-Hill, New York, (1975).
- [23] Cook, W.R., *Ferroelectric and piezoelectric materials*, in Digest of the Literature on Dielectrics, National Academy of Science, Washington, (1962).
- [24] Comincioli, V., *Analisi numerica. Metodi, modelli, applicazioni*, McGraw-Hill, Milano, (1990).
- [25] Corradi, L., *Meccanica delle strutture. Le teorie strutturali e il metodo degli elementi finiti*, McGraw-Hill, Milano, (1992).
- [26] Crawley, E.F., and de Luis, J., *Use of piezoelectric actuators as elements of intelligent structures*, AIAA Journal, **25**, (1987), 1373-1385.
- [27] Davì, F., *Saint-Venant's Problem for Linear Piezoelectric Bodies*, J. Elasticity, **43**, (1996), 227-245.
- [28] DeSimone, A., and Podio-Guidugli, P., *Centri di forza e oscillazioni di spessore nelle piastre*, Atti XII Congr. AIMETA, Napoli, (1995), 99-104.
- [29] Eringen, A.C., *The solution of a class of mixed-mixed boundary value problem in plane elasticity*, Proceeding of the 2nd National Congress of Applied Mechanics, ASME, New York, (1955), 142-144.

- [30] Eringen, A.C., *Nonlinear Theory of Continua*, McGraw-Hill, New York, (1962).
- [31] Eringen, A.C., and Maugin, G.A., *Electrodynamics of Continua I-Foundations and Solid Media*, Springer-Verlag, New York, (1987).
- [32] Forsbergh, P.W., *Piezoelectricity, electrostriction, and ferroelectricity*, in Handbuch der Physik, Bd. XVII, ed. Flügge, Springer-Verlag, Berlin, Heidelberg, New York, (1956).
- [33] Gaudenzi, P., and Bathe, K.J., *An iterative finite element procedure for the analysis of piezoelectric continua*, on J. Intell. Mat. Syst. Struct., **6**, (1995), 268-273.
- [34] Green, A.E., Naghdi, P.M., and Trapp, J.A., *Thermodynamics of a continuum with internal constraints*, Int. J. Engng. Sci., **8**, (1971), 891-908.
- [35] Gurtin, M.E., *The linear theory of elasticity*, Handbuch der Physik VIa/21, S. Flügge ed., Spriger-Verlag, (1972), 1-295.
- [36] Gurtin, M.E., *An introduction to continuum mechanics*, Accademic Press, (1981).
- [37] Gurtin, M.E., and Podio-Guidugli, P., *The thermodynamics of constrained materials*, Arch. Rational Mech. Anal., **51**, (1973), 192-208.
- [38] Gurtin, M.E., and Podio-Guidugli, P., *The thermodynamics of constrained materials*, Arch. Rational Mech. Anal., **51**, (1973), 192-208.
- [39] Ha, S.K., Keiler, C., and Chang, F.K., *Finite element analysis of composite structures containining distributed piezoceramics sensors and actuators*, AIAA Journal, **30**, (1992), 772-780.
- [40] Hughes, T.J.R., *The finite element method*, Prentice Hall International, Inc., (1987).
- [41] Iesan, D., *Plane Strain Problem in Piezoelectricity*, Int. J. Engng. Sci., **25**,

- (1987), 1511-1523.
- [42] Ikeda, T., *Fundamentals of piezoelectricity*, Oxford University Press, (1990).
- [43] Institute of Radio Engineers (The), *Standards on piezoelectric crystals*, Proc. Inst. Radio Engineers, **37**, (1949), 1378-1395.
- [44] Institute of Radio Engineers (The), *Standards on piezoelectric materials*, Proc. Inst. Radio Engineers, **46**, (1958), 764-778.
- [45] Johnson, C., *Numerical solution of partial differential equations by the finite element method*, Cambridge University Press, Cambridge, (1978).
- [46] Kiral, E., and Smith, G.F., *On the constitutive relations for anisotropic materials. Triclinic, monoclinic, rhombic, tetragonal, and hexagonal crystal systems*, Int. J. Engng. Sci., **12**, (1974), 471-490.
- [47] Knopoff, L., *The interaction between elastic wave motion and magnetic field in electrical conductors*, J. Geophys. Res., **73**, (1955), 6527-6533.
- [48] Kunkel, H.A., Locke, S., and Pikeroen, B., *Finite-element analysis of vibrational modes in piezoelectric ceramic disks*, IEEE Transaction on Ultrasonics, Ferroelectrics and Frequency Control, **37**, (1990), 316-327.
- [49] Landau, L.D., Lifšits, and E.M., Pitaevskij, L.P., *Teoria dei campi*, In Fisica teorica, Edizioni Mir, Mosca, Editori Riuniti, Roma, **2**, (1986).
- [50] Landau, L.D., Lifšits, and E.M., Pitaevskij, L.P., *Elettrodinamica dei mezzi continui*, In Fisica teorica, Edizioni Mir, Mosca, Editori Riuniti, Roma, **8**, (1986).
- [51] Lembo, M., and Podio-Guidugli, P., *Plate theory as an exact consequence of three-dimensional linear elasticity*, European J. Mech., A/Solids, **10**, (1991), 1-32.
- [52] Lerch, G.A., *Simulation of piezoelectric devices by two and three dimensional finite elements*, IEEE Transaction on Ultrasonics, Ferroelectrics and Frequency

- Control, **37**, (1990), 233-247.
- [53] Lines, M.E., *Elastic properties of magnetic materials*, Phys. Rep., **55**, (1979), 133-181.
- [54] Lo, K.H., Christensen, R.M., and Wu, E.M., *A high order theory of plate deformation-I. Homogeneous plates*, J. Appl. Mech., **44**, (1977), 663-668.
- [55] Lo, K.H., Christensen, R.M., and Wu, E.M., *A high order theory of plate deformation-II. Laminated plates*, J. Appl. Mech., **44**, (1977), 669-676.
- [56] Lo, K.H., Christensen, R.M., and Wu, E.M., *Stress solution determination for high order plate theory*, Int. J. Solids Structures, **14**, (1978), 655-662.
- [57] Marčuk, G.I., *Metodi del calcolo numerico*, Edizioni Mir, Mosca, Editori Riuniti, Roma, (1984).
- [58] Mason, W.P., *Piezoelectricity, its history and applications*, J. Acoust. Soc. Amer., **70**, (1981), 1561-1566.
- [59] Maugin, G.A., *Quasi-electrostatics of electrically polarized continua*, Lett. Appl. Engng. Sci., **2**, (1974), 293-306.
- [60] Maugin, G.A., *Deformables dielectrics-II,III*, Arch. Mech. Stosow., **29**, (1977), 143-159, 251-258.
- [61] Maugin, G.A., *The method of virtual power in continuum mechanics*, Acta Mechanica, **35**, (1980), 1-70.
- [62] Maugin, G.A., *Continuum Mechanics of Electromagnetic Solids*, North-Holland, Amsterdam (Reference added at Proof), (1988).
- [63] Meirovitch, L., *Methods of analytical dynamics*, McGraw-Hill, New York, (1970).
- [64] Meirovitch, L., *Elements of vibration analysis*, McGraw-Hill, Singapore, (1986).
- [65] Michajlov, V.P., *Equazioni differenziali alle derivate parziali*, Edizioni Mir, Mo-

- sca, (1984).
- [66] Mindlin, R.D., *Elasticity, piezoelectricity and crystal lattice dynamics*, J. Elasticity, **2**, (1972), 217-282.
- [67] Naghdi, P.M., *The theory of shells and plates*, Handbuch der Physik VIa/2, Springer-Verlag, (1972).
- [68] Nardinocchi, P., and Podio-Guidugli, P., *The equations of Reissner-Mindlin plates obtained by the method of internal constraints*, Meccanica, **29**, (1994), 143-157.
- [69] Newmark, N.M., *Method of computation for structural dynamics*, Journal of the Engineering Mechanics division, ASCE, **8**, (1959), 67-94.
- [70] Novožilov, J.V., and Jappa, J.A., *Elettrodinamica*, Edizioni Mir, Mosca, (1987).
- [71] Oden, J.T., and Kelley, B.E., *Finite element formulation of general electrothermoelasticity problems*, Inter. J. Num. Methods in Engineering, **3**, (1971), 161-179.
- [72] Pagano, N.J., *Exact solutions for rectangular bidirectional composites and sandwich plates*, Inter. J. Composite Materials, **4**, (1970), 20-34.
- [73] Podio-Guidugli, P., *The Linear Theory of Elastic Plates and Shells*, in prep., (1998).
- [74] Podio-Guidugli, P., *Scalings and Constraints in the Mechanics of Linearly Elastic Structures*, in prep., (1996).
- [75] Podio-Guidugli, P., *An exact derivation of the thin plate equation*, J. Elasticity, **22**, (1989), 121-133.
- [76] Podio-Guidugli, P., *Constraint and scaling methods to derive shell theory from three-dimensional elasticity*, Riv. Mat. Univ. Parma, **16**, (1990), 73-83.
- [77] Podio-Guidugli, P., *Lezioni sulla teoria lineare dei gusci elastici sottili*, MAS-

- SON s.p.a., Milano, (1991).
- [78] Podio-Guidugli, P., and Vianello, M., *Internal constraints and linear constitutive relations for transversely isotropic materials*, Rend. Mat. Acc. Lincei, s.9, v.2, (1991), 241-248.
- [79] Podio-Guidugli, P., and Virga, E.G., *Transversely isotropic elasticity tensors*, Proc. R. Soc. Lond., **A411**, (1987), 85-93.
- [80] Prechtel, A., *Electro-elasticity with small deformations*, Zeit. ang. Math. Math., **22**, (1989), 121-133.
- [81] Ray, M.C., Rao, K.M. and Samanta, B., *Exact analysis of coupled electroelastic behaviour of a piezoelectric plate under cylindrical bending*, Computer & Structures, **45**, (1993), 1031-1042.
- [82] Reddy, J.N., *An introduction to the finite element method*, McGraw-Hill, Singapore, (1984).
- [83] Reissner, E., *Reflections on the theory of elastic plates*, Appl. Mech. Rev., **38**, (1985), 1453-1464.
- [84] Simo, J.C., Fox, D.D., and Rifai, M.S., *On a stress resultant geometrically exact shell model, Part IV: Variable thickness shells with through-the-thickness stretching*, Comput. Methods Appl. Mech. Engrg., **81**, (1990), 90-126.
- [85] Söderkvist, J., *Electric equivalent circuit for flexural vibrations in piezoelectric materials*, IEEE Transaction on Ultrasonics, Ferroelectrics and Frequency Control, **37**, (1990), 577-585.
- [86] Syčev, V.V., *Sistemi termodinamici complessi*, Edizioni Mir, Mosca, Editori Riuniti, Roma, (1985).
- [87] Teresi, L., and Tiero, A., *On variational approaches to plate models*, Meccanica, **32**, (1997), 143-156.



- [88] Tichonov, A.N., and Samarskij, A.A. *Equazioni della fisica matematica*, Edizioni Mir, Mosca, (1981).
- [89] Tiersten, H.F., *Thickness vibrations of piezoelectric plates*, J. Acoust. Soc. Amer., **35**, (1963), 53-58.
- [90] Tiersten, H.F., *Linear Piezoelectric Plate Vibrations*, Plenum Press, New York, (1969).
- [91] Tiersten, H.F., *Electroelastic interactions and the piezoelectric equations*, J. Acous. Soc. Amer., **70**, (1963), 1567-1576.
- [92] Tiersten, H.F., *Electric fields, deformable semiconductors and piezoelectric devices*, in *The Mechanical Behavior of Electromagnetic Solid Continua*, pp. 99-114, ed. G.A. Maugin, North-Holland, Amsterdam, (1984).
- [93] Timoshenko, S., and Goodier, J.N., *Theory of Elasticity*, McGraw-Hill, New York, (1963).
- [94] Timoshenko, S., and Woinowsky-Krieger, S., *Theory of Plates and Shells*, McGraw-Hill, New York, (1982).
- [95] Toupin, R.A., *The elastic dielectrics*, J. Rat. Mech. Anal., **5**, (1956), 849-915.
- [96] Truesdell, C., and Toupin, R.A., *The classical field theory*, Handbuch der Physik III/1, S. Flügge ed., Spriger-Verlag, (1960), 226-793.
- [97] Vernitron *Five modern piezoelectric ceramics*, Bulletin of Morgan Matroc Ltd., Vernitron Piezoelectric Division, Bedford, Ohio, (1983).
- [98] Vladimirov, V.S., *Equazioni della fisica matematica*, Edizioni Mir, Mosca, (1987).
- [99] Volterra, V., *Theory of Functionals and of Integrals and Integro-Differential Equations*, Dover, New York, (1959).
- [100] Yong, Y.K., Stewart, J.T. and Ballato, A., *A laminated plate theory for high*

- frequency, piezoelectric thin-film resonators*, J. Appl. Phys., **74**, (1993), 3028-3046.
- [101] Zienkiewicz, O.C., and Morgan, K., *Finite element and approximation*, Wiley, Singapore, (1982).
- [102] Zienkiewicz, O.C., and Taylor, R.L., *The finite element method*, 2 vol., McGraw-Hill, London, (1988-1991).