

Home Search Collections Journals About Contact us My IOPscience

VI Workshop in Electron Volt Neutron Spectroscopy: Frontiers and Horizons

This content has been downloaded from IOPscience. Please scroll down to see the full text.

2014 J. Phys.: Conf. Ser. 571 011001

(http://iopscience.iop.org/1742-6596/571/1/011001)

View the table of contents for this issue, or go to the journal homepage for more

Download details:

IP Address: 160.80.2.38

This content was downloaded on 16/02/2015 at 12:08

Please note that terms and conditions apply.

doi:10.1088/1742-6596/571/1/011001

The VI Workshop in Electron Volt Neutron Spectroscopy: Frontiers and Horizons

A.G. Seel, 1 R. Senesi, 2,3 and F. Fernandez-Alonso 1,4

- ¹ ISIS Facility, Rutherford Appleton Laboratory, Chilton, Didcot, Oxfordshire OX11 0QX, United Kingdom
- ² Università degli Studi di Roma Tor Vegata, Dipartimento di Fisica and Centro NAST, via della Ricerca Scientifica 1, Rome 00133, Italy
- ³ CNR-IPCF Sezione di Messina, Messina, Italy
- ⁴ Department of Physics and Astronomy, University College London, Gower Street, London WC1E 6BT, United Kingdom

January 2014 saw the congregation in Abingdon (United Kingdom) of scientists from across the world, to discuss the current state and future of spectroscopy using epithermal neutrons. This meeting was the sixth in a series of workshops held in collaboration between the Science and Technology Facilities Council (United Kingdom) and the Consiglio Nazionale delle Ricerche (Italy), aimed at bringing together researchers with an interest in the use of electron-volt neutrons in spectroscopic studies [1]. This technique is termed Deep Inelastic Neutron Scattering (DINS), and also Neutron Compton Scattering (NCS) in reference to the analogy with Compton scattering of X-rays from electrons. In particular, this meeting centred jointly around experimentalists and theoreticians, formulating animated discussions as to the current overview of DINS and future horizons facing the field.

The use of electron Volt neutrons for spectroscopic measurements dates back to the advent of proton-driven spallation neutron sources in the 1970s and 1980s. Following an initial scientific meeting in Los Alamos (USA) [2], the first two meetings in this series were held in Abingdon (United Kingdom) in 1995 and 1998, with subsequent meetings held in Santa Fe (USA) in 2005 [3], Oak Ridge National Laboratory (USA) in 2006 [4], and Rome (Italy) in 2010 [5]. The flagship instrument serving a continual user-programme for DINS measurements, and the main focus of this meeting, has been the VESUVIO spectrometer at ISIS [6, 7]. Subsequent instruments like SEQUOIA in the USA [8, 9] and a newer spectrometer in the Bariloche LINAC in Argentina [10, 11] have also been commissioned and began serving a growing user community.

The availability of DINS measurements has extended the range of possible spectroscopic techniques that utilise neutrons into the kinematic region of high energy and momentum transfers, shown schematically in Figure 1. Spectroscopic instrument suites such as that of ISIS are thus able to probe processes on timescales across nine orders of magnitude, from quantum tunnelling and molecular diffusion up to nuclear recoil under the impulse approximation.

DINS is one of the most direct techniques for probing nuclear quantum dynamics in condensed matter, with the ability to measure nuclear kinetic energies and momentum distribu-

Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

doi:10.1088/1742-6596/571/1/011001




Figure 1. Energies and associated timescales accessible with neutron spectroscopy. The DINS regime remains the exclusive realm of accelerator-driven pulsed neutron sources.

tions of light nuclei. A major theme for current DINS research relates to the study of nuclear quantum effects, particularly regarding the non-classical behaviour of hydrogen or deuterium. This emphasis was reflected by the meeting's opening session dealing with the measurement of momentum distributions in hydrogen-bonded and aqueous systems (see Table 1). Whilst concentrating on experimental studies, data were presented from the outset alongside state-of-the-art path-integral molecular dynamics (PIMD) calculations, affording an animated discussion as to the interpretation of measured neutron Compton profiles in spatially disordered systems.

The extension of DINS to heavier nuclei was visited in the second session of the meeting, under the over-arching theme of MAss-selective Neutron SpEctroscopy (MANSE). The ability of DINS to examine atomically distinct species in condensed matter has garnered interest from the chemistry and materials communities, with both binary systems and more complex materials being presented in this session. Nuclei of interest in applied materials research were highlighted, including oxygen, lithium and fluorine, alongside an assessment of current capabilities and future developments in their examination by DINS.

The concluding session of the first day of the meeting was concerned with instrumentation. The detection of epithermal neutrons requires technologies unique relative to their lower-energy counterparts, and the first talk of this session outlined how detector capabilities on existing instruments has been revolutionised in recent years. Resonance detectors and techniques involving analyser-foil cycling were detailed, explaining how they have improved not only the count-rate but also the spectral resolution of instruments such as VESUVIO. Beyond NCS, the detection of nuclear resonances were also considered. An overview of VESUVIO (a time-of-flight instrument operating in so-called indirect geometry) was then given, alongside ways it could be improved upon in light of growing demands from the user community. This discussion was complemented

doi:10.1088/1742-6596/571/1/011001



Figure 2. Concluding photograph for the VI Workshop in Electron Volt Neutron Spectroscopy: Frontiers and Horizons, January 21^{st} , 2014.

by a presentation of the use of direct-geometry instruments such as SEQUOIA for DINS measurements, highlighting the complementarity with parallel studies on VESUVIO.

The second day of the meeting was given over to the theoretical aspects of nuclear momentum distributions. Delegates were presented with the manner in which we can computationally incorporate nuclear quantum effects, along with their output in terms of 'measureables,' relating to a varied range of systems. Results were presented from hydrogen-bonded liquids, ferroelectric materials, biological systems, and mixed bosonic-fermionic calculations. The ability to now approach experimental measurement with theoretical insight, and vice versa, is a sea-change in research into nuclear quantum effects. This field is a high-profile area in chemical physics and materials research, and a concerted approach by theory and experimentation allows us to explore and explain the dynamical state of matter at the atomic level in a manner previously unobtainable.

Concluding each session throughout the meeting were periods of open discussion, wherein all present could comment or expand upon themes arising from the preceding talks. These discussions were then further distilled and clarified during the final section of the meeting, the 'Frontiers and Horizons' discussion, open to all present to delineate the next steps in DINS as a whole. Experimentalists and theoreticians were able to present their views on how each community could move forward to complement each other, not only separately but with specific projects and milestones in mind. These discussions have been included within these proceedings to highlight the future outlook of DINS.

It is the hope of these editors that this meeting will allow spectroscopy with epithermal neutrons to further develop, explaining the very quantum nature of dynamics in condensed matter. Bringing together, as it did, international researchers in fields at the frontiers of their respective experimental and theoretical communities, we hope that the next meeting in this series will see the fruition of concepts and projects instigated by this one.

doi:10.1088/1742-6596/571/1/011001

List of Registered Attendees

Prof. Carla Andreani, Università di Roma - Tor Vergata, Italy

Prof. Francisco Javier Bermejo, Consejo Superior de Investigaciones Científicas, Spain

Prof. Fernando Bresme, Imperial College London, United Kingdom

Mr. Peter Byrne, Durham University, United Kingdom

Dr. Carlos Cabrillo, Consejo Superior de Investigaciones Científicas, Spain

Prof. Michele Ceriotti, École Polytechnique Federale de Lausanne, Switzerland

Dr. Gregory Chasse, Queen Mary, University of London, United Kingdom

Prof. Emeritus Roger Cowley, University of Oxford, United Kingdom

Dr. Jesus Ivan da Silva Gonzalez, ISIS Facility, United Kingdom

Prof. John C. Dore, University of Kent, United Kingdom,

Dr. Christof Drechsel-Grau, Ruhr-Universität, Bochum, Germany

Prof. Felix Fernandez-Alonso, ISIS Facility and University College London, United Kingdom

Dr. Nikitas Gidopoulos, Durham University, United Kingdom

Prof. Giuseppe Gorini, Università Milano - Bicocca, Italy

Ms. Gabriella Graziano, University College London, United Kingdom

Prof. Neville Greaves, Aberystwyth University, United Kingdom.

Dr. Maria Grazia Izzo, Chalmers University of Technology, Sweden

Dr. Martin Jones, ISIS Facility, United Kingdom

Dr. Philip King, ISIS Facility, United Kingdom

Dr. Winfried Kockelmann, ISIS Facility, United Kingdom

Dr. Maciej Krzystyniak, Nottingham Trent University and ISIS Facility, United Kingdom

Prof. Dan Major, Bar-Ilan University, Israel

Dr. Jerry Mayers, University of Houston, United States of America

Prof. Robert McGreevy, ISIS Facility, United Kingdom

Mr. Joshua More, University of Oxford, United Kingdom

Dr. Sanghamitra Mukhopadhyay, ISIS Facility, United Kingdom

Dr. Stewart Parker, ISIS Facility, United Kingdom

Ms. Alexandra Parmentier, Università di Roma - Tor Vergata, Italy

Dr. Keith Refson, STFC Scientific Computing Department, United Kingdom

Dr. Selena Richards, Nottingham Trent University and ISIS Facility, United Kingdom

Mr. Giovanni Romanelli, Università di Roma - Tor Vergata, Italy

Dr. Svemir Rudic, ISIS Facility, United Kingdom

Dr. Kate Ryan, University of Oxford, United Kingdom

Dr. Christoph Salzmann, University College London, United Kingdom

Dr. Andrew Seel, ISIS Facility, United Kingdom

Dr. Roberto Senesi, Università di Roma - Tor Vergata, Italy

Dr. Lukasz Walewski, Ruhr-Universität, Bochum, Germany

Dr. Thor Wikfeldt, University of Iceland and Nordita, Iceland & Sweden

Mr. Tim Wiles, Durham University, United Kingdom

doi:10.1088/1742-6596/571/1/011001

References

- $[1] \ {\tt www.isis.stfc.ac.uk/news-and-events/events/2014}$
- [2] www.osti.gov/scitech/biblio/5858602 and www.osti.gov/scitech/biblio/5860709
- [3] www.fisica.uniroma2.it/vesuvio/dins/html/eV_workshop240405.htm
- [4] www.ornl.gov
- [5] web129.its.me.cnr.it/workshop/
- [6] Mayers J and Reiter G 2012 Meas. Sci. Technol. 23 045902
- [7] www.isis.stfc.ac.uk/instruments/vesuvio
- [8] Granroth GG, Kolesnikov I, Sherline TE, Clancy JP, Ross KA, Ruff JPC, Gaulin BD and Nagler SE 2010 J. Phys. Conf. Ser. 251 12058
- [9] www.neutrons.ornl.gov/sequoia
- [10] Rodriguez Palomino LA, Blostein JJ and Dawidowski J 2011 Nucl. Instrum. Meth. A 646 142
- [11] www.cab.cnea.gov.ar

doi:10.1088/1742-6596/571/1/011001

Table 1. Programme of the VI Workshop in Electron Volt Neutron Spectroscopy.

| Monday 20 th January | |
|---------------------------------|--|
| 13:00 13:05-13:15 | Welcome and Particulars Spectroscopy with Epithermal Neutrons Felix Fernandez-Alonso, ISIS |
| Session 1 | Nuclear Quantum Effects |
| 13:15-13:55 | Quantal Nuclear Motions in Condensed H-Bonded Systems Carla Andreani, Rome |
| 13:55-14:35 | The Quantum Mechanics of Nano-Confined Water: New Cooperative Effects Revealed with Neutron and X-Ray Compton Scattering George Reiter, Houston |
| Session 2 | DINS Beyond the Proton |
| 14:55-15:35 | MANSE and Beyond Matthew Krzystyniak, ISIS |
| 15:35-15:55 | Origins of Mechanical Toughness in Bio-Cement During Setting Gregory Chasse, Queen Mary University of London |
| 15:55-16:15 | Direct Measurement of Competing Quantum Effects on the Kinetic Energy of Heavy Water Upon Melting Giovanni Romanelli, Rome |
| Session 3 | Measurement and Instrumentation |
| 16:20-16:50 | Epithermal Neutron Detection at ISIS Guiseppe Gorini, Milano-Bicocca |
| 16:50-17:10 | VESUVIO Now/VESUVIO When? Andrew Seel, ISIS |
| 17:10-17:35 | Direct and Inverse Geometry Instruments for Proton Momentum Distribution Studies Roberto Senesi, Rome |
| Tuesday 21^{st} Janu | ary |
| Session 4 | Theoretical Horizons and Calculation |
| 09:00-09:40 | Inexpensive Evaluation of the Quantum Kinetic Energy and Particle Momentum Distribution by First-Principles Simulations Michele Ceriotti, EPFL |
| 09:40-10:05 | Collective Proton Tunnelling in Ordinary Ice Christoph Dreschel-Grau, Bochum |
| 10:05-10:30 | Simulation Studies of Hydroge-Bonded Ferroelectrics Thor Wikfeldt, Reykjavik/Stockholm |
| 10:50-11:15 | Interaction Induced Localisation of Protons: Temperature and Superfluid Helium Solvation Effects Lukasz Walewski, Bochum |
| 11:15-11:40 | Nuclear Quantum Effects in Enzyme Catalysis From Momentum Distributions Dan Major, Bar-Ilan |
| 13:30-15:30 | Open Discussion 6 |