

# Bibliographie

- [1] Akbay Z. and Aktan H.M. Actively regulated friction slip braces. In *Pro. Sixth Canadian Conference on Earthquake Engineering, Toronto Canada*, pages 367–374, 1991.
- [2] Balas M.J. Active control of flexible systems. *Journal of Optimization Theory and Applications*, 24(4):415–436, 1978.
- [3] Balas M.J. Direct velocity feedback control of large space structures. *Journal of Guidance, Control and Dynamics*, 2(3):252, 1979.
- [4] Balmes E. Structural dynamics toolbox. *MATLAB, Scientific Software*, 1991.
- [5] Barros R.C. Seismic response of tanks and vibration control of their pipelines. *Journal of Vibroengineering*, 4(1):9–16, 2002.
- [6] Barros R.C. and Alves R. Seismic response of metallic storage tanks by degenerated solid modelling of liquid contents. *Emgenharia: Estudo e Pesquisa*, 4(2):71–77, 2001.
- [7] Basseville M., Mevel L. and Goursat M. Statistical model-based damage detection and localization: subspace-based residuals and damage-to-noise sensitivity ratios. *Journal of Sound and Vibration*, 275:769–794, 2004.
- [8] Baz A. and Poh S. Performance of an active control system with piezoelectric actuators. *Journal of Sound and Vibration*, 126(2):327–343, 1988.
- [9] Baz A. and Poh S. Experimental implementation of the modified independent modal space control method. *Journal of Sound and Vibration*, 139(1):133–149, 1990.
- [10] Bisegna P., Caruso G. and Maceri F. On the choice of the shunt circuit for single-mode vibration damping of piezoactuated structures. In *Mechanical Modelling and Computational issues in Civil Engineering*, M. Frémond, F. Maceri, eds. Springer, 23:389–400, 2004.
- [11] Bisegna P., Caruso G. and Maceri F. Optimized electric networks for vibration damping of piezoactuated beams. *Journal of Sound and Vibration*, 289:908–937, 2006.

- [12] Bisegna P., Caruso G., Dionisio D.V., Sergio G. and Laura M. Semi-active control of a thin piezoactuated structure. In T.T. Hyde, editor, *Smart Structures and Materials: Damping and Isolation. Proceedings of SPIE*, volume 3989, pages 301–311, 2000.
- [13] Bourquin F. A numerical approach to the exact controllability of euler-navier-bernoulli beams. *Proceedings of the First World Conference on Structural Control*, pages 120–129, 1994.
- [14] Bourquin F. Numerical methods for the control of flexible structures. *Journal of structural control*, 8(1), 2001.
- [15] Bourquin F. and Joly M. A magnet-based vibrating wire sensor: design and simulation. *Smart Materials and Structures*, 14:247–256, 2005.
- [16] Bourquin F., Branchet B., Collet M. and Ratier L. Primal-dual control, synthesis for flexible strcutures. In *Proc. of 3rd World Conference on the Control Structures*, Como, Italy, 2002.
- [17] Bourquin F., Briffaut J.S. and Collet M. . On the feedback stabilisation: Komornik method. In *Proc. of second international symposium on active control in mechanical engineering*, Lyon, 1997.
- [18] Bourquin F., Collet M. and Ratier L. Modeling and numerical issues in the active control of flexible structures. In *Proc. of 3 Workshop on Strcutural Control*, pages 133–137, ENPC Champs sur Marne, 2000.
- [19] Bourquin F., Joly M., Collet M. and Ratier L. An efficient feedback control algorithm for beams: Experimental investigations. *Journal of Sound and Vibration*, 278:181–206, 2004.
- [20] Bourquin F., Urquiza J. and Namar R. Discretization of the controllability gramian in view of exact boundary control: The case of thin plates. *Proceeding of the IFIWG 7.2 Conference on Optimal Control of Partial Differential Equations*, Chemnitz, 1998.
- [21] Brownjohn J. M. W., Pan T. C. and Deng X. Y. Correlating dynamic characteristics from feld measurements and numerical analysis of high-rise building. *Earthquake Engineering and Structural*, 29:523–543, 2000.
- [22] Caruso G. *Laminati piezoelettrici, modellazione, algoritmi di calcolo ed ottimizzazione della risposta dinamica*. PhD thesis, Dottorato di Ricerca in Ingegneria Civile XV Ciclo. Università di Roma Tor Vergata, 2000.
- [23] Caruso G. A critical analysis of electric shunt circuits employed in piezoelectric passive vibration damping. *Smart Materials And Structures*, 10:1059–1068, 2001.

- [24] Collet M. Shape optimization of piezoelectric sensors dealing with spill-over instabilities. *IEEE Transactions on Control System Technology*, 9(4):654–663, 2001.
- [25] Collet M. and Jezequel L. Active control with piezoelectric layers optimization. *Journal of Structural Control*, 1:59–79, 1995.
- [26] Contantinou M.C. and Symans M.D. Experimental study of seismic response of buildings with supplemental fluid dampers. *Structural Design Tall Buildings*, 2:93–132, 1993.
- [27] Cooperativa Libraria Universitaria . *Appunti di Elettrotecnica Generali*. Bologna, 1970.
- [28] Cumunel G. *Dynamique des structures et des systèmes couplés*. PhD thesis, Stage de Diplôme d'Etudes Approfondies (DEA), 2005.
- [29] Den Hartog J. P. *Mechanical Vibrations*. McGraw Hill Book Co., New York, 1947.
- [30] Dowdell D.J. and Cherry S. Structural control using semi-active friction dampers. In *Proc. Ist wold conference on structural control. Inst. Assoc. for structural control*, pages FA1/59– FA1/68, Los Angeles Calif., 1994.
- [31] Dupont P., Kasturi P. and Stokes A. Semi-active control of friction dampers. *Journal of Sound and Vibration*, 202(2):203–218, 1997.
- [32] Dyke S.J., Spencer B.F., Sain M.K. and Carlson JD. Modeling and control of magnetorheological dampers for seismic response reduction. *Smart Materials and Structures*, 5:565–575, 1996.
- [33] Emanuele R. and Maurizio De A. Aspetti teorici nel controllo semi-attivo delle strutture. Technical report, Facolta di Ingegneria-Università di Napoli: Federico II, Maggio 2000.
- [34] Ewins D. J. *Modal testing: Theory and practice*. Research Studies Press LTD, 1986.
- [35] Fang J.Q., Li Q.S. and Jeary A.P. Modified independent modal space control of m.d.o.f systems. *Journal of Sound and Vibration*, 261:421–441, 2003.
- [36] Feng Q. and Shinozuka M. Use of a variable damper for hybrid control of bridge response under earthquake. In *Proc. of U.S.-National workshop on structural control Research, USC Publ. No. CE-9013*, 1990.
- [37] Feng Q. and Shinozuka M. Control of seismic response of bridge structures using variable dampers. *Journal Intellegent Material System and Structure*, 4:117–122, 1993.
- [38] Frahm H. Devices for damping vibrations of bodies. *U.S. Patent nr.989,958*, 1911.

- [39] Fujino Y. and Masato A. Design formulas for tuned mass dampers based on a perturbation technique. *Earthquake Engineering and Structural Dynamics*, 22:833–854, 1993.
- [40] Fuller C.R., Elliot S.J. and Nilson P.A. *Active control of vibration*. Academic Press, 1996.
- [41] Gavin G.P., Hanson R.D. and Filisko F.E. Electrorheological dampers, part ii: testing and modeling. *Journal Applied and Mechanics*, 63:676–682, 1996.
- [42] Georges A. et Collaborateurs . *Les capteurs en instrumentation industrielle*. DUNOD, 1999.
- [43] Gérardin M. et Rixen D. *Théorie des vibrations: application à la dynamique des structures*. Masson, Paris, 1992.
- [44] Gérard C. Mécanique non-linéaire et éléments finis, fascicule 7. *LMSP*, 2003.
- [45] Hagood N.W. and Von Flotow A. Damping of structural vibrations with piezoelectric materials and passive electrical networks. *Journal of Sound and Vibration*, 142(2):243–268, 1991.
- [46] Harold L.S. and Jeffrey .L.K. Second generation, non-protruding, intelligent stiffener for bridges (isb) at the i-35 walnut creek bridge. Technical report, The School of Aerospace and Mechanical Engineering, The University of Oklahoma, 1999.
- [47] Housner G.W., Bergman L.A., Chassiaskos A.G., Claus R.O., Marsi S.F., Skelton R.E., Soong T.T., Spencer B.F. and Yao J.T.P. Special issue: structural control: past, present and future. *Journal of Engineering Mechanics ASCE*, 123(9):897–971, 1997.
- [48] Hrovat D., Barak P. and Rabins M. Semi-active versus passive or active tuned mass dampers for structural control. *Journal of Engineering Mechanics*, 109(3), June 1983.
- [49] Inaudi J.A. Modelated homogeneous friction: Semi-active damping strategy. *Earthquake Engineering and Structural Dynamics*, 26:361–376, 1997.
- [50] Jauseu L.M. and Dyke S.J. Semi-active control strategies for mr dampers; a comparative study. *ASCE Journal of Engineering Mechanics*, 126(8):795–803, 2000.
- [51] Kaitath T. . *Linear systems*. Prentice Hall, 1980.
- [52] Karnopp D., Crosby M.J and Harwood R.A. Vibration control using semi-active forces generators. *ASME Journal of Engineering for Industry Transport*, pages 2–8, Mai 1974.

- [53] Kobori T., Takahashi M., Nasu T. and Niwa N. Seismic response controlled structure with active variable stiffness. *Earthquake Engineering and Structural Dynamics*, 22:925–941, 1993.
- [54] Komornik V. Stabilisation rapide de problèmes d'évolution linéaires. *C.R. Académie des Sciences*, 321:433–437, 1995.
- [55] Komornik V. Rapid boundary stabilization of linear distributed systems. *Siam Journal of Control and Optimization*, 35(5):1591–1613, 1997.
- [56] Krasnicki E.J. The experimental performance of an on-off active damper. *The Shock and Vibration Bulletin*, 51(3):125–131, 1981.
- [57] Kurada N., Kobori T., Takahashi M., Niwa N. and Midorikawa H. . Actual seismic response controlled building with semi-active damper system. *Earthquake Engineering and Structural Dynamics*, 128:1427–1447, 1999.
- [58] Kwakernaak H. and Sivan R. *Linear optimal control systems*. Wiley, 1972.
- [59] Lammering R., Jia J. and Rogers C.A. Optimal placement of piezoelectric actuators in adaptive truss structures. *Journal of Sound and Vibration*, 171(1):67–85, 1994.
- [60] Leitmann G. Semi-active control of vibration attenuation. *Journal of Intelligent Material Systems and Structures*, 5:841–846, 1994.
- [61] Li Z.N., Tang J. and Li Q.S. Optimal sensor locations for structural vibration measurements. *Applied Acoustics*, 65:807–818, 2004.
- [62] Lin P.Y. and Chung L.L. Semi-active control of building structures with semiactive tuned mass damper. *Computer-Aided Civil and Infrastructure Engineering*, 20:35–51, 2005.
- [63] Lions J.L. *Contrôlabilité exacte, perturbations et stabilisation de systèmes distribués, volume 1*. Masson, Paris, 1988.
- [64] Loh C.H, and Ma M.J. Active damping or active stiffness control for seismic excited building. In *Proc. Ist. World Conference on structural control Int. Ass. for structural control Los Angeles, CALif., El Cerrito CALif.*, pages TA2/11–TA2/20, 1994.
- [65] Marazzi F. *Semi-active control of civil structures: Implementation aspects*. PhD thesis, Dottorato di Ricerca in Ingegneria Civile XV Ciclo. Facoltà di Ingegneria-Università di Pavia-Italy, 2002.
- [66] Meirovitch L. *Dynamics and control of distributed structures*. John Wiley and Son, 1988.
- [67] Meirovitch L. *Dynamics and control structures*. Wiley, 1990.
- [68] Meirovitch L. and Öz H. Modal space control of distributed gyroscopic system. *Journal of Guidance, Control and System*, 3:140–150, 1980.

- [69] Mizuno T., Kobori T., Hirai J., Matsunga Y and Niwa N. Development of adjustable hydraulic damper for seismic response control of large structure. In *ASME PVP Conference*, volume 229, pages 163–170, 1992.
- [70] Mustafa Y., Sadri S. and Olkan C. Finite element analysis of non linear coupled oscillator. *Engineering Structures*, 24:577–586, 2002.
- [71] Mustafa Y. and Sadri S. The analysis of the orientation effect of non linear flexible systems on performance of the pendulum absorber. *International Journal of Non-Linear Mechanics*, 39:741–752, 2004.
- [72] Nagarajaiah S. and Sonmez E. Performance of semi-active variable stiffness multiple tuned mass damper under harmonic forces. *Journal of Structural Ingeneering, ASCE, accepted, in press*, 2005.
- [73] Nagarajaiah S. and Varadarajan N. Novel semi-active variable stiffness tuned mass damper with real time retuning capability. In: *Proceeding of 13th Engeneering Mec. conf.*, 2000.
- [74] Nilson P.A. and Elliot S.J. . *Active control of sound*. Acedemic Press, 1992.
- [75] Occhiuzzi A., Spizzuoco M. and Seino G. *Semi-active MR dampers in TMD's for vibration control footbridges, Part1: Numerical modeling and control algorithm*. Footbridge, 2002.
- [76] Oguamanam D.C.D., Hansen J.S. and Heppler G.R. Dynamics of a three-dimensional overhead crane system. *Journal of Sound and Vibration*, 242(3):411–426, 2001.
- [77] Olkan C. The effect of detuning parameters on the absorption region for a coupled system: A numerical and experimental study. *Journal of Sound and Vibration*, 229(4):837–857, 2000.
- [78] Ormondroyd J. and Den Hartog J.P. The theory of the dynamic vibration absorber. *Tran. American Society of Mech. Engineers, AMP-50-7*, pages 9–22, 1928.
- [79] Parker G.A and Lan K.S. A novel valve for semi-active vehicle suspension systems. In *Proc. of International Mechanical Conference on Advanced Suspension*, volume C427/88, pages 69–74, 1988.
- [80] Patten W.N., Kuo C.C., Liu L., and Sach R.L. Seismic structural control via hydraulic semi-active vibration dampers (savd). In *Proc. 1st World Conference on Structural Control*, pages FA2/83–89, Int. Asso. for Structural Control, Los Angeles, Calif., 1994.
- [81] Patten W.N., Sach R.L., and He Q. Controlled semi-active hydraulic vibration absorber for bridges. In *Proc. ATC-17, Seminar on seismic isolation, passive energy*

- dissipation and active control*, volume 2, pages 727–736, App. Technol. Council, Redwood City, Calif., 1993.
- [82] Patten W.N., Sach R.L., Yen W., Mo C. and Wu H.C. Seismic motion control using semi-active hydraulic force actuators. *Journal Structural Engeneering ASCE*, 122(2):187–192, 1996.
- [83] Preumont A. *Vibration control of active structure; An introduction*, volume 50. Kluwer Academic, Departement of Mechanical Engineering and Robotics, Université Libre de Bruxelles-Belgium, 1997.
- [84] Périsse J. *Etude conception et réalisation d'une suspension active d'un siège de véhicule routier pour l'amélioration du confort dynamique*. PhD thesis, L'école Centrale de Lyon-France, 1997.
- [85] Rabinow J. The magnetic fluid clutch. *AIEE Transactions*, 67:1308–1315, 1948.
- [86] Ratier L. *Stabilisation rapide des structures par contrôle actif, mise en oeuvre expérimentale*. PhD thesis, Doctorat de L'Ecole Normale Supérieure de Cachan, 2000.
- [87] Renzi E. and Serino G. Testing and modelling a semi-actively controlled steel frame structure equipped with mr dampers. *Structural Control and Health Monitoring*, 11:189–221, 2004.
- [88] Roberto R. *Dinamica delle strutture*. Cuen, Italia, 1993.
- [89] Rowbottom M. D. The optimization of mechanical dampers to control self-excited galloping oscillations. *Journal of Sound and Vibration*, 75:559–576, 1981.
- [90] Sadek F. and Mohraz B. Semi-active control algorithms for structures with variable dampers. *Journal of Engineering Mechanics*, 124(92):981–990, September 1998.
- [91] Sadek F., Mohraz B., Taylor A.W. and Chung R.M. *Passive energy dissipation devices for seismic applications*. NISTIR5923, 1996.
- [92] Scruggs J.T. and Iwan W.D. Control of a civil structure using an electric machine with semi-active capability. *Journal of Structural Ingeneering*, 129(7):951–959, 2003.
- [93] Seiler G., Fischer O. and Huber P. *Semi-active MR dampers in TMD's for vibration control footbridges, Part2: Numerical analysis and practical realisation*. Footbridge, 2002.
- [94] Setareh M. Tuned mass dampers to control floor vibration from humans. *Journal of Structural Engineering*, 118(3):741–761, 1992.
- [95] Setareh M. Floor vibration control using semi-active tuned mass dampers. *Canadien Journal Civil Engeneering*, 29:76–84, 2002.

- [96] Song Y., Iwata Y. and Komatsuzaki T. The response of a dynamic vibration absorber system with a parametrically excited pendulum. *Journal of Sound and Vibration*, 259(4):747–759, 2003.
- [97] Soong T.T . *Active structural control: Theory and practice*. Longman, 1990.
- [98] Soong T.T. and Dargush G.F. *Passive energy dissipation systems in structural enginnering*. Wiley Sons, 1997.
- [99] Spencer B.F. and Nagarajaiah S. State of the art of structural control. *Journal Structural Engeneering ASCE*, 129(7):845–856, 2003.
- [100] Symans M.D. and Constantinons M.C.. Seismic testing of a building structure with a semi-active fluid damper control system. *Earthquake Engineering and Structural Dynamics*, 26:759–777, 1997.
- [101] Symans M.D. and Constantinons M.C. Developement and experimental study of semi-active fluid damping devices for seismic protection of structures. Technical report, REp No. NCEER-95-0011, State Univ. of New York at Buffalo, Buffalo, N.Y, 1995.
- [102] Takahashi M., Kobori T., Nasu T., Niwa N. and Kurata N. Active response control of buildings for large earthquakes-seismic response control system with variable structural characteristics. *Smart Materials and Structures*, 7(4):522–529, 1998.
- [103] Thompson A. G. Optimum tuning and damping of a dynamic vibration absorber applied to a force excited and damped primary system. *Journal of Sound and Vibration*, 77(3):403–415, 1981.
- [104] Varadarajan N. and Nagarajaiah S. Semi-active variable stifness tuned mass damper for response control of wind-excited tall building: Benchmark problem. In: *Proceeding of 13th Engeneering Mec. conf. ASCE, UT-Austin*, 2000.
- [105] Warburton G. B. Optimal absorber parameters for various combinations of responce and excitation parameters. *Earthquake Engineering and Structural Dynamics*, 10:381–401, 1982.
- [106] Xu Y.L., Qu W.L. and Ko J.M. Seismic response control of frame structures using magnetorheological/electrorheological dampers. *Earthquake Engineering and Strac-tural Dynamics*, 29:557–575, 2000.
- [107] Yamada Q. and Kobori T. Fundamental dynamics and control strategies for aseismic structural control. *International Journal of Solids and Structures*, 38:6079–6121, 2001.
- [108] Yang J.N., Akbarpour A. and Ghaemmaghami P. New optimal control algorithms for structural control. *Journal of Engineering Mechanics*, 119(9):1369–1387, 1987.

- [109] Yang J.N., Li Z. and Vongchavalitkul S. A generalization of optimal control theory: Linear and nonlinear structures. Technical report, REp No. NCEER-92-0026, State Univ. of New York at Buffalo, Buffalo, N.Y, 1992.
- [110] Yang S.M. and Jeng C.A. Structural vibration suppression by concurrent piezoelectric sensor and actuator. *Smart Materials and Structures*, 5(6):806–813, 1996.
- [111] Zadeh L.A. Fuzzy sets. *Inf Control*, 8:338–353, 1965.
- [112] Zhang Y., Zhou Z.W. and Guo G.C. Decoupling neighboring quits in quantum computers through bang-bang pulse control. *Physics Letters A*, 6:327–391, 2004.